Cubical Categories

Tanguy Massacrier and Georg Struth

November 9, 2026

Abstract

This AFP entry formalises cubical ω-categories and cubical ω-categories with connections in the style of single-set categories. Cubical categories, and the cubical sets on which they are based, have their origins and main applications in algebraic topology. Applications in computer science include homotopy type theory, higher-dimensional automata in concurrency theory and higher-dimensional rewriting. The single-set axiomatisation, introduced in these components and a companion paper, allows a formalisation based on Isabelle's type classes.

Contents

1 Introductory Remarks **1**

2 Indexed Catoids **2**
2.1 Indexed catoids and categories 2

3 Cubical Categories **4**
3.1 Semi-cubical ω-categories 4
3.2 Type classes for cubical ω-categories 6

4 Cubical Categories with Connections **19**

5 Cubical $(\omega, 0)$-Categories with Connections **22**

1 Introductory Remarks

Based on a formalisation of catoids and single-set categories in the AFP [2] we develop single-set axiomatisations for cubical ω-categories with and without connections. A detailed explanation of the single-set approach, the classical approach to cubical ω-categories and the proof of equivalence of the single-set and the classical approach can be found in a companion article [1]. Isabelle, with its high degree of proof automation, has been instrumental for developing the single-set axioms introduced in this article.

2 Indexed Catoids

theory *ICatoids*
imports *Catoids.Catoid*

begin

All categories considered in this component are single-set categories.

no-notation *src* (‹σ›)

notation *True* (‹*tt*›)
notation *False* (‹*ff*›)

abbreviation *Fix* :: ('*a* ⇒ '*a*) ⇒ '*a set* **where**
Fix f ≡ {*x*. *f x* = *x*}

First we lift locality to powersets.

lemma (**in** *local-catoid*) *locality-lifting*: (*X* ⋆ *Y* ≠ {}) = (*Tgt X* ∩ *Src Y* ≠ {})
⟨*proof*⟩

The following lemma about functional catoids is useful in proofs.

lemma (**in** *functional-catoid*) *pcomp-def-var4*: Δ *x y* ⟹ *x* ⊙ *y* = {*x* ⊗ *y*}
⟨*proof*⟩

2.1 Indexed catoids and categories

class *face-map-op* =
fixes *fmap* :: *nat* ⇒ *bool* ⇒ '*a* ⇒ '*a* (‹∂›)

begin

abbreviation *Face* :: *nat* ⇒ *bool* ⇒ '*a set* ⇒ '*a set* (‹$\partial\partial$›) **where**
$\partial\partial$ *i* α ≡ *image* (∂ *i* α)

abbreviation *face-fix* :: *nat* ⇒ '*a set* **where**
face-fix i ≡ *Fix* (∂ *i ff*)

abbreviation *fFx i x* ≡ (∂ *i ff x* = *x*)

abbreviation *FFx i X* ≡ (∀ *x* ∈ *X*. *fFx i x*)

end

class *icomp-op* =
fixes *icomp* :: '*a* ⇒ *nat* ⇒ '*a* ⇒ '*a set* (‹-⊙_-›[*70*,*70*,*70*]*70*)

class *imultisemigroup* = *icomp-op* +
assumes *iassoc*: (⋃ *v* ∈ *y* ⊙$_i$ *z*. *x* ⊙$_i$ *v*) = (⋃ *v* ∈ *x* ⊙$_i$ *y*. *v* ⊙$_i$ *z*)

begin

sublocale *ims*: *multisemigroup* $\lambda x\ y.\ x \odot_i y$
⟨*proof*⟩

abbreviation $DD \equiv ims.\Delta$

abbreviation *iconv* :: *'a set* ⇒ *nat* ⇒ *'a set* ⇒ *'a set* (‹-⋆_-›[70,70,70]70) **where**
$X \star_i Y \equiv ims.conv\ i\ X\ Y$

end

class *icatoid* = *imultisemigroup* + *face-map-op* +
assumes *iDst*: $DD\ i\ x\ y \Longrightarrow \partial\ i\ tt\ x = \partial\ i\ ff\ y$
and *is-absorb* [*simp*]: $(\partial\ i\ ff\ x) \odot_i x = \{x\}$
and *it-absorb* [*simp*]: $x \odot_i (\partial\ i\ tt\ x) = \{x\}$

begin

Every indexed catoid is a catoid.

sublocale *icid*: *catoid* $\lambda x\ y.\ x \odot_i y\ \partial\ i\ ff\ \partial\ i\ tt$
⟨*proof*⟩

lemma *lFace-Src*: $\partial\partial\ i\ ff = icid.Src\ i$
⟨*proof*⟩

lemma *uFace-Tgt*: $\partial\partial\ i\ tt = icid.Tgt\ i$
⟨*proof*⟩

lemma *face-fix-sfix*: *face-fix* = *icid.sfix*
⟨*proof*⟩

lemma *face-fix-tfix*: *face-fix* = *icid.tfix*
⟨*proof*⟩

lemma *face-fix-prop* [*simp*]: $x \in face\text{-}fix\ i = (\partial\ i\ \alpha\ x = x)$
⟨*proof*⟩

lemma *fFx-prop*: $fFx\ i\ x = (\partial\ i\ \alpha\ x = x)$
⟨*proof*⟩

end

class *icategory* = *icatoid* +
assumes *locality*: $\partial\ i\ tt\ x = \partial\ i\ ff\ y \Longrightarrow DD\ i\ x\ y$
and *functionality*: $z \in x \odot_i y \Longrightarrow z' \in x \odot_i y \Longrightarrow z = z'$

begin

Every indexed category is a (single-set) category.

sublocale *icat*: *single-set-category* $\lambda x\ y.\ x \odot_i y\ \partial\ i\ ff\ \partial\ i\ tt$
⟨*proof*⟩

abbreviation *ipcomp* :: $'a \Rightarrow nat \Rightarrow 'a \Rightarrow 'a$ (‹-⊗_-›[70,70,70]70) **where**
$x \otimes_i y \equiv icat.pcomp\ i\ x\ y$

lemma *iconv-prop*: $X \star_i Y = \{x \otimes_i y \mid x\ y.\ x \in X \wedge y \in Y \wedge DD\ i\ x\ y\}$
⟨*proof*⟩

abbreviation *dim-bound* $k\ x \equiv (\forall i.\ k \leq i \longrightarrow fFx\ i\ x)$

abbreviation *fin-dim* $x \equiv (\exists k.\ dim\text{-}bound\ k\ x)$

end

end

3 Cubical Categories

theory *CubicalCategories*
imports *ICatoids*

begin

All categories considered in this component are single-set categories.

3.1 Semi-cubical ω-categories

We first define a class for cubical ω-categories without symmetries.

class *semi-cubical-omega-category* = *icategory* +
assumes *face-comm*: $i \neq j \Longrightarrow \partial\ i\ \alpha \circ \partial\ j\ \beta = \partial\ j\ \beta \circ \partial\ i\ \alpha$
and *face-func*: $i \neq j \Longrightarrow DD\ j\ x\ y \Longrightarrow \partial\ i\ \alpha\ (x \otimes_j y) = \partial\ i\ \alpha\ x \otimes_j \partial\ i\ \alpha\ y$
and *interchange*: $i \neq j \Longrightarrow DD\ i\ w\ x \Longrightarrow DD\ i\ y\ z \Longrightarrow DD\ j\ w\ y \Longrightarrow DD\ j\ x\ z$
$\Longrightarrow (w \otimes_i x) \otimes_j (y \otimes_i z) = (w \otimes_j y) \otimes_i (x \otimes_j z)$
and *fin-fix*: $\exists k. \forall i.\ k \leq i \longrightarrow fFx\ i\ x$

begin

lemma *pcomp-face-func-DD*: $i \neq j \Longrightarrow DD\ j\ x\ y \Longrightarrow DD\ j\ (\partial\ i\ \alpha\ x)\ (\partial\ i\ \alpha\ y)$
⟨*proof*⟩

lemma *comp-face-func*: $i \neq j \Longrightarrow (\partial\partial\ i\ \alpha)\ (x \odot_j y) \subseteq \partial\ i\ \alpha\ x \odot_j \partial\ i\ \alpha\ y$
⟨*proof*⟩

lemma *interchange-var*:
assumes $i \neq j$
and $(w \odot_i x) \star_j (y \odot_i z) \neq \{\}$
and $(w \odot_j y) \star_i (x \odot_j z) \neq \{\}$

shows $(w \odot_i x) \star_j (y \odot_i z) = (w \odot_j y) \star_i (x \odot_j z)$
⟨*proof*⟩

lemma *interchange-var2*:
assumes $i \neq j$
and $(\bigcup a \in w \odot_i x.\ \bigcup b \in y \odot_i z.\ a \odot_j b) \neq \{\}$
and $(\bigcup c \in w \odot_j y.\ \bigcup d \in x \odot_j z.\ c \odot_i d) \neq \{\}$
shows $(\bigcup a \in w \odot_i x.\ \bigcup b \in y \odot_i z.\ a \odot_j b) = (\bigcup c \in w \odot_j y.\ \bigcup d \in x \odot_j z.\ c \odot_i d)$
⟨*proof*⟩

lemma *face-compat*: $\partial\ i\ \alpha \circ \partial\ i\ \beta\ = \partial\ i\ \beta$
⟨*proof*⟩

lemma *face-compat-var* [*simp*]: $\partial\ i\ \alpha\ (\partial\ i\ \beta\ x) = \partial\ i\ \beta\ x$
⟨*proof*⟩

lemma *face-comm-var*: $i \neq j \Longrightarrow \partial\ i\ \alpha\ (\partial\ j\ \beta\ x) = \partial\ j\ \beta\ (\partial\ i\ \alpha\ x)$
⟨*proof*⟩

lemma *face-comm-lift*: $i \neq j \Longrightarrow \partial\partial\ i\ \alpha\ (\partial\partial\ j\ \beta\ X) = \partial\partial\ j\ \beta\ (\partial\partial\ i\ \alpha\ X)$
⟨*proof*⟩

lemma *face-func-lift*: $i \neq j \Longrightarrow (\partial\partial\ i\ \alpha)\ (X \star_j Y) \subseteq \partial\partial\ i\ \alpha\ X \star_j \partial\partial\ \ i\ \alpha\ Y$
⟨*proof*⟩

lemma *pcomp-lface*: $DD\ i\ x\ y \Longrightarrow \partial\ i\ ff\ (x \otimes_i y) = \partial\ i\ ff\ x$
⟨*proof*⟩

lemma *pcomp-uface*: $DD\ i\ x\ y \Longrightarrow \partial\ i\ tt\ (x \otimes_i y) = \partial\ i\ tt\ y$
⟨*proof*⟩

lemma *interchange-DD1*:
assumes $i \neq j$
and $DD\ i\ w\ x$
and $DD\ i\ y\ z$
and $DD\ j\ w\ y$
and $DD\ j\ x\ z$
shows $DD\ j\ (w \otimes_i x)\ (y \otimes_i z)$
⟨*proof*⟩

lemma *interchange-DD2*:
assumes $i \neq j$
and $DD\ i\ w\ x$
and $DD\ i\ y\ z$
and $DD\ j\ w\ y$
and $DD\ j\ x\ z$
shows $DD\ i\ (w \otimes_j y)\ (x \otimes_j z)$
⟨*proof*⟩

lemma *face-idem1*: $\partial\ i\ \alpha\ x = \partial\ i\ \beta\ y \Longrightarrow \partial\ i\ \alpha\ x \odot_i \partial\ i\ \beta\ y = \{\partial\ i\ \alpha\ x\}$
⟨*proof*⟩

lemma *face-pidem1*: $\partial\ i\ \alpha\ x = \partial\ i\ \beta\ y \Longrightarrow \partial\ i\ \alpha\ x \otimes_i \partial\ i\ \beta\ y = \partial\ i\ \alpha\ x$
⟨*proof*⟩

lemma *face-pidem2*: $\partial\ i\ \alpha\ x \neq \partial\ i\ \beta\ y \Longrightarrow \partial\ i\ \alpha\ x \odot_i \partial\ i\ \beta\ y = \{\}$
⟨*proof*⟩

lemma *face-fix-comp-var*: $i \neq j \Longrightarrow \partial\partial\ i\ \alpha\ (\partial\ i\ \alpha\ x \odot_j \partial\ i\ \alpha\ y) = \partial\ i\ \alpha\ x \odot_j \partial\ i\ \alpha\ y$
⟨*proof*⟩

lemma *interchange-lift-aux*: $x \in X \Longrightarrow y \in Y \Longrightarrow DD\ i\ x\ y \Longrightarrow x \otimes_i y \in X \star_i Y$
⟨*proof*⟩

lemma *interchange-lift1*:
assumes $i \neq j$
and $\exists\, w \in W.\ \exists\, x \in X.\ \exists\, y \in Y.\ \exists\, z \in Z.\ DD\ i\ w\ x \wedge DD\ i\ y\ z \wedge DD\ j\ w\ y \wedge DD\ j\ x\ z$
shows $((W \star_i X) \star_j (Y \star_i Z)) \cap ((W \star_j Y) \star_i (X \star_j Z)) \neq \{\}$
⟨*proof*⟩

lemma *interchange-lift2*:
assumes $i \neq j$
and $\forall\, w \in W.\ \forall\, x \in X.\ \forall\, y \in Y.\ \forall\, z \in Z.\ DD\ i\ w\ x \wedge DD\ i\ y\ z \wedge DD\ j\ w\ y \wedge DD\ j\ x\ z$
shows $((W \star_i X) \star_j (Y \star_i Z)) = ((W \star_j Y) \star_i (X \star_j Z))$
⟨*proof*⟩

lemma *double-fix-prop*: $(\partial\ i\ \alpha\ (\partial\ j\ \beta\ x) = x) = (fFx\ i\ x \wedge fFx\ j\ x)$
⟨*proof*⟩

end

3.2 Type classes for cubical ω-categories

abbreviation *diffSup* :: *nat* ⇒ *nat* ⇒ *nat* ⇒ *bool* **where**
$diffSup\ i\ j\ k \equiv (i - j \geq k \vee j - i \geq k)$

class *symmetry-ops* =
fixes *symmetry* :: *nat* ⇒ *'a* ⇒ *'a* (‹σ›)
and *inv-symmetry* :: *nat* ⇒ *'a* ⇒ *'a* (‹ϑ›)

begin

abbreviation $\sigma\sigma\ i \equiv image\ (\sigma\ i)$

abbreviation $\vartheta\vartheta\ i \equiv image\ (\vartheta\ i)$

symcomp i j composes the symmetry maps from index i to index i+j-1.

primrec *symcomp* :: $nat \Rightarrow nat \Rightarrow 'a \Rightarrow 'a\ (\langle\Sigma\rangle)$ **where**
  $\Sigma\ i\ 0\ x = x$
| $\Sigma\ i\ (Suc\ j)\ x = \sigma\ (i + j)\ (\Sigma\ i\ j\ x)$

inv-symcomp i j composes the inverse symmetries from i+j-1 to i.

primrec *inv-symcomp* :: $nat \Rightarrow nat \Rightarrow 'a \Rightarrow 'a\ (\langle\Theta\rangle)$ **where**
  $\Theta\ i\ 0\ x = x$
| $\Theta\ i\ (Suc\ j)\ x = \Theta\ i\ j\ (\vartheta\ (i + j)\ x)$

end

Next we define a class for cubical ω-categories.

class *cubical-omega-category* = *semi-cubical-omega-category* + *symmetry-ops* +
  assumes *sym-type*: $\sigma\sigma\ i\ (face\text{-}fix\ i) \subseteq face\text{-}fix\ (i + 1)$
  and *inv-sym-type*: $\vartheta\vartheta\ i\ (face\text{-}fix\ (i + 1)) \subseteq face\text{-}fix\ i$
  and *sym-inv-sym*: $fFx\ (i + 1)\ x \Longrightarrow \sigma\ i\ (\vartheta\ i\ x) = x$
  and *inv-sym-sym*: $fFx\ i\ x \Longrightarrow \vartheta\ i\ (\sigma\ i\ x) = x$
  and *sym-face1*: $fFx\ i\ x \Longrightarrow \partial\ i\ \alpha\ (\sigma\ i\ x) = \sigma\ i\ (\partial\ (i + 1)\ \alpha\ x)$
  and *sym-face2*: $i \neq j \Longrightarrow i \neq j + 1 \Longrightarrow fFx\ j\ x \Longrightarrow \partial\ i\ \alpha\ (\sigma\ j\ x) = \sigma\ j\ (\partial\ i\ \alpha\ x)$
  and *sym-func*: $i \neq j \Longrightarrow fFx\ i\ x \Longrightarrow fFx\ i\ y \Longrightarrow DD\ j\ x\ y \Longrightarrow$
    $\sigma\ i\ (x \otimes_j y) = (if\ j = i + 1\ then\ \sigma\ i\ x \otimes_i \sigma\ i\ y\ else\ \sigma\ i\ x \otimes_j \sigma\ i\ y)$
  and *sym-fix*: $fFx\ i\ x \Longrightarrow fFx\ (i + 1)\ x \Longrightarrow \sigma\ i\ x = x$
  and *sym-sym-braid*: $diffSup\ i\ j\ 2 \Longrightarrow fFx\ i\ x \Longrightarrow fFx\ j\ x \Longrightarrow \sigma\ i\ (\sigma\ j\ x) = \sigma\ j\ (\sigma\ i\ x)$

begin

First we prove variants of the axioms.

lemma *sym-type-var*: $fFx\ i\ x \Longrightarrow fFx\ (i + 1)\ (\sigma\ i\ x)$
  ⟨*proof*⟩

lemma *sym-type-var1* [*simp*]: $\partial\ (i + 1)\ \alpha\ (\sigma\ i\ (\partial\ i\ \alpha\ x)) = \sigma\ i\ (\partial\ i\ \alpha\ x)$
  ⟨*proof*⟩

lemma *sym-type-var2* [*simp*]: $\partial\ (i + 1)\ \alpha \circ \sigma\ i \circ \partial\ i\ \alpha = \sigma\ i \circ \partial\ i\ \alpha$
  ⟨*proof*⟩

lemma *sym-type-var-lift-var* [*simp*]: $\partial\partial\ (i + 1)\ \alpha\ (\sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X)) = \sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X)$
  ⟨*proof*⟩

lemma *sym-type-var-lift* [*simp*]:
  assumes $FFx\ i\ X$
  shows $\partial\partial\ (i + 1)\ \alpha\ (\sigma\sigma\ i\ X) = \sigma\sigma\ i\ X$

⟨*proof*⟩

lemma *inv-sym-type-var*: *fFx* (*i* + *1*) *x* ⟹ *fFx i* (*ϑ i x*)
⟨*proof*⟩

lemma *inv-sym-type-var1* [*simp*]: *∂ i α* (*ϑ i* (*∂* (*i* + *1*) *α x*)) = *ϑ i* (*∂* (*i* + *1*) *α x*)
⟨*proof*⟩

lemma *inv-sym-type-var2* [*simp*]: *∂ i α* ∘ *ϑ i* ∘ *∂* (*i* + *1*) *α* = *ϑ i* ∘ *∂* (*i* + *1*) *α*
⟨*proof*⟩

lemma *inv-sym-type-lift-var* [*simp*]: *∂∂ i α* (*ϑϑ i* (*∂∂* (*i* + *1*) *α X*)) = *ϑϑ i* (*∂∂* (*i* + *1*) *α X*)
⟨*proof*⟩

lemma *inv-sym-type-lift*:
assumes *FFx* (*i* + *1*) *X*
shows *∂∂ i α* (*ϑϑ i X*) = *ϑϑ i X*
⟨*proof*⟩

lemma *sym-inv-sym-var1* [*simp*]: *σ i* (*ϑ i* (*∂* (*i* + *1*) *α x*)) = *∂* (*i* + *1*) *α x*
⟨*proof*⟩

lemma *sym-inv-sym-var2* [*simp*]: *σ i* ∘ *ϑ i* ∘ *∂* (*i* + *1*) *α* = *∂* (*i* + *1*) *α*
⟨*proof*⟩

lemma *sym-inv-sym-lift-var*: *σσ i* (*ϑϑ i* (*∂∂* (*i* + *1*) *α X*)) = *∂∂* (*i* + *1*) *α X*
⟨*proof*⟩

lemma *sym-inv-sym-lift*:
assumes *FFx* (*i* + *1*) *X*
shows *σσ i* (*ϑϑ i X*) = *X*
⟨*proof*⟩

lemma *inv-sym-sym-var1* [*simp*]: *ϑ i* (*σ i* (*∂ i α x*)) = *∂ i α x*
⟨*proof*⟩

lemma *inv-sym-sym-var2* [*simp*]: *ϑ i* ∘ *σ i* ∘ *∂ i α* = *∂ i α*
⟨*proof*⟩

lemma *inv-sym-sym-lift-var* [*simp*]: *ϑϑ i* (*σσ i* (*∂∂ i α X*)) = *∂∂ i α X*
⟨*proof*⟩

lemma *inv-sym-sym-lift*:
assumes *FFx i X*
shows *ϑϑ i* (*σσ i X*) = *X*
⟨*proof*⟩

lemma *sym-fix-var1* [*simp*]: $\sigma\ i\ (\partial\ i\ \alpha\ (\partial\ (i + 1)\ \beta\ x)) = \partial\ i\ \alpha\ (\partial\ (i + 1)\ \beta\ x)$
⟨*proof*⟩

lemma *sym-fix-var2* [*simp*]: $\sigma\ i \circ \partial\ i\ \alpha \circ \partial\ (i + 1)\ \beta = \partial\ i\ \alpha \circ \partial\ (i + 1)\ \beta$
⟨*proof*⟩

lemma *sym-fix-lift-var*: $\sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ (\partial\partial\ (i + 1)\ \beta\ X)) = \partial\partial\ i\ \alpha\ (\partial\partial\ (i + 1)\ \beta\ X)$
⟨*proof*⟩

lemma *sym-fix-lift*:
assumes *FFx i X*
and *FFx* $(i + 1)\ X$
shows $\sigma\sigma\ i\ X = X$
⟨*proof*⟩

lemma *sym-face1-var1*: $\partial\ i\ \alpha\ (\sigma\ i\ (\partial\ i\ \beta\ x)) = \sigma\ i\ (\partial\ (i + 1)\ \alpha\ (\partial\ i\ \beta\ x))$
⟨*proof*⟩

lemma *sym-face1-var2*: $\partial\ i\ \alpha \circ \sigma\ i \circ \partial\ i\ \beta\ = \sigma\ i \circ \partial\ (i + 1)\ \alpha \circ \partial\ i\ \beta$
⟨*proof*⟩

lemma *sym-face1-lift-var*: $\partial\partial\ i\ \alpha\ (\sigma\sigma\ i\ (\partial\partial\ i\ \beta\ X)) = \sigma\sigma\ i\ (\partial\partial\ (i + 1)\ \alpha\ (\partial\partial\ i\ \beta\ X))$
⟨*proof*⟩

lemma *sym-face1-lift*:
assumes *FFx i X*
shows $\partial\partial\ i\ \alpha\ (\sigma\sigma\ i\ X) = \sigma\sigma\ i\ (\partial\partial\ (i + 1)\ \alpha\ X)$
⟨*proof*⟩

lemma *sym-face2-var1*:
assumes $i \neq j$
and $i \neq j + 1$
shows $\partial\ i\ \alpha\ (\sigma\ j\ (\partial\ j\ \beta\ x)) = \sigma\ j\ (\partial\ i\ \alpha\ (\partial\ j\ \beta\ x))$
⟨*proof*⟩

lemma *sym-face2-var2*:
assumes $i \neq j$
and $i \neq j + 1$
shows $\partial\ i\ \alpha \circ \sigma\ j \circ \partial\ j\ \beta = \sigma\ j \circ \partial\ i\ \alpha \circ \partial\ j\ \beta$
⟨*proof*⟩

lemma *sym-face2-lift-var*:
assumes $i \neq j$
and $i \neq j + 1$
shows $\partial\partial\ i\ \alpha\ (\sigma\sigma\ j\ (\partial\partial\ j\ \beta\ X)) = \sigma\sigma\ j\ (\partial\partial\ i\ \alpha\ (\partial\partial\ j\ \beta\ X))$
⟨*proof*⟩

lemma *sym-face2-lift*:
assumes $i \neq j$
and $i \neq j + 1$
and *FFx j X*
shows $\partial\partial\ i\ \alpha\ (\sigma\sigma\ j\ X) = \sigma\sigma\ j\ (\partial\partial\ i\ \alpha\ X)$
⟨*proof*⟩

lemma *sym-sym-braid-var1*:
assumes *diffSup i j 2*
shows $\sigma\ i\ (\sigma\ j\ (\partial\ i\ \alpha\ (\partial\ j\ \beta\ x))) = \sigma\ j\ (\sigma\ i\ (\partial\ i\ \alpha\ (\partial\ j\ \beta\ x)))$
⟨*proof*⟩

lemma *sym-sym-braid-var2*:
assumes *diffSup i j 2*
shows $\sigma\ i \circ \sigma\ j \circ \partial\ i\ \alpha \circ \partial\ j\ \beta = \sigma\ j \circ \sigma\ i \circ \partial\ i\ \alpha \circ \partial\ j\ \beta$
⟨*proof*⟩

lemma *sym-sym-braid-lift-var*:
assumes *diffSup i j 2*
shows $\sigma\sigma\ i\ (\sigma\sigma\ j\ (\partial\partial\ i\ \alpha\ (\partial\partial\ j\ \beta\ X))) = \sigma\sigma\ j\ (\sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ (\partial\partial\ j\ \beta\ X)))$
⟨*proof*⟩

lemma *sym-sym-braid-lift*:
assumes *diffSup i j 2*
and *FFx i X*
and *FFx j X*
shows $\sigma\sigma\ i\ (\sigma\sigma\ j\ X) = \sigma\sigma\ j\ (\sigma\sigma\ i\ X)$
⟨*proof*⟩

lemma *sym-func2*:
assumes *fFx i x*
and *fFx i y*
and *DD* $(i + 1)\ x\ y$
shows $\sigma\ i\ (x \otimes_{(i+1)} y) = \sigma\ i\ x \otimes_i \sigma\ i\ y$
⟨*proof*⟩

lemma *sym-func3*:
assumes $i \neq j$
and $j \neq i + 1$
and *fFx i x*
and *fFx i y*
and *DD j x y*
shows $\sigma\ i\ (x \otimes_j y) = \sigma\ i\ x \otimes_j \sigma\ i\ y$
⟨*proof*⟩

lemma *sym-func2-var1*:
assumes *DD* $(i + 1)\ (\partial\ i\ \alpha\ x)\ (\partial\ i\ \beta\ y)$
shows $\sigma\ i\ (\partial\ i\ \alpha\ x \otimes_{(i+1)} \partial\ i\ \beta\ y) = \sigma\ i\ (\partial\ i\ \alpha\ x) \otimes_i \sigma\ i\ (\partial\ i\ \beta\ y)$
⟨*proof*⟩

lemma *sym-func3-var1*:
assumes $i \neq j$
and $j \neq i + 1$
and $DD\ j\ (\partial\ i\ \alpha\ x)\ (\partial\ i\ \beta\ y)$
shows $\sigma\ i\ (\partial\ i\ \alpha\ x \otimes_j \partial\ i\ \beta\ y) = \sigma\ i\ (\partial\ i\ \alpha\ x) \otimes_j \sigma\ i\ (\partial\ i\ \beta\ y)$
⟨*proof*⟩

lemma *sym-func2-DD*:
assumes *fFx i x*
and *fFx i y*
shows $DD\ (i + 1)\ x\ y = DD\ i\ (\sigma\ i\ x)\ (\sigma\ i\ y)$
⟨*proof*⟩

lemma *func2-var2*: $\sigma\sigma\ i\ (\partial\ i\ \alpha\ x \odot_{(i + 1)} \partial\ i\ \beta\ y) = \sigma\ i\ (\partial\ i\ \alpha\ x) \odot_i \sigma\ i\ (\partial\ i\ \beta\ y)$
⟨*proof*⟩

lemma *sym-func2-lift-var1*: $\sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X \star_{(i + 1)} \partial\partial\ i\ \beta\ Y) = \sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X) \star_i \sigma\sigma\ i\ (\partial\partial\ i\ \beta\ Y)$
⟨*proof*⟩

lemma *sym-func2-lift*:
assumes *FFx i X*
and *FFx i Y*
shows $\sigma\sigma\ i\ (X \star_{(i + 1)} Y) = \sigma\sigma\ i\ X \star_i \sigma\sigma\ i\ Y$
⟨*proof*⟩

lemma *func3-var1*:
assumes $i \neq j$
and $j \neq i + 1$
shows $\sigma\sigma\ i\ (\partial\ i\ \alpha\ x \odot_j \partial\ i\ \beta\ y) = \sigma\ i\ (\partial\ i\ \alpha\ x) \odot_j \sigma\ i\ (\partial\ i\ \beta\ y)$
⟨*proof*⟩

lemma *sym-func3-lift-var1*:
assumes $i \neq j$
and $j \neq i + 1$
shows $\sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X \star_j \partial\partial\ i\ \beta\ Y) = \sigma\sigma\ i\ (\partial\partial\ i\ \alpha\ X) \star_j \sigma\sigma\ i\ (\partial\partial\ i\ \beta\ Y)$
⟨*proof*⟩

lemma *sym-func3-lift*:
assumes $i \neq j$
and $j \neq i + 1$
and *FFx i X*
and *FFx i Y*
shows $\sigma\sigma\ i\ (X \star_j Y) = \sigma\sigma\ i\ X \star_j \sigma\sigma\ i\ Y$
⟨*proof*⟩

lemma *sym-func3-var2*: $i \neq j \Longrightarrow \sigma\sigma\ i\ (\partial\ i\ \alpha\ x \odot_j \partial\ i\ \beta\ y) = (\textit{if}\ j = i + 1\ \textit{then}$

$\sigma\ i\ (\partial\ i\ \alpha\ x) \odot_i \sigma\ i\ (\partial\ i\ \beta\ y)$ *else* $\sigma\ i\ (\partial\ i\ \alpha\ x) \odot_j \sigma\ i\ (\partial\ i\ \beta\ y)$)
⟨*proof*⟩

Symmetries and inverse symmetries form a bijective pair on suitable fixpoints of the face maps.

lemma *sym-inj*: *inj-on* $(\sigma\ i)$ (*face-fix i*)
⟨*proof*⟩

lemma *sym-inj-var*:
assumes *fFx i x*
and *fFx i y*
and $\sigma\ i\ x = \sigma\ i\ y$
shows $x = y$
⟨*proof*⟩

lemma *inv-sym-inj*: *inj-on* $(\vartheta\ i)$ (*face-fix* $(i + 1)$)
⟨*proof*⟩

lemma *inv-sym-inj-var*:
assumes *fFx* $(i + 1)\ x$
and *fFx* $(i + 1)\ y$
and $\vartheta\ i\ x = \vartheta\ i\ y$
shows $x = y$
⟨*proof*⟩

lemma *surj-sym*: *image* $(\sigma\ i)$ (*face-fix i*) = *face-fix* $(i + 1)$
⟨*proof*⟩

lemma *surj-inv-sym*: *image* $(\vartheta\ i)$ (*face-fix* $(i + 1)$) = *face-fix i*
⟨*proof*⟩

lemma *sym-adj*:
assumes *fFx i x*
and *fFx* $(i + 1)\ y$
shows $(\sigma\ i\ x = y) = (x = \vartheta\ i\ y)$
⟨*proof*⟩

Next we list properties for inverse symmetries corresponding to the axioms.

lemma *inv-sym*:
assumes *fFx i x*
and *fFx* $(i + 1)\ x$
shows $\vartheta\ i\ x = x$
⟨*proof*⟩

lemma *inv-sym-face2*:
assumes $i \neq j$
and $i \neq j + 1$
and *fFx* $(j + 1)\ x$
shows $\partial\ i\ \alpha\ (\vartheta\ j\ x) = \vartheta\ j\ (\partial\ i\ \alpha\ x)$

⟨*proof*⟩

lemma *sym-braid*:
assumes *fFx i x*
and *fFx* $(i + 1)$ *x*
shows $\sigma\ i\ (\sigma\ (i + 1)\ (\sigma\ i\ x)) = \sigma\ (i + 1)\ (\sigma\ i\ (\sigma\ (i + 1)\ x))$
⟨*proof*⟩

lemma *inv-sym-braid*:
assumes *fFx* $(i + 1)$ *x*
and *fFx* $(i + 2)$ *x*
shows $\vartheta\ i\ (\vartheta\ (i + 1)\ (\vartheta\ i\ x)) = \vartheta\ (i + 1)\ (\vartheta\ i\ (\vartheta\ (i + 1)\ x))$
⟨*proof*⟩

lemma *sym-inv-sym-braid*:
assumes *diffSup i j 2*
and *fFx* $(j + 1)$ *x*
and *fFx i x*
shows $\sigma\ i\ (\vartheta\ j\ x) = \vartheta\ j\ (\sigma\ i\ x)$
⟨*proof*⟩

lemma *sym-func1*:
assumes *fFx i x*
and *fFx i y*
and *DD i x y*
shows $\sigma\ i\ (x \otimes_i y) = \sigma\ i\ x \otimes_{(i + 1)} \sigma\ i\ y$
⟨*proof*⟩

lemma *sym-func1-var1*: $\sigma\sigma\ i\ (\partial\ i\ \alpha\ x \odot_i \partial\ i\ \beta\ y) = \sigma\ i\ (\partial\ i\ \alpha\ x) \odot_{(i + 1)} \sigma\ i\ (\partial\ i\ \beta\ y)$
⟨*proof*⟩

lemma *inv-sym-func2-var1*: $\vartheta\vartheta\ i\ (\partial\ (i + 1)\ \alpha\ x \odot_i \partial\ (i + 1)\ \beta\ y) = \vartheta\ i\ (\partial\ (i + 1)\ \alpha\ x) \odot_{(i + 1)} \vartheta\ i\ (\partial\ (i + 1)\ \beta\ y)$
⟨*proof*⟩

lemma *inv-sym-func3-var1*: $\vartheta\vartheta\ i\ ((\partial\ (i + 1)\ \alpha\ x) \odot_{(i + 1)} (\partial\ (i + 1)\ \beta\ y)) = \vartheta\ i\ (\partial\ (i + 1)\ \alpha\ x) \odot_i \vartheta\ i\ (\partial\ (i + 1)\ \beta\ y)$
⟨*proof*⟩

lemma *inv-sym-func-var1*:
assumes $i \neq j$
and $j \neq i + 1$
shows $\vartheta\vartheta\ i\ ((\partial\ (i + 1)\ \alpha\ x) \odot_j (\partial\ (i + 1)\ \beta\ y)) = \vartheta\ i\ (\partial\ (i + 1)\ \alpha\ x) \odot_j \vartheta\ i\ (\partial\ (i + 1)\ \beta\ y)$
⟨*proof*⟩

lemma *inv-sym-func2*:
assumes *fFx* $(i + 1)$ *x*

and *fFx* $(i + 1)$ y
and *DD* i x y
shows $\vartheta\ i\ (x \otimes_i y) = \vartheta\ i\ x \otimes_{(i+1)} \vartheta\ i\ y$
⟨*proof*⟩

lemma *inv-sym-func3*:
assumes *fFx* $(i + 1)$ x
and *fFx* $(i + 1)$ y
and *DD* $(i + 1)$ x y
shows $\vartheta\ i\ (x \otimes_{(i+1)} y) = \vartheta\ i\ x \otimes_i \vartheta\ i\ y$
⟨*proof*⟩

lemma *inv-sym-func*:
assumes $i \neq j$
and $j \neq i + 1$
and *fFx* $(i + 1)$ x
and *fFx* $(i + 1)$ y
and *DD* j x y
shows $\vartheta\ i\ (x \otimes_j y) = \vartheta\ i\ x \otimes_j \vartheta\ i\ y$
⟨*proof*⟩

The following properties are related to faces and braids.

lemma *sym-face3*:
assumes *fFx* i x
shows $\partial\ (i + 1)\ \alpha\ (\sigma\ i\ x) = \sigma\ i\ (\partial\ i\ \alpha\ x)$
⟨*proof*⟩

lemma *sym-face3-var1*: $\partial\ (i + 1)\ \alpha\ (\sigma\ i\ (\partial\ i\ \beta\ x)) = \sigma\ i\ (\partial\ i\ \alpha\ (\partial\ i\ \beta\ x))$
⟨*proof*⟩

lemma *sym-face3-simp* [*simp*]:
assumes *fFx* i x
shows $\partial\ (i + 1)\ \alpha\ (\sigma\ i\ x) = \sigma\ i\ x$
⟨*proof*⟩

lemma *sym-face3-simp-var1* [*simp*]: $\partial\ (i + 1)\ \alpha\ (\sigma\ i\ (\partial\ i\ \beta\ x)) = \sigma\ i\ (\partial\ i\ \beta\ x)$
⟨*proof*⟩

lemma *inv-sym-face3*:
assumes *fFx* $(i + 1)$ x
shows $\partial\ i\ \alpha\ (\vartheta\ i\ x) = \vartheta\ i\ (\partial\ (i + 1)\ \alpha\ x)$
⟨*proof*⟩

lemma *inv-sym-face3-var1*: $\partial\ i\ \alpha\ (\vartheta\ i\ (\partial\ (i + 1)\ \beta\ x)) = \vartheta\ i\ (\partial\ (i + 1)\ \alpha\ (\partial\ (i + 1)\ \beta\ x))$
⟨*proof*⟩

lemma *inv-sym-face3-simp*:
assumes *fFx* $(i + 1)$ x

shows $\partial\ i\ \alpha\ (\vartheta\ i\ x) = \vartheta\ i\ x$
⟨*proof*⟩

lemma *inv-sym-face3-simp-var1* [*simp*]: $\partial\ i\ \alpha\ (\vartheta\ i\ (\partial\ (i + 1)\ \beta\ x)) = \vartheta\ i\ (\partial\ (i + 1)\ \beta\ x)$
⟨*proof*⟩

lemma *inv-sym-face1*:
assumes *fFx* $(i + 1)\ x$
shows $\partial\ (i + 1)\ \alpha\ (\vartheta\ i\ x) = \vartheta\ i\ (\partial\ i\ \alpha\ x)$
⟨*proof*⟩

lemma *inv-sym-face1-var1*: $\partial\ (i + 1)\ \alpha\ (\vartheta\ i\ (\partial\ (i + 1)\ \beta\ x)) = \vartheta\ i\ (\partial\ i\ \alpha\ (\partial\ (i + 1)\ \beta\ x))$
⟨*proof*⟩

lemma *inv-sym-sym-braid*:
assumes *diffSup i j 2*
and *fFx j x*
and *fFx* $(i + 1)\ x$
shows $\vartheta\ i\ (\sigma\ j\ x) = \sigma\ j\ (\vartheta\ i\ x)$
⟨*proof*⟩

lemma *inv-sym-sym-braid-var1*: *diffSup i j 2* $\Longrightarrow \vartheta\ i\ (\sigma\ j\ (\partial\ (i + 1)\ \alpha\ (\partial\ j\ \beta\ x))) = \sigma\ j\ (\vartheta\ i\ (\partial\ (i + 1)\ \alpha\ (\partial\ j\ \beta\ x)))$
⟨*proof*⟩

lemma *inv-sym-inv-sym-braid*:
assumes *diffSup i j 2*
and *fFx* $(i + 1)\ x$
and *fFx* $(j + 1)\ x$
shows $\vartheta\ i\ (\vartheta\ j\ x) = \vartheta\ j\ (\vartheta\ i\ x)$
⟨*proof*⟩

lemma *inv-sym-inv-sym-braid-var1*: *diffSup i j 2* $\Longrightarrow \vartheta\ i\ (\vartheta\ j\ (\partial\ (i + 1)\ \alpha\ (\partial\ (j + 1)\ \beta\ x))) = \vartheta\ j\ (\vartheta\ i\ (\partial\ (i + 1)\ \alpha\ (\partial\ (j + 1)\ \beta\ x)))$
⟨*proof*⟩

The following properties are related to symcomp and inv-symcomp.

lemma *symcomp-type-var*:
assumes *fFx i x*
shows *fFx* $(i + j)\ (\Sigma\ i\ j\ x)$ ⟨*proof*⟩

lemma *symcomp-type*: *image* $(\Sigma\ i\ j)$ (*face-fix i*) $\subseteq$ *face-fix* $(i + j)$
⟨*proof*⟩

lemma *symcomp-type-var1* [*simp*]: $\partial\ (i + j)\ \alpha\ (\Sigma\ i\ j\ (\partial\ i\ \beta\ x)) = \Sigma\ i\ j\ (\partial\ i\ \beta\ x)$
⟨*proof*⟩

lemma *inv-symcomp-type-var*:
assumes *fFx* $(i + j)$ x
shows *fFx* i $(\Theta\ i\ j\ x)$ ⟨*proof*⟩

lemma *inv-symcomp-type*: *image* $(\Theta\ i\ j)$ (*face-fix* $(i + j)$) $\subseteq$ *face-fix* i
⟨*proof*⟩

lemma *inv-symcomp-type-var1* [*simp*]: $\partial\ i\ \alpha\ (\Theta\ i\ j\ (\partial\ (i + j)\ \beta\ x)) = \Theta\ i\ j\ (\partial\ (i + j)\ \beta\ x)$
⟨*proof*⟩

lemma *symcomp-inv-symcomp*:
assumes *fFx* $(i + j)$ x
shows $\Sigma\ i\ j\ (\Theta\ i\ j\ x) = x$ ⟨*proof*⟩

lemma *inv-symcomp-symcomp*:
assumes *fFx* i x
shows $\Theta\ i\ j\ (\Sigma\ i\ j\ x) = x$ ⟨*proof*⟩

lemma *symcomp-adj*:
assumes *fFx* i x
and *fFx* $(i + j)$ y
shows $(\Sigma\ i\ j\ x = y) = (x = \Theta\ i\ j\ y)$
⟨*proof*⟩

lemma *decomp-symcomp1*:
assumes $k \leq j$
and *fFx* i x
shows $\Sigma\ i\ j\ x = \Sigma\ (i + k)\ (j - k)\ (\Sigma\ i\ k\ x)$ ⟨*proof*⟩

lemma *decomp-symcomp2*:
assumes $1 \leq k$
and $k \leq j$
and *fFx* i x
shows $\Sigma\ i\ j\ x = \Sigma\ (i + k)\ (j - k)\ (\sigma\ (i + k - 1)\ (\Sigma\ i\ (k - 1)\ x))$
⟨*proof*⟩

lemma *decomp-symcomp3*:
assumes $i \leq l$
and $l + 1 \leq i + j$
and *fFx* i x
shows $\Sigma\ i\ j\ x = \Sigma\ (l + 1)\ (i + j - l - 1)\ (\sigma\ l\ (\Sigma\ i\ (l - i)\ x))$
⟨*proof*⟩

lemma *symcomp-face2*:
assumes $l < i \vee i + j < l$
and *fFx* i x
shows $\partial\ l\ \alpha\ (\Sigma\ i\ j\ x) = \Sigma\ i\ j\ (\partial\ l\ \alpha\ x)$ ⟨*proof*⟩

lemma *symcomp-face3*: $fFx\ i\ x \Longrightarrow \partial\ (i + j)\ \alpha\ (\Sigma\ i\ j\ x) = \Sigma\ i\ j\ (\partial\ i\ \alpha\ x)$
⟨*proof*⟩

lemma *symcomp-face1*:
assumes $i \leq l$
and $l < i + j$
and $fFx\ i\ x$
shows $\partial\ l\ \alpha\ (\Sigma\ i\ j\ x) = \Sigma\ i\ j\ (\partial\ (l + 1)\ \alpha\ x)$
⟨*proof*⟩

lemma *inv-symcomp-face2*:
assumes $l < i \vee i + j < l$
and $fFx\ (i + j)\ x$
shows $\partial\ l\ \alpha\ (\Theta\ i\ j\ x) = \Theta\ i\ j\ (\partial\ l\ \alpha\ x)$ ⟨*proof*⟩

lemma *inv-symcomp-face3*: $fFx\ (i + j)\ x \Longrightarrow \partial\ i\ \alpha\ (\Theta\ i\ j\ x) = \Theta\ i\ j\ (\partial\ (i + j)\ \alpha\ x)$
⟨*proof*⟩

lemma *inv-symcomp-face1*:
assumes $i < l$
and $l \leq i + j$
and $fFx\ (i + j)\ x$
shows $\partial\ l\ \alpha\ (\Theta\ i\ j\ x) = \Theta\ i\ j\ (\partial\ (l - 1)\ \alpha\ x)$
⟨*proof*⟩

lemma *symcomp-comp1*:
assumes $fFx\ i\ x$
and $fFx\ i\ y$
and $DD\ i\ x\ y$
shows $\Sigma\ i\ j\ (x \otimes_i y) = \Sigma\ i\ j\ x \otimes_{(i + j)} \Sigma\ i\ j\ y$
⟨*proof*⟩

lemma *symcomp-comp2*:
assumes $k < i$
and $fFx\ i\ x$
and $fFx\ i\ y$
and $DD\ k\ x\ y$
shows $\Sigma\ i\ j\ (x \otimes_k y) = \Sigma\ i\ j\ x \otimes_k \Sigma\ i\ j\ y$
⟨*proof*⟩

lemma *symcomp-comp3*:
assumes $i + j < k$
and $fFx\ i\ x$
and $fFx\ i\ y$
and $DD\ k\ x\ y$
shows $\Sigma\ i\ j\ (x \otimes_k y) = \Sigma\ i\ j\ x \otimes_k \Sigma\ i\ j\ y$ ⟨*proof*⟩

lemma *fix-comp*:

assumes $i \neq j$
and *fFx i x*
and *fFx i y*
and *DD j x y*
shows *fFx i* $(x \otimes_j y)$
⟨*proof*⟩

lemma *symcomp-comp4*:
assumes $i < k$
and $k \leq i + j$
and *fFx i x*
and *fFx i y*
and *DD k x y*
shows $\Sigma\ i\ j\ (x \otimes_k y) = \Sigma\ i\ j\ x \otimes_{(k\ -\ 1)} \Sigma\ i\ j\ y$
⟨*proof*⟩

lemma *symcomp-comp*:
assumes *fFx i x*
and *fFx i y*
and *DD k x y*
shows $\Sigma\ i\ j\ (x \otimes_k y) = (\mathit{if}\ k = i\ \mathit{then}\ \Sigma\ i\ j\ x \otimes_{(i\ +\ j)} \Sigma\ i\ j\ y$
$\mathit{else}\ (\mathit{if}\ (i < k \wedge k \leq i + j)\ \mathit{then}\ \Sigma\ i\ j\ x \otimes_{(k\ -\ 1)} \Sigma\ i\ j\ y$
$\mathit{else}\ \Sigma\ i\ j\ x \otimes_k \Sigma\ i\ j\ y))$
⟨*proof*⟩

lemma *inv-symcomp-comp1*:
assumes *fFx* $(i + j)\ x$
and *fFx* $(i + j)\ y$
and *DD* $(i + j)\ x\ y$
shows $\Theta\ i\ j\ (x \otimes_{(i\ +\ j)}\ y) = \Theta\ i\ j\ x \otimes_i \Theta\ i\ j\ y$
⟨*proof*⟩

lemma *inv-symcomp-comp2*:
assumes $k < i$
and *fFx* $(i + j)\ x$
and *fFx* $(i + j)\ y$
and *DD k x y*
shows $\Theta\ i\ j\ (x \otimes_k y) = \Theta\ i\ j\ x \otimes_k \Theta\ i\ j\ y$
⟨*proof*⟩

lemma *inv-symcomp-comp3*:
assumes $i + j < k$
and *fFx* $(i + j)\ x$
and *fFx* $(i + j)\ y$
and *DD k x y*
shows $\Theta\ i\ j\ (x \otimes_k y) = \Theta\ i\ j\ x \otimes_k \Theta\ i\ j\ y$
⟨*proof*⟩

lemma *inv-symcomp-comp4*:

assumes $i \leq k$
and $k < i + j$
and *fFx* $(i + j)$ x
and *fFx* $(i + j)$ y
and *DD* k x y
shows $\Theta\ i\ j\ (x \otimes_k y) = \Theta\ i\ j\ x \otimes_{(k\ +\ 1)} \Theta\ i\ j\ y$
⟨*proof*⟩

end

end

4 Cubical Categories with Connections

theory *CubicalCategoriesConnections*
imports *CubicalCategories*

begin

All categories considered in this component are single-set categories.

class *connection-ops* =
fixes *connection* :: *nat* ⇒ *bool* ⇒ $'a$ ⇒ $'a$ (‹Γ›)

abbreviation (**in** *connection-ops*) ΓΓ $i\ \alpha \equiv$ *image* $(\Gamma\ i\ \alpha)$

We define a class for cubical ω-categories with connections.

class *cubical-omega-category-connections* = *cubical-omega-category* + *connection-ops*
+
assumes *conn-face1*: *fFx j x* ⟹ $\partial\ j\ \alpha\ (\Gamma\ j\ \alpha\ x) = x$
and *conn-face2*: *fFx j x* ⟹ $\partial\ (j + 1)\ \alpha\ (\Gamma\ j\ \alpha\ x) = \sigma\ j\ x$
and *conn-face3*: $i \neq j \Longrightarrow i \neq j + 1 \Longrightarrow$ *fFx j x* ⟹ $\partial\ i\ \alpha\ (\Gamma\ j\ \beta\ x) = \Gamma\ j\ \beta\ (\partial\ i\ \alpha\ x)$
and *conn-corner1*: *fFx i x* ⟹ *fFx i y* ⟹ *DD* $(i + 1)\ x\ y \Longrightarrow \Gamma\ i\ tt\ (x \otimes_{(i\ +\ 1)} y) = (\Gamma\ i\ tt\ x \otimes_{(i\ +\ 1)} \sigma\ i\ x) \otimes_i (x \otimes_{(i\ +\ 1)} \Gamma\ i\ tt\ y)$
and *conn-corner2*: *fFx i x* ⟹ *fFx i y* ⟹ *DD* $(i + 1)\ x\ y \Longrightarrow \Gamma\ i\ ff\ (x \otimes_{(i\ +\ 1)} y) = (\Gamma\ i\ ff\ x \otimes_{(i\ +\ 1)} y) \otimes_i (\sigma\ i\ y \otimes_{(i\ +\ 1)} \Gamma\ i\ ff\ y)$
and *conn-corner3*: $j \neq i \wedge j \neq i + 1 \Longrightarrow$ *fFx i x* ⟹ *fFx i y* ⟹ *DD j x y* ⟹ $\Gamma\ i\ \alpha\ (x \otimes_j y) = \Gamma\ i\ \alpha\ x \otimes_j \Gamma\ i\ \alpha\ y$
and *conn-fix*: *fFx i x* ⟹ *fFx* $(i + 1)\ x \Longrightarrow \Gamma\ i\ \alpha\ x = x$
and *conn-zigzag1*: *fFx i x* ⟹ $\Gamma\ i\ tt\ x \otimes_{(i\ +\ 1)} \Gamma\ i\ ff\ x = x$
and *conn-zigzag2*: *fFx i x* ⟹ $\Gamma\ i\ tt\ x \otimes_i \Gamma\ i\ ff\ x = \sigma\ i\ x$
and *conn-conn-braid*: *diffSup i j 2* ⟹ *fFx j x* ⟹ *fFx i x* ⟹ $\Gamma\ i\ \alpha\ (\Gamma\ j\ \beta\ x) = \Gamma\ j\ \beta\ (\Gamma\ i\ \alpha\ x)$
and *conn-shift*: *fFx i x* ⟹ *fFx* $(i + 1)\ x \Longrightarrow \sigma\ (i + 1)\ (\sigma\ i\ (\Gamma\ (i + 1)\ \alpha\ x)) = \Gamma\ i\ \alpha\ (\sigma\ (i + 1)\ x)$

begin

lemma *conn-face4*: $fFx\ j\ x \Longrightarrow \partial\ j\ \alpha\ (\Gamma\ j\ (\neg\alpha)\ x) = \partial\ (j + 1)\ \alpha\ x$
⟨*proof*⟩

lemma *conn-face1-lift*: $FFx\ j\ X \Longrightarrow \partial\partial\ j\ \alpha\ (\Gamma\Gamma\ j\ \alpha\ X) = X$
⟨*proof*⟩

lemma *conn-face4-lift*: $FFx\ j\ X \Longrightarrow \partial\partial\ j\ \alpha\ (\Gamma\Gamma\ j\ (\neg\alpha)\ X) = \partial\partial\ (j + 1)\ \alpha\ X$
⟨*proof*⟩

lemma *conn-face2-lift*: $FFx\ j\ X \Longrightarrow \partial\partial\ (j + 1)\ \alpha\ (\Gamma\Gamma\ j\ \alpha\ X) = \sigma\sigma\ j\ X$
⟨*proof*⟩

lemma *conn-face3-lift*: $i \neq j \Longrightarrow i \neq j + 1 \Longrightarrow FFx\ j\ X \Longrightarrow \partial\partial\ i\ \alpha\ (\Gamma\Gamma\ j\ \beta\ X) = \Gamma\Gamma\ j\ \beta\ (\partial\partial\ i\ \alpha\ X)$
⟨*proof*⟩

lemma *conn-fix-lift*: $FFx\ i\ X \Longrightarrow FFx\ (i + 1)\ X \Longrightarrow \Gamma\Gamma\ i\ \alpha\ X = X$
⟨*proof*⟩

lemma *conn-conn-braid-lift*:
assumes *diffSup i j 2*
and *FFx j X*
and *FFx i X*
shows $\Gamma\Gamma\ i\ \alpha\ (\Gamma\Gamma\ j\ \beta\ X) = \Gamma\Gamma\ j\ \beta\ (\Gamma\Gamma\ i\ \alpha\ X)$
⟨*proof*⟩

lemma *conn-sym-braid*:
assumes *diffSup i j 2*
and *fFx i x*
and *fFx j x*
shows $\Gamma\ i\ \alpha\ (\sigma\ j\ x) = \sigma\ j\ (\Gamma\ i\ \alpha\ x)$
⟨*proof*⟩

lemma *conn-zigzag1-var* [*simp*]: $\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x)\ \odot_{(i + 1)}\ \Gamma\ i\ ff\ (\partial\ i\ \alpha\ x) = \{\partial\ i\ \alpha\ x\}$
⟨*proof*⟩

lemma *conn-zigzag1-lift*:
assumes *FFx i X*
shows $\Gamma\Gamma\ i\ tt\ X\ \star_{(i + 1)}\ \Gamma\Gamma\ i\ ff\ X = X$
⟨*proof*⟩

lemma *conn-zigzag2-var*: $\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x)\ \odot_i\ \Gamma\ i\ ff\ (\partial\ i\ \alpha\ x) = \{\sigma\ i\ (\partial\ i\ \alpha\ x)\}$
⟨*proof*⟩

lemma *conn-zigzag2-lift*:
assumes *FFx i X*
shows $\Gamma\Gamma\ i\ tt\ X\ \star_i\ \Gamma\Gamma\ i\ ff\ X = \sigma\sigma\ i\ X$

⟨*proof*⟩

lemma *conn-sym-braid-lift*: *diffSup i j 2* $\Longrightarrow$ *FFx i X* $\Longrightarrow$ *FFx j X* $\Longrightarrow$ $\Gamma\Gamma\ i\ \alpha\ (\sigma\sigma\ j\ X) = \sigma\sigma\ j\ (\Gamma\Gamma\ i\ \alpha\ X)$
⟨*proof*⟩

lemma *conn-corner1-DD*:
assumes *fFx i x*
and *fFx i y*
and *DD* $(i + 1)\ x\ y$
shows *DD i* $(\Gamma\ i\ tt\ x \otimes_{(i+1)} \sigma\ i\ x)\ (x \otimes_{(i+1)} \Gamma\ i\ tt\ y)$
⟨*proof*⟩

lemma *conn-corner1-var*: $\Gamma\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x \odot_{(i+1)} \partial\ i\ \beta\ y) = (\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x) \odot_{(i+1)} \sigma\ i\ (\partial\ i\ \alpha\ x)) \star_i (\partial\ i\ \alpha\ x \odot_{(i+1)} \Gamma\ i\ tt\ (\partial\ i\ \beta\ y))$
⟨*proof*⟩

lemma *conn-corner1-lift-aux*: *fFx i x* $\Longrightarrow \partial\ (i + 1)\ ff\ (\Gamma\ i\ tt\ x) = \partial\ (i + 1)\ ff\ x$
⟨*proof*⟩

lemma *conn-corner1-lift*:
assumes *FFx i X*
and *FFx i Y*
shows $\Gamma\Gamma\ i\ tt\ (X \star_{(i+1)} Y) = (\Gamma\Gamma\ i\ tt\ X \star_{(i+1)} \sigma\sigma\ i\ X) \star_i (X \star_{(i+1)} \Gamma\Gamma\ i\ tt\ Y)$
⟨*proof*⟩

lemma *conn-corner2-DD*:
assumes *fFx i x*
and *fFx i y*
and *DD* $(i + 1)\ x\ y$
shows *DD i* $(\Gamma\ i\ ff\ x \otimes_{(i+1)} y)\ (\sigma\ i\ y \otimes_{(i+1)} \Gamma\ i\ ff\ y)$
⟨*proof*⟩

lemma *conn-corner2-var*: $\Gamma\Gamma\ i\ ff\ (\partial\ i\ \alpha\ x \odot_{(i+1)} \partial\ i\ \beta\ y) = (\Gamma\ i\ ff\ (\partial\ i\ \alpha\ x) \odot_{(i+1)} \partial\ i\ \beta\ y) \star_i (\sigma\ i\ (\partial\ i\ \beta\ y) \odot_{(i+1)} \Gamma\ i\ ff\ (\partial\ i\ \beta\ y))$
⟨*proof*⟩

lemma *conn-corner2-lift*:
assumes *FFx i X*
and *FFx i Y*
shows $\Gamma\Gamma\ i\ ff\ (X \star_{(i+1)} Y) = (\Gamma\Gamma\ i\ ff\ X \star_{(i+1)} Y) \star_i (\sigma\sigma\ i\ Y \star_{(i+1)} \Gamma\Gamma\ i\ ff\ Y)$
⟨*proof*⟩

lemma *conn-corner3-var*:
assumes $j \neq i \wedge j \neq i + 1$
shows $\Gamma\Gamma\ i\ \alpha\ (\partial\ i\ \beta\ x \odot_j \partial\ i\ \gamma\ y) = \Gamma\ i\ \alpha\ (\partial\ i\ \beta\ x) \odot_j \Gamma\ i\ \alpha\ (\partial\ i\ \gamma\ y)$

⟨*proof*⟩

lemma *conn-corner3-lift*:
assumes $j \neq i$
and $j \neq i + 1$
and *FFx i X*
and *FFx i Y*
shows $\Gamma\Gamma\ i\ \alpha\ (X \star_j Y) = \Gamma\Gamma\ i\ \alpha\ X \star_j \Gamma\Gamma\ i\ \alpha\ Y$
⟨*proof*⟩

lemma *conn-face5* [*simp*]: $\partial\ (j + 1)\ \alpha\ (\Gamma\ j\ (\neg\alpha)\ (\partial\ j\ \gamma\ x)) = \partial\ (j + 1)\ \alpha\ (\partial\ j\ \gamma\ x)$
⟨*proof*⟩

lemma *conn-inv-sym-braid*:
assumes *diffSup i j 2*
shows $\Gamma\ i\ \alpha\ (\vartheta\ j\ (\partial\ i\ \beta\ (\partial\ (j + 1)\ \gamma\ x))) = \vartheta\ j\ (\Gamma\ i\ \alpha\ (\partial\ i\ \beta\ (\partial\ (j + 1)\ \gamma\ x)))$
⟨*proof*⟩

lemma *conn-corner4*: $\Gamma\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x \odot_{(i+1)} \partial\ i\ \beta\ y) = (\Gamma\ i\ tt\ (\partial\ i\ \alpha\ x) \odot_i \partial\ i\ \alpha\ x) \star_{(i+1)} (\sigma\ i\ (\partial\ i\ \alpha\ x) \odot_i \Gamma\ i\ tt\ (\partial\ i\ \beta\ y))$
⟨*proof*⟩

lemma *conn-corner5*: $\Gamma\Gamma\ i\ ff\ (\partial\ i\ \alpha\ x \odot_{(i+1)} \partial\ i\ \beta\ y) = (\Gamma\ i\ ff\ (\partial\ i\ \alpha\ x) \odot_i \sigma\ i\ (\partial\ i\ \beta\ y)) \star_{(i+1)} (\partial\ i\ \beta\ y \odot_i \Gamma\ i\ ff\ (\partial\ i\ \beta\ y))$
⟨*proof*⟩

lemma *conn-corner3-alt*: $j \neq i \Longrightarrow\ j \neq i + 1 \Longrightarrow \Gamma\Gamma\ i\ \alpha\ (\partial\ i\ \beta\ x \odot_j \partial\ i\ \gamma\ y) = \Gamma\ i\ \alpha\ (\partial\ i\ \beta\ x) \odot_j \Gamma\ i\ \alpha\ (\partial\ i\ \gamma\ y)$
⟨*proof*⟩

lemma *conn-shift2*:
assumes *fFx i x*
and *fFx* $(i + 2)$ *x*
shows $\vartheta\ i\ (\vartheta\ (i + 1)\ (\Gamma\ i\ \alpha\ x)) = \Gamma\ (i + 1)\ \alpha\ (\vartheta\ (i + 1)\ x)$

⟨*proof*⟩

end

end

5 Cubical $(\omega, 0)$-Categories with Connections

theory *CubicalOmegaZeroCategoriesConnections*
imports *CubicalCategoriesConnections*

begin

All categories considered in this component are single-set categories.

First we define shell-invertibility.

abbreviation (**in** *cubical-omega-category-connections*) *ri-inv i x y* ≡ (*DD i x y* ∧ *DD i y x* ∧ *x* ⊗*ᵢ y* = *∂ i ff x* ∧ *y* ⊗*ᵢ x* = *∂ i tt x*)

abbreviation (**in** *cubical-omega-category-connections*) *ri-inv-shell k i x* ≡ (∀ *j α*. *j* + *1* ≤ *k* ∧ *j* ≠ *i* ⟶ (∃ *y*. *ri-inv i* (*∂ j α x*) *y*))

Next we define the class of cubical $(\omega, 0)$-categories with connections.

class *cubical-omega-zero-category-connections* = *cubical-omega-category-connections* +
  assumes *ri-inv*: *k* ≥ *1* ⟹ *i* ≤ *k* − *1* ⟹ *dim-bound k x* ⟹ *ri-inv-shell k i x* ⟹ ∃ *y*. *ri-inv i x y*

begin

Finally, to show our axiomatisation at work we prove Proposition 2.4.7 from our companion paper, namely that every cell in an $(\omega, 0)$-category is ri-invertible for each natural number i. This requires some background theory engineering.

lemma *ri-inv-fix*:
  assumes *fFx i x*
  shows ∃ *y*. *ri-inv i x y*
  ⟨*proof*⟩

lemma *ri-inv2*:
  assumes *k* ≥ *1*
  assumes *dim-bound k x*
  and *ri-inv-shell k i x*
  shows ∃ *y*. *ri-inv i x y*
  ⟨*proof*⟩

lemma *ri-inv3*:
  assumes *dim-bound k x*
  and *ri-inv-shell k i x*
  shows ∃ *y*. *ri-inv i x y*
⟨*proof*⟩

lemma *ri-unique*: (∃ *y*. *ri-inv i x y*) = (∃!*y*. *ri-inv i x y*)
  ⟨*proof*⟩

lemma *ri-unique-var*: *ri-inv i x y* ⟹ *ri-inv i x z* ⟹ *y* = *z*
  ⟨*proof*⟩

definition *ri i x* = (*THE y*. *ri-inv i x y*)

lemma *ri-inv-ri*: *ri-inv i x y* ⟹ (*y* = *ri i x*)

⟨*proof*⟩

lemma *ri-def-prop*:
assumes *dim-bound k x*
and *ri-inv-shell k i x*
shows *DD i x* (*ri i x*) ∧ *DD i* (*ri i x*) *x* ∧ *x* ⊗*i* (*ri i x*) = ∂ *i ff x* ∧ (*ri i x*) ⊗*i x*
= ∂ *i tt x*
⟨*proof*⟩

lemma *ri-right*:
assumes *dim-bound k x*
and *ri-inv-shell k i x*
shows *x* ⊗*i ri i x* = ∂ *i ff x*
⟨*proof*⟩

lemma *ri-right-set*:
assumes *dim-bound k x*
and *ri-inv-shell k i x*
shows *x* ⊙*i ri i x* = {∂ *i ff x*}
⟨*proof*⟩

lemma *ri-left*:
assumes *dim-bound k x*
and *ri-inv-shell k i x*
shows *ri i x* ⊗*i x* = ∂ *i tt x*
⟨*proof*⟩

lemma *ri-left-set*:
assumes *dim-bound k x*
and *ri-inv-shell k i x*
shows *ri i x* ⊙*i x* = {∂ *i tt x*}
⟨*proof*⟩

lemma *dim-face*: *dim-bound k x* ⟹ *dim-bound k* (∂ *i* α *x*)
⟨*proof*⟩

lemma *dim-ri-inv*:
assumes *dim-bound k x*
and *ri-inv i x y*
shows *dim-bound k y*
⟨*proof*⟩

lemma *every-dim-k-ri-inv*:
assumes *dim-bound k x*
shows ∀ *i*. ∃ *y*. *ri-inv i x y* ⟨*proof*⟩

We can now show that every cell is ri-invertible in every direction i.

lemma *every-ri-inv*: ∃ *y*. *ri-inv i x y*
⟨*proof*⟩

end

end

References

[1] P. Malbos, T. Massacrier, and G. Struth. Single-set cubical categories and their formalisation with a proof assistant. 2024. http://arxiv.org/abs/2401.10553v1.

[2] G. Struth. Catoids, categories, groupoids. *Arch. Formal Proofs*, 2023, 2023.