

# Hypergraph Basics

Chelsea Edmonds and Lawrence C. Paulson

April 12, 2026

## Abstract

This entry is a simple extension of our previous entry for Combinatorial design theory [1], which presents new and existing concepts using hypergraph language. Both designs and hypergraphs are types of incident set systems, hence have the same underlying foundation. However, they are often used in different contexts, and some definitions are as such unique. This library uses locales to rewrite equivalent definitions and build a basic hypergraph hierarchy with direct links to equivalent design theory concepts to avoid repetition, further demonstrating the power of the “locale-centric” approach. The library includes all standard definitions (order, degree etc.), as well as some extensions on hypergraph decompositions and spanning subhypergraphs.

## Contents

<b>1 Basic Hypergraphs</b>	<b>1</b>
1.1 Sub hypergraphs . . . . .	4
<b>2 Hypergraph Variations</b>	<b>5</b>
2.1 Non-trivial hypergraphs . . . . .	5
2.2 Regular and Uniform Hypergraphs . . . . .	7
2.3 Factorisations . . . . .	8
2.4 Sample Graph Theory Connections . . . . .	8

## 1 Basic Hypergraphs

Converting Design theory to hypergraph notation. Hypergraphs have technically already been formalised

```
theory Hypergraph
imports
  Design-Theory.Block-Designs
  Design-Theory.Sub-Designs
  Fishers-Inequality.Design-Extras
begin
```

**lemma** *is-singleton-image*:  
*is-singleton*  $C \implies \text{is-singleton } (f \text{ ' } C)$   
 ⟨proof⟩

**lemma** *bij-betw-singleton-image*:  
**assumes** *bij-betw*  $f A B$   
**assumes**  $C \subseteq A$   
**shows** *is-singleton*  $C \iff \text{is-singleton } (f \text{ ' } C)$   
 ⟨proof⟩

**lemma** *image-singleton*:  
**assumes**  $A \neq \{\}$   
**assumes**  $\bigwedge x. x \in A \implies f x = c$   
**shows**  $f \text{ ' } A = \{c\}$   
 ⟨proof⟩

**type-synonym** *colour* = *nat*

**type-synonym** *'a hyp-edge* = *'a set*

**type-synonym** *'a hyp-graph* = (*'a set*)  $\times$  (*'a hyp-edge multiset*)

**abbreviation** *hyp-edges* :: *'a hyp-graph*  $\Rightarrow$  *'a hyp-edge multiset* **where**  
*hyp-edges*  $H \equiv \text{snd } H$

**abbreviation** *hyp-verts* :: *'a hyp-graph*  $\Rightarrow$  *'a set* **where**  
*hyp-verts*  $H \equiv \text{fst } H$

**locale** *hypersystem* = *incidence-system* *vertices* :: *'a set* *edges* :: *'a hyp-edge multiset*

**for** *vertices* ( $\langle \mathcal{V} \rangle$ ) **and** *edges* ( $\langle E \rangle$ )

**begin**

Basic definitions using hypergraph language

**abbreviation** *horder* :: *nat* **where**  
*horder*  $\equiv \text{card } (\mathcal{V})$

**definition** *hdegree* :: *'a*  $\Rightarrow$  *nat* **where**  
*hdegree*  $v \equiv \text{size } \{\#e \in \# E . v \in e \#\}$

**lemma** *hdegree-rep-num*: *hdegree*  $v = \text{point-replication-number } E v$   
 ⟨proof⟩

**definition** *hdegree-set* :: *'a set*  $\Rightarrow$  *nat* **where**  
*hdegree-set*  $vs \equiv \text{size } \{\#e \in \# E . vs \subseteq e \#\}$

**lemma** *hdegree-set-points-index*: *hdegree-set*  $vs = \text{points-index } E vs$

*<proof>*

**definition** *hvert-adjacent* :: 'a  $\Rightarrow$  'a  $\Rightarrow$  bool **where**

*hvert-adjacent* v1 v2  $\equiv \exists e . e \in \# E \wedge v1 \in e \wedge v2 \in e \wedge v1 \in \mathcal{V} \wedge v2 \in \mathcal{V}$

**definition** *hedge-adjacent* :: 'a *hyp-edge*  $\Rightarrow$  'a *hyp-edge*  $\Rightarrow$  bool **where**

*hedge-adjacent* e1 e2  $\equiv e1 \cap e2 \neq \{\} \wedge e1 \in \# E \wedge e2 \in \# E$

**lemma** *edge-adjacent-alt-def*: e1  $\in \# E \implies e2 \in \# E \implies \exists x . x \in \mathcal{V} \wedge x \in e1$   
 $\wedge x \in e2 \implies$

*hedge-adjacent* e1 e2

*<proof>*

**definition** *hneighborhood* :: 'a  $\Rightarrow$  'a set **where**

*hneighborhood* x  $\equiv \{v \in \mathcal{V} . \text{hvert-adjacent } x v\}$

**definition** *hmax-degree* :: nat **where**

*hmax-degree*  $\equiv \text{Max } \{hdegree v \mid v . v \in \mathcal{V}\}$

**definition** *hrank* :: nat **where**

*hrank*  $\equiv \text{Max } \{\text{card } e \mid e . e \in \# E\}$

**definition** *hcorank* :: nat **where**

*hcorank* = *Min*  $\{\text{card } e \mid e . e \in \# E\}$

**definition** *hedge-neighbourhood* :: 'a  $\Rightarrow$  'a *hyp-edge* multiset **where**

*hedge-neighbourhood* x  $\equiv \{\# e \in \# E . x \in e \#\}$

**lemma** *degree-alt-neighbourhood*: *hdegree* x = *size* (*hedge-neighbourhood* x)

*<proof>*

**definition** *hinduced-edges*:: 'a set  $\Rightarrow$  'a *hyp-edge* multiset **where**

*hinduced-edges* V' =  $\{\#e \in \# E . e \subseteq V'\#\}$

**end**

Sublocale for rewriting definition purposes rather than inheritance

**sublocale** *hypersystem*  $\subseteq$  *incidence-system*  $\mathcal{V} E$

**rewrites** *point-replication-number* E v = *hdegree* v **and** *points-index* E vs =  
*hdegree-set* vs

*<proof>*

Reverse sublocale to establish equality

**sublocale** *incidence-system*  $\subseteq$  *hypersystem*  $\mathcal{V} \mathcal{B}$

**rewrites** *hdegree* v = *point-replication-number*  $\mathcal{B}$  v **and** *hdegree-set* vs = *points-index*  
 $\mathcal{B}$  vs

*<proof>*

Missing design identified in the design theory hierarchy

**locale** *inf-design* = *incidence-system* +

**assumes** *blocks-nempty*:  $bl \in \# \mathcal{B} \implies bl \neq \{\}$   
**sublocale** *design*  $\subseteq$  *inf-design*  
 ⟨*proof*⟩  
**locale** *fin-hypersystem* = *hypersystem* + *finite-incidence-system*  $\mathcal{V}$  *E*  
**sublocale** *finite-incidence-system*  $\subseteq$  *fin-hypersystem*  $\mathcal{V}$   $\mathcal{B}$   
 ⟨*proof*⟩  
**locale** *hypergraph* = *hypersystem* + *inf-design*  $\mathcal{V}$  *E*  
**sublocale** *inf-design*  $\subseteq$  *hypergraph*  $\mathcal{V}$   $\mathcal{B}$   
 ⟨*proof*⟩  
**locale** *fin-hypergraph* = *hypergraph* + *fin-hypersystem*  
**sublocale** *design*  $\subseteq$  *fin-hypergraph*  $\mathcal{V}$   $\mathcal{B}$   
 ⟨*proof*⟩  
**sublocale** *fin-hypergraph*  $\subseteq$  *design*  $\mathcal{V}$  *E*  
 ⟨*proof*⟩

## 1.1 Sub hypergraphs

Sub hypergraphs and related concepts (spanning hypergraphs etc)

**locale** *sub-hypergraph* = *sub*: *hypergraph*  $\mathcal{V}H$  *EH* + *orig*: *hypergraph*  $\mathcal{V} :: 'a$  set *E*  
 +  
*sub-set-system*  $\mathcal{V}H$  *EH*  $\mathcal{V}$  *E* **for**  $\mathcal{V}H$  *EH*  $\mathcal{V}$  *E*

**locale** *spanning-hypergraph* = *sub-hypergraph* +  
**assumes**  $\mathcal{V} = \mathcal{V}H$

**lemma** *spanning-hypergraphI*: *sub-hypergraph*  $\mathcal{V}H$  *EH*  $\mathcal{V}$  *E*  $\implies \mathcal{V} = \mathcal{V}H \implies$   
*spanning-hypergraph*  $\mathcal{V}H$  *EH*  $\mathcal{V}$  *E*  
 ⟨*proof*⟩

**context** *hypergraph*  
**begin**

**definition** *is-subhypergraph* :: '*a* *hyp-graph*  $\Rightarrow$  *bool* **where**  
*is-subhypergraph* *H*  $\equiv$  *sub-hypergraph* (*hyp-verts* *H*) (*hyp-edges* *H*)  $\mathcal{V}$  *E*

**lemma** *is-subhypergraphI*:  
**assumes** (*hyp-verts* *H*  $\subseteq \mathcal{V}$ )  
**assumes** (*hyp-edges* *H*  $\subseteq \#$  *E*)  
**assumes** *hypergraph* (*hyp-verts* *H*) (*hyp-edges* *H*)  
**shows** *is-subhypergraph* *H*  
 ⟨*proof*⟩

**definition** *hypergraph-decomposition* :: 'a hyp-graph multiset  $\Rightarrow$  bool **where**  
*hypergraph-decomposition*  $S \equiv (\forall h \in \# S . \text{is-subhypergraph } h) \wedge$   
*partition-on-mset*  $E \{ \# \text{hyp-edges } h . h \in \# S \# \}$

**definition** *is-spanning-subhypergraph* :: 'a hyp-graph  $\Rightarrow$  bool **where**  
*is-spanning-subhypergraph*  $H \equiv \text{spanning-hypergraph } (\text{hyp-verts } H) (\text{hyp-edges } H)$   
 $\mathcal{V} E$

**lemma** *is-spanning-subhypergraphI*: *is-subhypergraph*  $H \Longrightarrow (\text{hyp-verts } H) = \mathcal{V}$   
 $\Longrightarrow$   
*is-spanning-subhypergraph*  $H$   
 <proof>

**lemma** *spanning-subhypergraphI*:  $(\text{hyp-verts } H) = \mathcal{V} \Longrightarrow (\text{hyp-edges } H) \subseteq \# E$   
 $\Longrightarrow$   
*hypergraph*  $(\text{hyp-verts } H) (\text{hyp-edges } H) \Longrightarrow \text{is-spanning-subhypergraph } H$   
 <proof>

**end**  
**end**

## 2 Hypergraph Variations

This section presents many different types of hypergraphs, introducing conditions such as non-triviality, regularity, and uniform. Additionally, it briefly formalises decompositions

**theory** *Hypergraph-Variations*  
**imports**  
*Hypergraph*  
*Undirected-Graph-Theory.Bipartite-Graphs*  
**begin**

### 2.1 Non-trivial hypergraphs

Non empty (ne) implies that the vertex (and edge) set is not empty. Non trivial typically requires at least two edges

**locale** *hyper-system-vne* = *hypersystem* +  
**assumes** *V-nonempty*:  $\mathcal{V} \neq \{ \}$

**locale** *hyper-system-ne* = *hyper-system-vne* +  
**assumes** *E-nonempty*:  $E \neq \{ \# \}$

**locale** *hypergraph-ne* = *hypergraph* +  
**assumes** *E-nonempty*:  $E \neq \{ \# \}$   
**begin**

**lemma** *V-nempty*:  $\mathcal{V} \neq \{\}$   
 ⟨*proof*⟩

**lemma** *sizeE-not-zero*:  $\text{size } E \neq 0$   
 ⟨*proof*⟩

**end**

**sublocale** *hypergraph-ne*  $\subseteq$  *hyper-system-ne*  
 ⟨*proof*⟩

**locale** *hyper-system-ns* = *hypersystem* +  
**assumes** *V-not-single*:  $\neg \text{is-singleton } \mathcal{V}$

**locale** *hypersystem-nt* = *hyper-system-ne* + *hyper-system-ns*

**locale** *hypergraph-nt* = *hypergraph-ne* + *hyper-system-ns*

**sublocale** *hypergraph-nt*  $\subseteq$  *hypersystem-nt*  
 ⟨*proof*⟩

**locale** *fin-hypersystem-vne* = *fin-hypersystem* + *hyper-system-vne*  
**begin**

**lemma** *order-gt-zero*:  $\text{horder} > 0$   
 ⟨*proof*⟩

**lemma** *order-ge-one*:  $\text{horder} \geq 1$   
 ⟨*proof*⟩

**end**

**locale** *fin-hypersystem-nt* = *fin-hypersystem-vne* + *hypersystem-nt*  
**begin**

**lemma** *order-gt-one*:  $\text{horder} > 1$   
 ⟨*proof*⟩

**lemma** *order-ge-two*:  $\text{horder} \geq 2$   
 ⟨*proof*⟩

**end**

**locale** *fin-hypergraph-ne* = *fin-hypergraph* + *hypergraph-ne*

**sublocale** *fin-hypergraph-ne*  $\subseteq$  *fin-hypersystem-vne*  
 ⟨*proof*⟩

**locale** *fin-hypergraph-nt* = *fin-hypergraph* + *hypergraph-nt*

**sublocale** *fin-hypergraph-nt*  $\subseteq$  *fin-hypersystem-nt*  
*<proof>*

**sublocale** *fin-hypergraph-ne*  $\subseteq$  *proper-design*  $\mathcal{V}$  *E*  
*<proof>*

**sublocale** *proper-design*  $\subseteq$  *fin-hypergraph-ne*  $\mathcal{V}$  *B*  
*<proof>*

## 2.2 Regular and Uniform Hypergraphs

**locale** *dregular-hypergraph* = *hypergraph* +  
**fixes** *d*  
**assumes** *const-degree*:  $\bigwedge x. x \in \mathcal{V} \implies \text{hdegree } x = d$

**locale** *fin-dregular-hypergraph* = *dregular-hypergraph* + *fin-hypergraph*

**locale** *kuniform-hypergraph* = *hypergraph* +  
**fixes** *k* :: *nat*  
**assumes** *uniform*:  $\bigwedge e. e \in \# E \implies \text{card } e = k$

**locale** *fin-kuniform-hypergraph* = *kuniform-hypergraph* + *fin-hypergraph*

**locale** *almost-regular-hypergraph* = *hypergraph* +  
**assumes**  $\bigwedge x y. x \in \mathcal{V} \implies y \in \mathcal{V} \implies | \text{hdegree } x - \text{hdegree } y | \leq 1$

**locale** *kuniform-regular-hypgraph* = *kuniform-hypergraph*  $\mathcal{V}$  *E* *k* + *dregular-hypergraph*  
 $\mathcal{V}$  *E* *k*  
**for**  $\mathcal{V}$  *E* *k*

**locale** *fin-kuniform-regular-hypgraph-nt* = *kuniform-regular-hypgraph*  $\mathcal{V}$  *E* *k* + *fin-hypergraph-nt*  
 $\mathcal{V}$  *E*  
**for**  $\mathcal{V}$  *E* *k*

**sublocale** *fin-kuniform-regular-hypgraph-nt*  $\subseteq$  *fin-kuniform-hypergraph*  $\mathcal{V}$  *E* *k*  
*<proof>*

**sublocale** *fin-kuniform-regular-hypgraph-nt*  $\subseteq$  *fin-dregular-hypergraph*  $\mathcal{V}$  *E* *k*  
*<proof>*

**locale** *block-balanced-design* = *block-design* + *t-wise-balance*

**locale** *regular-block-design* = *block-design* + *constant-rep-design*

**sublocale** *t-design*  $\subseteq$  *block-balanced-design*  
*<proof>*

**locale** *fin-kuniform-hypergraph-nt* = *fin-kuniform-hypergraph* + *fin-hypergraph-nt*

**sublocale** *fin-kuniform-regular-hypgraph-nt*  $\subseteq$  *fin-kuniform-hypergraph-nt*  $\mathcal{V}$  *E k*  
 ⟨*proof*⟩

Note that block designs are defined as non-trivial and finite as they automatically build on the proper design locale

**sublocale** *fin-kuniform-hypergraph-nt*  $\subseteq$  *block-design*  $\mathcal{V}$  *E k*

**rewrites** *point-replication-number* *E v* = *hdegree v* **and** *points-index* *E vs* = *hdegree-set vs*

⟨*proof*⟩

**sublocale** *fin-kuniform-regular-hypgraph-nt*  $\subseteq$  *regular-block-design*  $\mathcal{V}$  *E k k*

**rewrites** *point-replication-number* *E v* = *hdegree v* **and** *points-index* *E vs* = *hdegree-set vs*

⟨*proof*⟩

## 2.3 Factorisations

**locale** *d-factor* = *spanning-hypergraph* + *dregular-hypergraph*  $\mathcal{V}$  *H EH d* **for** *d*

**context** *hypergraph*

**begin**

**definition** *is-d-factor* :: 'a *hyp-graph*  $\Rightarrow$  *bool* **where**

*is-d-factor* *H*  $\equiv$  ( $\exists$  *d*. *d-factor* (*hyp-verts* *H*) (*hyp-edges* *H*)  $\mathcal{V}$  *E d*)

**definition** *d-factorisation* :: 'a *hyp-graph multiset*  $\Rightarrow$  *bool* **where**

*d-factorisation* *S*  $\equiv$  *hypergraph-decomposition* *S*  $\wedge$  ( $\forall$  *h*  $\in$  *S*. *is-d-factor* *h*)

**end**

## 2.4 Sample Graph Theory Connections

**sublocale** *fin-graph-system*  $\subseteq$  *fin-hypersystem* *V mset-set E*

**rewrites** *hedge-adjacent* = *edge-adj*

⟨*proof*⟩

**sublocale** *fin-bipartite-graph*  $\subseteq$  *fin-hypersystem-vne* *V mset-set E*

⟨*proof*⟩

**end**

**theory** *Hypergraph-Basics-Root*

**imports**

*Hypergraph*

*Hypergraph-Variations*

**begin**

**end**

## References

- [1] C. Edmonds and L. C. Paulson. Combinatorial design theory. *Archive of Formal Proofs*, August 2021. [https://isa-afp.org/entries/Design\\_Theory.html](https://isa-afp.org/entries/Design_Theory.html), Formal proof development.