

Verification of a Diffie-Hellman Password-based Authentication Protocol by Extending the Inductive Method

Pasquale Noce
Security Certification Specialist at Arjo Systems, Italy
pasquale dot noce dot lavoro at gmail dot com
pasquale dot noce at arjosystems dot com

May 14, 2024

Abstract

This paper constructs a formal model of a Diffie-Hellman password-based authentication protocol between a user and a smart card, and proves its security. The protocol provides for the dispatch of the user's password to the smart card on a secure messaging channel established by means of Password Authenticated Connection Establishment (PACE), where the mapping method being used is Chip Authentication Mapping. By applying and suitably extending Paulson's Inductive Method, this paper proves that the protocol establishes trustworthy secure messaging channels, preserves the secrecy of users' passwords, and provides an effective mutual authentication service. What is more, these security properties turn out to hold independently of the secrecy of the PACE authentication key.

Contents

1	Propaedeutic definitions and lemmas	2
1.1	Introduction	2
1.2	Propaedeutic definitions	9
1.3	Propaedeutic lemmas	17
2	Protocol modeling and verification	40
2.1	Protocol modeling	40
2.2	Secrecy theorems	44
2.3	Authenticity theorems	134

1 Propaedeutic definitions and lemmas

```
theory Propaedeutics
imports Complex-Main HOL-Library.Countable
begin
```

```
declare [[goals-limit = 20]]
```

This paper is an achievement of the whole OS Development and Certification team of the Arjo Systems site at Arzano, Italy, because it would have never been born without the contributions of my colleagues, the discussions we had, the ideas they shared with me. Particularly, the intuition that the use of Chip Authentication Mapping makes the secrecy of the PACE authentication key unnecessary is not mine. I am very grateful to all the team members for these essential contributions, and even more for these unforgettable years of work together.

1.1 Introduction

Password-based authentication in an insecure environment – such as password-based authentication between a user and a smart card, which is the subject of this paper – requires that the password be exchanged on a secure channel, so as to prevent it from falling into the hands of an eavesdropper. A possible method to establish such a channel is Password Authenticated Connection Establishment (PACE), which itself is a password-based Diffie-Hellman key agreement protocol, specified in the form of a smart card protocol in [3]. Thus, in addition to the user's password, another password is needed if PACE is used, namely the one from which the PACE authentication key is derived.

A simple choice allowing to reduce the number of the passwords that the user has to manage would be to employ the same password both as key derivation password, verified implicitly by means of the PACE protocol, and as direct use password, verified explicitly by comparison. However, this approach has the following shortcomings:

- A usual countermeasure against trial-and-error attacks aimed at disclosing the user's password consists of blocking its use after a number of consecutive verification failures exceeding a given threshold. If the PACE authentication key is derived from the user's password, such key has to be blocked as well. Thus, an additional PACE authentication key would be needed for any user's operation not requiring to be preceded by the verification of the user's password, but only to be performed on a secure channel, such as the verification of a Personal Unblocking Code (PUC) by means of command RESET RETRY

COUNTER [4] to unblock the password. On the contrary, a single PACE authentication key is sufficient for all user's operations provided it is independent of the user's password, which leads to a simpler system.

- The user is typically allowed to change her password, e.g. by means of command CHANGE REFERENCE DATA [4]. If the PACE authentication key is derived from the user's password, such key has to be changed as well. This gives rise to additional functional requirements which can be nontrivial to meet, particularly in the case of a preexisting implementation having to be adapted. For instance, if the key itself is stored on the smart card rather than being derived at run time from the user's password, which improves performance and prevents side channel attacks, the update of the password and the key must be performed as an atomic operation to ensure their consistency. On the contrary, the PACE authentication key can remain unchanged provided it is independent of the user's password, which leads to a simpler system.

Therefore, a PACE password distinct from the user's password seems to be preferable. As the user's password is a secret known by the user only, the derivation of the PACE authentication key from the user's password would guarantee the secrecy of the key as well. If the PACE authentication key is rather derived from an independent password, then a new question arises: is this key required to be secret?

In order to find the answer, it is useful to schematize the protocol applying the informal notation used in [10]. If Generic Mapping is employed as mapping method (cf. [3]), the protocol takes the following form, where agents U and C stand for a given user and her own smart card, step Cn for the n th command APDU, and step Rn for the n th response APDU (for further information, cf. [3] and [4]).

- R1. $C \rightarrow U : \{s\}_K$
- C2. $U \rightarrow C : PK_{Map,PCD}$
- R2. $C \rightarrow U : PK_{Map,IC}$
- C3. $U \rightarrow C : PK_{DH,PCD}$
- R3. $C \rightarrow U : PK_{DH,IC}$
- C4. $U \rightarrow C : \{PK_{DH,IC}\}_{KS}$
- R4. $C \rightarrow U : \{PK_{DH,PCD}\}_{KS}$
- C5. $U \rightarrow C : \{User's\ password\}_{KS}$
- R5. $C \rightarrow U : \{Success\ code\}_{KS}$

Being irrelevant for the security analysis of the protocol, the initial MANAGE SECURITY ENVIRONMENT: SET AT command/response pair, as well as the first GENERAL AUTHENTICATE command requesting nonce s , are not included in the scheme.

In the response to the first GENERAL AUTHENTICATE command (step R1), the card returns nonce s encrypted with the PACE authentication key K .

In the second GENERAL AUTHENTICATE command/response pair (steps C2 and R2), the user and the card exchange the respective ephemeral public keys $PK_{Map,PCD} = [SK_{Map,PCD}]G$ and $PK_{Map,IC} = [SK_{Map,IC}]G$, where G is the static cryptographic group generator (the notation used in [1] is applied). Then, both parties compute the ephemeral generator $G' = [s + SK_{Map,PCD} \times SK_{Map,IC}]G$.

In the third GENERAL AUTHENTICATE command/response pair (steps C3 and R3), the user and the card exchange another pair of ephemeral public keys $PK_{DH,PCD} = [SK_{DH,PCD}]G'$ and $PK_{DH,IC} = [SK_{DH,IC}]G'$, and then compute the shared secret $[SK_{DH,PCD} \times SK_{DH,IC}]G'$, from which session keys KS_{Enc} and KS_{MAC} are derived. In order to abstract from unnecessary details, the above scheme considers a single session key KS .

In the last GENERAL AUTHENTICATE command/response pair (steps C4 and R4), the user and the card exchange the respective authentication tokens, obtained by computing a Message Authentication Code (MAC) of the ephemeral public keys $PK_{DH,IC}$ and $PK_{DH,PCD}$ with session key KS_{MAC} . In order to abstract from unnecessary details, the above scheme represents these MACs as cryptograms generated using the single session key KS .

Finally, in steps C5 and R5, the user sends her password to the card on the secure messaging channel established by session keys KS_{Enc} and KS_{MAC} , e.g. via command VERIFY [4], and the card returns the success status word 0x9000 [4] over the same channel. In order to abstract from unnecessary details, the above scheme represents both messages as cryptograms generated using the single session key KS .

So, what if the PACE authentication key K were stolen by an attacker – henceforth called *spy* as done in [10]? In this case, even if the user’s terminal were protected from attacks, the spy could get hold of the user’s password by replacing the user’s smart card with a fake one capable of performing a remote data transmission, so as to pull off a *grandmaster chess attack* [5]. In this way, the following scenario would occur, where agents F and S stand for the fake card and the spy.

- R1. $F \rightarrow U : \{s\}_K$
- C2. $U \rightarrow F : PK_{Map,PCD}$
- R2. $F \rightarrow U : PK_{Map,IC}$

- C3. $U \rightarrow F : PK_{DH,PCD}$
- R3. $F \rightarrow U : PK_{DH,IC}$
- C4. $U \rightarrow F : \{PK_{DH,IC}\}_{KS}$
- R4. $F \rightarrow U : \{PK_{DH,PCD}\}_{KS}$
- C5. $U \rightarrow F : \{User's\ password\}_{KS}$
- C5'. $F \rightarrow S : User's\ password$

Since the spy has stored key K in its memory, the fake card can encrypt nonce s with K , so that it computes the same session keys as the user in step R3. As a result, the user receives a correct authentication token in step R4, and then agrees to send her password to the fake card in step C5. At this point, in order to accomplish the attack, the fake card has to do nothing but decrypt the user's password and send it to the spy on a remote communication channel, which is what happens in the final step C5'.

This argument demonstrates that the answer to the pending question is affirmative, namely the PACE authentication key is indeed required to be secret, if Generic Mapping is used. Moreover, the same conclusion can be drawn on the basis of a similar argument in case the mapping method being used is Integrated Mapping (cf. [3]). Therefore, the PACE password from which the key is derived must be secret as well.

This requirement has a significant impact on both the security and the usability of the system. In fact, the only way to prevent the user from having to input the PACE password in addition to the direct use one is providing such password to the user's terminal by other means. In the case of a stand-alone application, this implies that either the PACE password itself or data allowing its computation must be stored somewhere in the user's terminal, which gives rise to a risk of leakage. The alternative is to have the PACE password typed in by the user, which renders longer the overall credentials that the user is in charge of managing securely. Furthermore, any operation having to be performed on a secure messaging channel before the user types in her password – such as identifying the user in case the smart card is endowed with an identity application compliant with [2] and [3] – would require an additional PACE password independent of the user's one. Hence, such preliminary operations and the subsequent user's password verification would have to be performed on distinct secure messaging channels, which would cause a deterioration in the system performance.

In case Chip Authentication Mapping is used as mapping method instead (cf. [3]), the resulting protocol can be schematized as follows.

- R1. $C \rightarrow U : \{s\}_K$
- C2. $U \rightarrow C : PK_{Map,PCD}$

- R2. $C \rightarrow U : PK_{Map,IC}$
- C3. $U \rightarrow C : PK_{DH,PCD}$
- R3. $C \rightarrow U : PK_{DH,IC}$
- C4. $U \rightarrow C : \{PK_{DH,IC}\}_{KS}$
- R4. $C \rightarrow U : \{PK_{DH,PCD}, (SK_{IC})^{-1} \times SK_{Map,IC} \bmod n, PK_{IC}, PK_{IC} \text{ signature}\}_{KS}$
- C5. $U \rightarrow C : \{User's \text{ password}\}_{KS}$
- R5. $C \rightarrow U : \{Success \text{ code}\}_{KS}$

In the response to the last GENERAL AUTHENTICATE command (step R4), in addition to the MAC of $PK_{DH,PCD}$ computed with session key KS_{MAC} , the smart card returns also the *Encrypted Chip Authentication Data* (A_{IC}) if Chip Authentication Mapping is used. These data result from the encryption with session key KS_{Enc} of the *Chip Authentication Data* (CA_{IC}), which consist of the product modulo n , where n is the group order, of the inverse modulo n of the static private key SK_{IC} with the ephemeral private key $SK_{Map,IC}$.

The user can then verify the authenticity of the chip applying the following procedure.

1. Read the static public key $PK_{IC} = [SK_{IC}]G$ from a dedicated file of the smart card, named *EF.CardSecurity*.
Because of the read access conditions to be enforced by this file, it must be read over the secure messaging channel established by session keys KS_{Enc} and KS_{MAC} (cf. [2]).
2. Verify the signature contained in file *EF.CardSecurity*, generated over the contents of the file by a trusted Certification Authority (CA).
To perform this operation, the user's terminal is supposed to be provided by secure means with the public key corresponding to the private key used by the CA for signature generation.
3. Decrypt the received A_{IC} to recover CA_{IC} and verify that $[CA_{IC}]PK_{IC} = PK_{Map,IC}$.
Since this happens just in case $CA_{IC} = (SK_{IC})^{-1} \times SK_{Map,IC} \bmod n$, the success of such verification proves that the chip knows the private key SK_{IC} corresponding to the certified public key PK_{IC} , and thus is authentic.

The reading of file *EF.CardSecurity* is performed next to the last GENERAL AUTHENTICATE command as a separate operation, by sending one or more READ BINARY commands on the secure messaging channel established by session keys KS_{Enc} and KS_{MAC} (cf. [2], [3], and [4]). The

above scheme represents this operation by inserting the public key PK_{IC} and its signature into the cryptogram returned by the last GENERAL AUTHENTICATE command, so as to abstract from unnecessary details once again.

A successful verification of Chip Authentication Data provides the user with a proof of the fact that the party knowing private key $SK_{Map,IC}$, and then sharing the same session keys KS_{Enc} and KS_{MAC} , is an authentic chip. Thus, the protocol ensures that the user accepts to send her password to an authentic chip only. As a result, the grandmaster chess attack described previously is not applicable, so that the user's password cannot be stolen by the spy any longer. What is more, this is true independently of the secrecy of the PACE authentication key. Therefore, this key is no longer required to be secret, which solves all the problems ensuing from such requirement.

The purpose of this paper is indeed to construct a formal model of the above protocol in the Chip Authentication Mapping case and prove its security, applying Paulson's Inductive Method as described in [10]. In more detail, the formal development is aimed at proving that such protocol enforces the following security properties.

- Secrecy theorem *pr-key-secrecy*: if a user other than the spy sends her password to some smart card (not necessarily her own one), then the spy cannot disclose the session key used to encrypt the password. This property ensures that the protocol is successful in establishing trustworthy secure messaging channels between users and smart cards.
- Secrecy theorem *pr-passwd-secrecy*: the spy cannot disclose the passwords of other users. This property ensures that the protocol is successful in preserving the secrecy of users' passwords.
- Authenticity theorem *pr-user-authenticity*: if a smart card receives the password of a user (not necessarily the cardholder), then the message must have been originally sent by that user. This property ensures that the protocol enables users to authenticate themselves to their smart cards, viz. provides an *external authentication* service (cf. [4]).
- Authenticity theorem *pr-card-authenticity*: if a user sends her password to a smart card and receives a success code as response, then the card is her own one and the response must have been originally sent by that card. This property ensures that the protocol enables smart cards to authenticate themselves to their cardholders, viz. provides an *internal authentication* service (cf. [4]).

Remarkably, none of these theorems turns out to require the secrecy of the PACE authentication key as an assumption, so that all of them are valid independently of whether this key is secret or not.

The main technical difficulties arising from this formal development are the following ones.

- Data such as private keys for Diffie-Hellman key agreement and session keys do not necessarily occur as components of exchanged messages, viz. they may be computed by some agent without being ever sent to any other agent. In this case, whichever protocol trace *evs* is given, any such key x will not be contained in either set *analz* (*spies evs*) or *used evs*, so that statements such as $x \in \text{analz } (\text{spies } evs)$ or $x \in \text{used } evs$ will be vacuously false. Thus, some way must be found to formalize a state of affairs where x is known by the spy or has already been used in some protocol run.
- As private keys for Diffie-Hellman key agreement do not necessarily occur as components of exchanged messages, some way must be found to record the private keys that each agent has either generated or accepted from some other agent (possibly implicitly, in the form of the corresponding public keys) in each protocol run.
- The public keys for Diffie-Hellman key agreement being used are comprised of the elements of a cryptographic cyclic group of prime order n , and the private keys are the elements of the finite field comprised of the integers from 0 to $n - 1$ (cf. [3], [1]). Hence, the operations defined in these algebraic structures, as well as the generation of public keys from known private keys, correspond to additional ways in which the spy can generate fake messages starting from known ones. A possible option to reflect this in the formal model would be to extend the inductive definition of set *synth H* with rules enabling to obtain new Diffie-Hellman private and public keys from those contained in set *H*, but the result would be an overly complex definition. Thus, an alternative formalization ought to be found.

These difficulties are solved by extending the Inductive Method, with respect to the form specified in [10], as follows.

- The protocol is no longer defined as a set of event lists, but rather as a set of 4-tuples (evs, S, A, U) where *evs* is an event list, *S* is the current protocol *state* – viz. a function that maps each agent to the private keys for Diffie-Hellman key agreement generated or accepted in each protocol run –, *A* is the set of the Diffie-Hellman private keys and session keys currently known by the spy, and *U* is the set of the Diffie-Hellman private keys and session keys which have already been used in some protocol run.

In this way, the first two difficulties are solved. Particularly, the full

set of the messages currently known by the spy can be formalized as the set $analz (A \cup spies\ evs)$.

- The inductive definition of the protocol does not contain a single *fake* rule any longer, but rather one *fake* rule for each protocol step. Each *fake* rule is denoted by adding letter "F" to the identifier of the corresponding protocol step, e.g. the *fake* rules associated to steps C2 and R5 are given the names *FC2* and *FR5*, respectively.

In this way, the third difficulty is solved, too. In fact, for each protocol step, the related *fake* rule extends the spy's capabilities to generate fake messages with the operations on known Diffie-Hellman private and public keys relevant for that step, which makes an augmentation of set *synth H* with such operations unnecessary.

Throughout this paper, the salient points of definitions and proofs are commented; for additional information, cf. Isabelle documentation, particularly [9], [8], [7], and [6].

Paulson's Inductive Method is described in [10], and further information is provided in [9] as a case study. The formal developments described in [10] and [9] are included in the Isabelle distribution.

Additional information on the involved cryptography can be found in [3] and [1].

1.2 Propaedeutic definitions

First of all, the data types of encryption/signature keys, Diffie-Hellman private keys, and Diffie-Hellman public keys are defined. Following [9], encryption/signature keys are identified with natural numbers, whereas Diffie-Hellman private keys and public keys are represented as rational and integer numbers in order to model the algebraic structures that they form (a field and a group, respectively; cf. above).

type-synonym $key = nat$

type-synonym $pri-agrk = rat$

type-synonym $pub-agrk = int$

Agents are comprised of an infinite quantity of users and smart cards, plus the Certification Authority (CA) signing public key PK_{IC} . For each n , *User n* is the cardholder of smart card *Card n*.

datatype $agent = CA \mid Card\ nat \mid User\ nat$

In addition to the kinds of messages considered in [10], the data type of messages comprises also users' passwords, Diffie-Hellman private and public keys, and Chip Authentication Data. Particularly, for each n , $Passwd\ n$ is the password of $User\ n$, accepted as being the correct one by $Card\ n$.

```
datatype msg =
  Agent    agent |
  Number   nat |
  Nonce    nat |
  Key      key |
  Hash     msg |
  Passwd   nat |
  Pri-AgrK pri-agrk |
  Pub-AgrK pub-agrk |
  Auth-Data pri-agrk pri-agrk |
  Crypt    key msg |
  MPair    msg msg
```

syntax

```
-MTuple :: ['a, args] ⇒ 'a * 'b ((2{-, / -})
```

translations

```
{x, y, z} ⇒ {x, {y, z}}
{x, y} ⇒ CONST MPair x y
```

As regards data type *event*, constructor *Says* is extended with three additional parameters of type *nat*, respectively identifying the communication channel, the protocol run, and the protocol step (ranging from 1 to 5) in which the message is exchanged. Communication channels are associated to smart cards, so that if a user receives an encrypted nonce s on channel n , she will answer by sending her ephemeral public key $PK_{Map,PCD}$ for generator mapping to smart card $Card\ n$.

```
datatype event = Says nat nat nat agent agent msg
```

The record data type *session* is used to store the Diffie-Hellman private keys that each agent has generated or accepted in each protocol run. In more detail:

- Field *NonceS* is deputed to contain the nonce s , if any, having been generated internally (in the case of a smart card) or accepted from the external world (in the case of a user).

- Field *IntMapK* is deputed to contain the ephemeral private key for generator mapping, if any, having been generated internally.
- Field *ExtMapK* is deputed to contain the ephemeral private key for generator mapping, if any, having been implicitly accepted from the external world in the form of the corresponding public key.
- Field *IntAgrK* is deputed to contain the ephemeral private key for key agreement, if any, having been generated internally.
- Field *ExtAgrK* is deputed to contain the ephemeral private key for key agreement, if any, having been implicitly accepted from the external world in the form of the corresponding public key.

```

record session =
  NonceS  :: pri-agrk option
  IntMapK :: pri-agrk option
  ExtMapK :: pri-agrk option
  IntAgrK :: pri-agrk option
  ExtAgrK :: pri-agrk option

```

Then, the data type of protocol states is defined as the type of the functions that map any 3-tuple (X, n, run) , where X is an agent, n identifies a communication channel, and run identifies a protocol run taking place on that communication channel, to a record of type *session*.

```

type-synonym state = agent × nat × nat ⇒ session

```

Set *bad* collects the numerical identifiers of the PACE authentication keys known by the spy, viz. for each n , $n \in bad$ just in case the spy knows the PACE authentication key shared by agents *User* n and *Card* n .

```

consts bad :: nat set

```

Function *invK* maps each encryption/signature key to the corresponding inverse key, matching the original key just in case it is symmetric.

```

consts invK :: key ⇒ key

```

Function *agrK* maps each Diffie-Hellman private key x to the corresponding public key $[x]G$, where G is the static cryptographic group generator being used.

consts $agrK :: pri-agrk \Rightarrow pub-agrk$

Function $sesK$ maps each Diffie-Hellman private key x to the session key resulting from shared secret $[x]G$, where G is the static cryptographic group generator being used.

consts $sesK :: pri-agrk \Rightarrow key$

Function $symK$ maps each natural number n to the PACE authentication key shared by agents $User\ n$ and $Card\ n$.

consts $symK :: nat \Rightarrow key$

Function $priAK$ maps each natural number n to the static Diffie-Hellman private key SK_{IC} assigned to smart card $Card\ n$ for Chip Authentication.

consts $priAK :: nat \Rightarrow pri-agrk$

Function $priSK$ maps each agent to her own private key for digital signature generation, even if the only such key being actually significant for the model is the Certification Authority's one, i.e. $priSK\ CA$.

consts $priSK :: agent \Rightarrow key$

The spy is modeled as a user, specifically the one identified by number 0, i.e. $User\ 0$. In this way, in addition to the peculiar privilege of being able to generate fake messages, the spy is endowed with the capability of performing any operation that a generic user can do.

abbreviation $Spy :: agent$ **where**
 $Spy \equiv User\ 0$

Functions $pubAK$ and $pubSK$ are abbreviations useful to make the formal development more readable. The former function maps each Diffie-Hellman private key x to the message comprised of the corresponding public key $agrK\ x$, whereas the latter maps each agent to the corresponding public key for digital signature verification.

abbreviation $pubAK :: pri\text{-}agrK \Rightarrow msg$ **where**
 $pubAK\ a \equiv Pub\text{-}AgrK\ (agrK\ a)$

abbreviation $pubSK :: agent \Rightarrow key$ **where**
 $pubSK\ X \equiv invK\ (priSK\ X)$

Function $start\text{-}S$ represents the initial protocol state, i.e. the one in which no ephemeral Diffie-Hellman private key has been generated or accepted by any agent yet.

abbreviation $start\text{-}S :: state$ **where**
 $start\text{-}S \equiv \lambda x. (\text{Nonce}S = None, \text{IntMap}K = None, \text{ExtMap}K = None,$
 $\text{IntAgr}K = None, \text{ExtAgr}K = None)$

Set $start\text{-}A$ is comprised of the messages initially known by the spy, namely:

- her own password as a user,
- the compromised PACE authentication keys,
- the public keys for digital signature verification, and
- the static Diffie-Hellman public keys assigned to smart cards for Chip Authentication.

abbreviation $start\text{-}A :: msg\ set$ **where**
 $start\text{-}A \equiv insert\ (Passwd\ 0)\ (Key\ 'symK'\ bad \cup Key\ 'range\ pubSK \cup pubAK'\ range\ priAK)$

Set $start\text{-}U$ is comprised of the messages which have already been used before the execution of the protocol starts, namely:

- all users' passwords,
- all PACE authentication keys,
- the private and public keys for digital signature generation/verification, and
- the static Diffie-Hellman private and public keys assigned to smart cards for Chip Authentication.

abbreviation $start-U :: msg\ set$ **where**
 $start-U \equiv range\ Passwd \cup Key \text{ ' } range\ symK \cup Key \text{ ' } range\ priSK \cup Key \text{ ' } range\ pubSK \cup$
 $Pri-AgrK \text{ ' } range\ priAK \cup pubAK \text{ ' } range\ priAK$

As in [10], function $spies$ models the set of the messages that the spy can see in a protocol trace. However, it is no longer necessary to identify $spies []$ with the initial knowledge of the spy, since her current knowledge in correspondence with protocol state (evs, S, A, U) is represented as set $analz (A \cup spies\ evs)$, where $start-A \subseteq A$. Therefore, this formal development defines $spies []$ as the empty set.

fun $spies :: event\ list \Rightarrow msg\ set$ **where**
 $spies [] = \{\}$ |
 $spies (Says\ i\ j\ k\ A\ B\ X\ \#\ evs) = insert\ X\ (spies\ evs)$

Here below is the specification of the axioms about the constants defined previously which are used in the formal proofs. A model of the constants satisfying the axioms is also provided in order to ensure the consistency of the formal development. In more detail:

1. Axiom $agrK-inj$ states that function $agrK$ is injective, and formalizes the fact that distinct Diffie-Hellman private keys generate distinct public keys.
 Since the former keys are represented as rational numbers and the latter as integer numbers (cf. above), a model of function $agrK$ satisfying the axiom is built by means of the injective function $inv\ nat-to-rat-surj$ provided by the Isabelle distribution, which maps rational numbers to natural numbers.
2. Axiom $sesK-inj$ states that function $sesK$ is injective, and formalizes the fact that the key derivation function specified in [3] for deriving session keys from shared secrets makes use of robust hash functions, so that collisions are negligible.
 Since Diffie-Hellman private keys are represented as rational numbers and encryption/signature keys as natural numbers (cf. above), a model of function $sesK$ satisfying the axiom is built by means of the injective function $inv\ nat-to-rat-surj$, too.
3. Axiom $priSK-pubSK$ formalizes the fact that every private key for signature generation is distinct from whichever public key for signature verification. For example, in the case of the RSA algorithm, small fixed

values are typically used as public exponents to make signature verification more efficient, whereas the corresponding private exponents are of the same order of magnitude as the modulus.

4. Axiom *priSK-symK* formalizes the fact that private keys for signature generation are distinct from PACE authentication keys, which is obviously true since the former keys are asymmetric whereas the latter are symmetric.
5. Axiom *pubSK-symK* formalizes the fact that public keys for signature verification are distinct from PACE authentication keys, which is obviously true since the former keys are asymmetric whereas the latter are symmetric.
6. Axiom *invK-sesK* formalizes the fact that session keys are symmetric.
7. Axiom *invK-symK* formalizes the fact that PACE authentication keys are symmetric.
8. Axiom *symK-bad* states that set *bad* is closed with respect to the identity of PACE authentication keys, viz. if a compromised user has the same PACE authentication key as another user, then the latter user is compromised as well.

It is worth remarking that there is no axiom stating that distinct PACE authentication keys are assigned to distinct users. As a result, the formal development does not depend on the enforcement of this condition.

specification (*bad invK agrK sesK symK priSK*)
agrK-inj: $\text{inj } agrK$
sesK-inj: $\text{inj } sesK$
priSK-pubSK: $priSK\ X \neq pubSK\ X'$
priSK-symK: $priSK\ X \neq symK\ n$
pubSK-symK: $pubSK\ X \neq symK\ n$
invK-sesK: $invK\ (sesK\ a) = sesK\ a$
invK-symK: $invK\ (symK\ n) = symK\ n$
symK-bad: $m \in bad \implies symK\ n = symK\ m \implies n \in bad$
apply (*rule-tac* $x = \{\}$ **in** *exI*)
apply (*rule-tac* $x = \lambda n. \text{if even } n \text{ then } n \text{ else } Suc\ n$ **in** *exI*)
apply (*rule-tac* $x = \lambda x. \text{int } (inv\ \text{nat-to-rat-surj } x)$ **in** *exI*)
apply (*rule-tac* $x = \lambda x. 2 * inv\ \text{nat-to-rat-surj } x$ **in** *exI*)
apply (*rule-tac* $x = \lambda n. 0$ **in** *exI*)
apply (*rule-tac* $x = \lambda X. Suc\ 0$ **in** *exI*)
proof (*simp add: inj-on-def, (rule allI)+, rule impI*)
fix $x\ y$
have *surj nat-to-rat-surj*
by (*rule surj-nat-to-rat-surj*)

hence inj ($inv\ nat\text{-}to\text{-}rat\text{-}surj$)
by ($rule\ surj\text{-}imp\text{-}inj\text{-}inv$)
moreover assume $inv\ nat\text{-}to\text{-}rat\text{-}surj\ x = inv\ nat\text{-}to\text{-}rat\text{-}surj\ y$
ultimately show $x = y$
by ($rule\ injD$)
qed

Here below are the inductive definitions of sets $parts$, $analz$, and $synth$. With respect to the definitions given in the protocol library included in the Isabelle distribution, those of $parts$ and $analz$ are extended with rules extracting Diffie-Hellman private keys from Chip Authentication Data, whereas the definition of $synth$ contains a further rule that models the inverse operation, i.e. the construction of Chip Authentication Data starting from private keys. Particularly, the additional $analz$ rules formalize the fact that, for any two private keys x and y , if $x \times y \bmod n$ and x are known, where n is the group order, then y can be obtained by computing $x \times y \times x^{-1} \bmod n$, and similarly, x can be obtained if y is known.

An additional set, named $items$, is also defined inductively in what follows. This set is a hybrid of $parts$ and $analz$, as it shares with $parts$ the rule applying to cryptograms and with $analz$ the rules applying to Chip Authentication Data. Since the former rule is less strict than the corresponding one in the definition of $analz$, it turns out that $analz\ H \subseteq items\ H$ for any message set H . As a result, for any message X , $X \notin items\ (A \cup spies\ evs)$ implies $X \notin analz\ (A \cup spies\ evs)$. Therefore, set $items$ is useful to prove the secrecy of the Diffie-Hellman private keys utilized to compute Chip Authentication Data without bothering with case distinctions concerning the secrecy of encryption keys, as would happen if set $analz$ were directly employed instead.

inductive-set $parts :: msg\ set \Rightarrow msg\ set\ \mathbf{for}\ H :: msg\ set\ \mathbf{where}$

$Inj:$ $X \in H \Longrightarrow X \in parts\ H \mid$
 $Fst:$ $\{X, Y\} \in parts\ H \Longrightarrow X \in parts\ H \mid$
 $Snd:$ $\{X, Y\} \in parts\ H \Longrightarrow Y \in parts\ H \mid$
 $Body:$ $Crypt\ K\ X \in parts\ H \Longrightarrow X \in parts\ H \mid$
 $Auth\text{-}Fst:$ $Auth\text{-}Data\ x\ y \in parts\ H \Longrightarrow Pri\text{-}AgrK\ x \in parts\ H \mid$
 $Auth\text{-}Snd:$ $Auth\text{-}Data\ x\ y \in parts\ H \Longrightarrow Pri\text{-}AgrK\ y \in parts\ H$

inductive-set $items :: msg\ set \Rightarrow msg\ set\ \mathbf{for}\ H :: msg\ set\ \mathbf{where}$

$Inj:$ $X \in H \Longrightarrow X \in items\ H \mid$
 $Fst:$ $\{X, Y\} \in items\ H \Longrightarrow X \in items\ H \mid$
 $Snd:$ $\{X, Y\} \in items\ H \Longrightarrow Y \in items\ H \mid$
 $Body:$ $Crypt\ K\ X \in items\ H \Longrightarrow X \in items\ H \mid$
 $Auth\text{-}Fst:$ $\llbracket Auth\text{-}Data\ x\ y \in items\ H; Pri\text{-}AgrK\ y \in items\ H \rrbracket \Longrightarrow Pri\text{-}AgrK\ x \in items\ H \mid$
 $Auth\text{-}Snd:$ $\llbracket Auth\text{-}Data\ x\ y \in items\ H; Pri\text{-}AgrK\ x \in items\ H \rrbracket \Longrightarrow Pri\text{-}AgrK\ y \in items\ H$

inductive-set *analz* :: *msg set* \Rightarrow *msg set* **for** *H* :: *msg set* **where**

Inj: $X \in H \Longrightarrow X \in \text{analz } H$ |
Fst: $\{X, Y\} \in \text{analz } H \Longrightarrow X \in \text{analz } H$ |
Snd: $\{X, Y\} \in \text{analz } H \Longrightarrow Y \in \text{analz } H$ |
Decrypt: $\llbracket \text{Crypt } K X \in \text{analz } H; \text{Key } (\text{invK } K) \in \text{analz } H \rrbracket \Longrightarrow X \in \text{analz } H$ |
Auth-Fst: $\llbracket \text{Auth-Data } x y \in \text{analz } H; \text{Pri-AgrK } y \in \text{analz } H \rrbracket \Longrightarrow \text{Pri-AgrK } x \in \text{analz } H$ |
Auth-Snd: $\llbracket \text{Auth-Data } x y \in \text{analz } H; \text{Pri-AgrK } x \in \text{analz } H \rrbracket \Longrightarrow \text{Pri-AgrK } y \in \text{analz } H$

inductive-set *synth* :: *msg set* \Rightarrow *msg set* **for** *H* :: *msg set* **where**

Inj: $X \in H \Longrightarrow X \in \text{synth } H$ |
Agent: $\text{Agent } X \in \text{synth } H$ |
Number: $\text{Number } n \in \text{synth } H$ |
Hash: $X \in \text{synth } H \Longrightarrow \text{Hash } X \in \text{synth } H$ |
MPair: $\llbracket X \in \text{synth } H; Y \in \text{synth } H \rrbracket \Longrightarrow \{X, Y\} \in \text{synth } H$ |
Crypt: $\llbracket X \in \text{synth } H; \text{Key } K \in H \rrbracket \Longrightarrow \text{Crypt } K X \in \text{synth } H$ |
Auth: $\llbracket \text{Pri-AgrK } x \in H; \text{Pri-AgrK } y \in H \rrbracket \Longrightarrow \text{Auth-Data } x y \in \text{synth } H$

1.3 Propaedeutic lemmas

This section contains the lemmas about sets *parts*, *items*, *analz*, and *synth* required for protocol verification. Since their proofs mainly consist of initial rule inductions followed by sequences of rule applications and simplifications, *apply*-style is used.

lemma *set-spies* [*rule-format*]:

Says i j k A B X \in *set evs* \longrightarrow *X* \in *spies evs*

apply (*induction evs rule: spies.induct*)

apply *simp-all*

done

lemma *parts-subset*:

$H \subseteq \text{parts } H$

by (*rule subsetI, rule parts.Inj*)

lemma *parts-idem*:

$\text{parts } (\text{parts } H) = \text{parts } H$

apply (*rule equalityI*)

apply (*rule subsetI*)

apply (*erule parts.induct*)

apply *assumption*

apply (*erule parts.Fst*)

apply (*erule parts.Snd*)

apply (*erule parts.Body*)

apply (*erule parts.Auth-Fst*)

apply (*erule parts.Auth-Snd*)

apply (*rule parts-subset*)
done

lemma *parts-simp*:
 $H \subseteq \text{range Agent} \cup$
 $\text{range Number} \cup$
 $\text{range Nonce} \cup$
 $\text{range Key} \cup$
 $\text{range Hash} \cup$
 $\text{range Passwd} \cup$
 $\text{range Pri-AgrK} \cup$
 $\text{range Pub-AgrK} \implies$
 $\text{parts } H = H$
apply (*rule equalityI* [*OF - parts-subset*])
apply (*rule subsetI*)
apply (*erule parts.induct*)
apply *blast+*
done

lemma *parts-mono*:
 $G \subseteq H \implies \text{parts } G \subseteq \text{parts } H$
apply (*rule subsetI*)
apply (*erule parts.induct*)
apply (*drule subsetD*)
apply *assumption*
apply (*erule parts.Inj*)
apply (*erule parts.Fst*)
apply (*erule parts.Snd*)
apply (*erule parts.Body*)
apply (*erule parts.Auth-Fst*)
apply (*erule parts.Auth-Snd*)
done

lemma *parts-insert*:
 $\text{insert } X (\text{parts } H) \subseteq \text{parts } (\text{insert } X H)$
apply (*rule subsetI*)
apply *simp*
apply (*erule disjE*)
apply *simp*
apply (*rule parts.Inj*)
apply *simp*
apply (*erule rev-subsetD*)
apply (*rule parts-mono*)
apply *blast*
done

lemma *parts-simp-insert*:
 $X \in \text{range Agent} \cup$
 $\text{range Number} \cup$

```

range Nonce ∪
range Key ∪
range Hash ∪
range Passwd ∪
range Pri-AgrK ∪
range Pub-AgrK ⇒
parts (insert X H) = insert X (parts H)
apply (rule equalityI [OF - parts-insert])
apply (rule subsetI)
apply (erule parts.induct)
  apply simp-all
  apply (rotate-tac [!])
  apply (erule disjE)
  apply simp
  apply (rule disjI2)
  apply (erule parts.Inj)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule parts.Fst)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule parts.Snd)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule parts.Body)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule parts.Auth-Fst)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule parts.Auth-Snd)
done

lemma parts-auth-data-1:
parts (insert (Auth-Data x y) H) ⊆
  {Pri-AgrK x, Pri-AgrK y, Auth-Data x y} ∪ parts H
apply (rule subsetI)
apply (erule parts.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)+
  apply (erule parts.Inj)
  apply (erule parts.Fst)

```

```

  apply (erule parts.Snd)
  apply (erule parts.Body)
  apply (erule disjE)
  apply simp
  apply (rule disjI2)+
  apply (erule parts.Auth-Fst)
  apply (erule disjE)
  apply simp
  apply (rule disjI2)+
  apply (erule parts.Auth-Snd)
done

```

```

lemma parts-auth-data-2:
  {Pri-AgrK x, Pri-AgrK y, Auth-Data x y} ∪ parts H ⊆
    parts (insert (Auth-Data x y) H)
  apply (rule subsetI)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule parts.Auth-Fst [of - y])
  apply (rule parts.Inj)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule parts.Auth-Snd [of x])
  apply (rule parts.Inj)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule parts.Inj)
  apply simp
  apply (erule rev-subsetD)
  apply (rule parts-mono)
  apply blast
done

```

```

lemma parts-auth-data:
  parts (insert (Auth-Data x y) H) =
    {Pri-AgrK x, Pri-AgrK y, Auth-Data x y} ∪ parts H
  by (rule equalityI, rule parts-auth-data-1, rule parts-auth-data-2)

```

```

lemma parts-crypt-1:
  parts (insert (Crypt K X) H) ⊆ insert (Crypt K X) (parts (insert X H))
  apply (rule subsetI)
  apply (erule parts.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-3] disjI2)

```

```

    apply (rule parts.Inj)
    apply simp
    apply (erule parts.Fst)
    apply (erule parts.Snd)
    apply (erule disjE)
    apply simp
    apply (rule parts.Inj)
    apply simp
    apply (rule disjI2)
    apply (erule parts.Body)
    apply (erule parts.Auth-Fst)
    apply (erule parts.Auth-Snd)
done

```

lemma *parts-crypt-2*:

```

  insert (Crypt K X) (parts (insert X H))  $\subseteq$  parts (insert (Crypt K X) H)
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply simp
  apply (rule parts.Inj)
  apply simp
apply (subst parts-idem [symmetric])
apply (erule rev-subsetD)
apply (rule parts-mono)
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply simp
  apply (rule parts.Body [of K])
  apply (rule parts.Inj)
  apply simp
apply (rule parts.Inj)
apply simp
done

```

lemma *parts-crypt*:

```

  parts (insert (Crypt K X) H) = insert (Crypt K X) (parts (insert X H))
by (rule equalityI, rule parts-crypt-1, rule parts-crypt-2)

```

lemma *parts-mpair-1*:

```

  parts (insert {X, Y} H)  $\subseteq$  insert {X, Y} (parts ({X, Y}  $\cup$  H))
apply (rule subsetI)
apply (erule parts.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (rule parts.Inj)

```

```

apply simp
apply (erule disjE)
apply simp
apply (rule parts.Inj)
apply simp
apply (erule parts.Fst)
apply (erule disjE)
apply simp
apply (rule parts.Inj)
apply simp
apply (erule parts.Snd)
apply (erule parts.Body)
apply (erule parts.Auth-Fst)
apply (erule parts.Auth-Snd)
done

```

```

lemma parts-mpair-2:
   $insert \{X, Y\} (parts (\{X, Y\} \cup H)) \subseteq parts (insert \{X, Y\} H)$ 
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply (rule parts.Inj)
  apply simp
apply (subst parts-idem [symmetric])
apply (erule rev-subsetD)
apply (rule parts-mono)
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply simp
  apply (rule parts.Fst [of - Y])
  apply (rule parts.Inj)
  apply simp
apply (erule disjE)
  apply simp
  apply (rule parts.Snd [of X])
  apply (rule parts.Inj)
  apply simp
apply (rule parts.Inj)
apply simp
done

```

```

lemma parts-mpair:
   $parts (insert \{X, Y\} H) = insert \{X, Y\} (parts (\{X, Y\} \cup H))$ 
by (rule equalityI, rule parts-mpair-1, rule parts-mpair-2)

```

```

lemma items-subset:
   $H \subseteq items H$ 
by (rule subsetI, rule items.Inj)

```

lemma *items-idem*:
 $items (items H) = items H$
apply (rule equalityI)
apply (rule subsetI)
apply (erule items.induct)
 apply assumption
 apply (erule items.Fst)
 apply (erule items.Snd)
 apply (erule items.Body)
 apply (erule items.Auth-Fst)
 apply assumption
apply (erule items.Auth-Snd)
apply assumption
apply (rule items-subset)
done

lemma *items-parts-subset*:
 $items H \subseteq parts H$
apply (rule subsetI)
apply (erule items.induct)
 apply (erule parts.Inj)
 apply (erule parts.Fst)
 apply (erule parts.Snd)
 apply (erule parts.Body)
 apply (erule parts.Auth-Fst)
apply (erule parts.Auth-Snd)
done

lemma *items-simp*:
 $H \subseteq range Agent \cup$
 $range Number \cup$
 $range Nonce \cup$
 $range Key \cup$
 $range Hash \cup$
 $range Passwd \cup$
 $range Pri-AgrK \cup$
 $range Pub-AgrK \implies$
 $items H = H$
apply (rule equalityI)
apply (subst (3) parts-simp [symmetric])
 apply assumption
 apply (rule items-parts-subset)
apply (rule items-subset)
done

lemma *items-mono*:
 $G \subseteq H \implies items G \subseteq items H$
apply (rule subsetI)

```

apply (erule items.induct)
  apply (drule subsetD)
  apply assumption
  apply (erule items.Inj)
  apply (erule items.Fst)
  apply (erule items.Snd)
  apply (erule items.Body)
  apply (erule items.Auth-Fst)
  apply assumption
apply (erule items.Auth-Snd)
apply assumption
done

```

```

lemma items-insert:
  insert X (items H)  $\subseteq$  items (insert X H)
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply simp
  apply (rule items.Inj)
  apply simp
apply (erule rev-subsetD)
apply (rule items-mono)
apply blast
done

```

```

lemma items-simp-insert-1:
  X  $\in$  items H  $\implies$  items (insert X H) = items H
apply (rule equalityI)
apply (rule subsetI)
apply (erule items.induct [of - insert X H])
  apply simp
  apply (erule disjE)
  apply simp
  apply (erule items.Inj)
  apply (erule items.Fst)
  apply (erule items.Snd)
  apply (erule items.Body)
  apply (erule items.Auth-Fst)
  apply assumption
apply (erule items.Auth-Snd)
apply assumption
apply (rule items-mono)
apply blast
done

```

```

lemma items-simp-insert-2:
  X  $\in$  range Agent  $\cup$ 
  range Number  $\cup$ 

```



```

    range Nonce ∪
    range Key ∪
    range Hash ∪
    range Passwd ∪
    range Pub-AgrK  $\implies$ 
    items (insert X H) = insert X (items H)
apply (rule equalityI [OF - items-insert])
apply (rule subsetI)
apply (erule items.induct)
  apply simp-all
  apply (rotate-tac [!])
  apply (erule disjE)
  apply simp
  apply (rule disjI2)
  apply (erule items.Inj)
apply (erule disjE)
  apply blast
apply (rule disjI2)
apply (erule items.Fst)
apply (erule disjE)
  apply blast
apply (rule disjI2)
apply (erule items.Snd)
apply (erule disjE)
  apply blast
apply (rule disjI2)
apply (erule items.Body)
apply (erule disjE)
  apply blast
apply (erule disjE)
  apply blast
apply (rule disjI2)
apply (erule items.Auth-Fst)
apply assumption
apply (erule disjE)
  apply blast
apply (erule disjE)
  apply blast
apply (rule disjI2)
apply (erule items.Auth-Snd)
apply assumption
done

```

lemma items-pri-agrk-out:

```

  Pri-AgrK x  $\notin$  parts H  $\implies$ 
  items (insert (Pri-AgrK x) H) = insert (Pri-AgrK x) (items H)
apply (rule equalityI [OF - items-insert])
apply (rule subsetI)
apply (erule items.induct)

```

```

apply simp-all
apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (erule items.Inj)
  apply (erule items.Fst)
  apply (erule items.Snd)
apply (erule items.Body)
apply (erule disjE)
apply simp
apply (drule subsetD [OF items-parts-subset [of H]])
apply (drule parts.Auth-Snd)
apply simp
apply (rule disjI2)
apply (erule items.Auth-Fst)
apply assumption
apply (erule disjE)
apply simp
apply (drule subsetD [OF items-parts-subset [of H]])
apply (drule parts.Auth-Fst)
apply simp
apply (rule disjI2)
apply (erule items.Auth-Snd)
apply assumption
done

```

```

lemma items-auth-data-in-1:
  items (insert (Auth-Data x y) H)  $\subseteq$ 
    insert (Auth-Data x y) (items ( $\{ \textit{Pri-AgrK } x, \textit{Pri-AgrK } y \} \cup H$ ))
apply (rule subsetI)
apply (erule items.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (rule items.Inj)
  apply simp
  apply (erule items.Fst)
  apply (erule items.Snd)
  apply (erule items.Body)
apply (erule disjE)
apply simp
apply (rule items.Inj)
apply simp
apply (erule items.Auth-Fst)
apply assumption
apply (erule disjE)
apply simp
apply (rule items.Inj)

```

```

apply simp
apply (erule items.Auth-Snd)
apply assumption
done

```

lemma *items-auth-data-in-2*:

```

Pri-AgrK x ∈ items H ∨ Pri-AgrK y ∈ items H ⇒
  insert (Auth-Data x y) (items ({Pri-AgrK x, Pri-AgrK y} ∪ H)) ⊆
  items (insert (Auth-Data x y) H)
apply (rule subsetI)
apply simp
apply rotate-tac
apply (erule disjE)
  apply (rule items.Inj)
  apply simp
apply (subst items-idem [symmetric])
apply (erule rev-subsetD)
apply (rule items-mono)
apply (rule subsetI)
apply simp
apply rotate-tac
apply (erule disjE)
  apply simp
  apply (erule disjE)
    apply (erule rev-subsetD)
    apply (rule items-mono)
    apply blast
  apply (rule items.Auth-Fst [of - y])
  apply (rule items.Inj)
  apply simp
apply (erule rev-subsetD)
apply (rule items-mono)
apply blast
apply rotate-tac
apply (erule disjE)
  apply simp
  apply (erule disjE)
    apply (rule items.Auth-Snd [of x])
    apply (rule items.Inj)
    apply simp
    apply (erule rev-subsetD)
    apply (rule items-mono)
    apply blast
  apply (erule rev-subsetD)
apply (rule items-mono)
apply blast
apply (rule items.Inj)
apply simp
done

```

lemma *items-auth-data-in*:

$Pri-AgrK\ x \in items\ H \vee Pri-AgrK\ y \in items\ H \implies$
 $items\ (insert\ (Auth-Data\ x\ y)\ H) =$
 $insert\ (Auth-Data\ x\ y)\ (items\ (\{Pri-AgrK\ x,\ Pri-AgrK\ y\} \cup H))$
by (*rule equalityI*, *rule items-auth-data-in-1*, *rule items-auth-data-in-2*)

lemma *items-auth-data-out*:

$\llbracket Pri-AgrK\ x \notin items\ H; Pri-AgrK\ y \notin items\ H \rrbracket \implies$
 $items\ (insert\ (Auth-Data\ x\ y)\ H) = insert\ (Auth-Data\ x\ y)\ (items\ H)$
apply (*rule equalityI* [*OF - items-insert*])
apply (*rule subsetI*)
apply (*erule items.induct*)
 apply *simp-all*
 apply (*erule disjE*)
 apply *simp*
 apply (*rule-tac* [*1-4*] *disjI2*)
 apply (*erule items.Inj*)
 apply (*erule items.Fst*)
 apply (*erule items.Snd*)
 apply (*erule items.Body*)
apply (*erule disjE*)
 apply *simp*
 apply (*erule items.Auth-Fst*)
 apply *assumption*
apply (*erule disjE*)
 apply *simp*
 apply (*erule items.Auth-Snd*)
apply *assumption*
done

lemma *items-crypt-1*:

$items\ (insert\ (Crypt\ K\ X)\ H) \subseteq insert\ (Crypt\ K\ X)\ (items\ (insert\ X\ H))$
apply (*rule subsetI*)
apply (*erule items.induct*)
 apply *simp-all*
 apply (*erule disjE*)
 apply *simp*
 apply (*rule-tac* [*1-4*] *disjI2*)
 apply (*rule items.Inj*)
 apply *simp*
 apply (*erule items.Fst*)
 apply (*erule items.Snd*)
apply (*erule disjE*)
 apply *simp*
 apply (*rule items.Inj*)
 apply *simp*
 apply (*erule items.Body*)
apply (*erule items.Auth-Fst*)

```

  apply assumption
  apply (erule items.Auth-Snd)
  apply assumption
  done

```

```

lemma items-crypt-2:
  insert (Crypt K X) (items (insert X H))  $\subseteq$  items (insert (Crypt K X) H)
  apply (rule subsetI)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule items.Inj)
  apply simp
  apply (erule items.induct)
    apply simp
    apply (erule disjE)
    apply simp
    apply (rule items.Body [of K])
    apply (rule items.Inj)
    apply simp
    apply (rule items.Inj)
    apply simp
    apply (erule items.Fst)
    apply (erule items.Snd)
    apply (erule items.Body)
    apply (erule items.Auth-Fst)
    apply assumption
  apply (erule items.Auth-Snd)
  apply assumption
  done

```

```

lemma items-crypt:
  items (insert (Crypt K X) H) = insert (Crypt K X) (items (insert X H))
  by (rule equalityI, rule items-crypt-1, rule items-crypt-2)

```

```

lemma items-mpair-1:
  items (insert {X, Y} H)  $\subseteq$  insert {X, Y} (items ({X, Y}  $\cup$  H))
  apply (rule subsetI)
  apply (erule items.induct)
    apply simp-all
    apply (erule disjE)
    apply simp
    apply (rule-tac [1-4] disjI2)
    apply (rule items.Inj)
    apply simp
  apply (erule disjE)
  apply simp
  apply (rule items.Inj)
  apply simp

```

```

  apply (erule items.Fst)
  apply (erule disjE)
  apply simp
  apply (rule items.Inj)
  apply simp
  apply (erule items.Snd)
  apply (erule items.Body)
  apply (erule items.Auth-Fst)
  apply assumption
  apply (erule items.Auth-Snd)
  apply assumption
done

```

```

lemma items-mpair-2:
  insert {X, Y} (items ({X, Y} ∪ H)) ⊆ items (insert {X, Y} H)
  apply (rule subsetI)
  apply simp
  apply (erule disjE)
  apply (rule items.Inj)
  apply simp
  apply (erule items.induct)
    apply simp
    apply (erule disjE)
      apply simp
      apply (rule items.Fst [of - Y])
      apply (rule items.Inj)
      apply simp
      apply (erule disjE)
        apply simp
        apply (rule items.Snd [of X])
        apply (rule items.Inj)
        apply simp
        apply (rule items.Inj)
        apply simp
      apply (erule items.Fst)
      apply (erule items.Snd)
      apply (erule items.Body)
      apply (erule items.Auth-Fst)
      apply assumption
    apply (erule items.Auth-Snd)
    apply assumption
done

```

```

lemma items-mpair:
  items (insert {X, Y} H) = insert {X, Y} (items ({X, Y} ∪ H))
  by (rule equalityI, rule items-mpair-1, rule items-mpair-2)

```

```

lemma analz-subset:
  H ⊆ analz H

```

by (*rule subsetI*, *rule analz.Inj*)

lemma *analz-idem*:

analz (analz H) = analz H
apply (*rule equalityI*)
apply (*rule subsetI*)
apply (*erule analz.induct*)
 apply *assumption*
 apply (*erule analz.Fst*)
 apply (*erule analz.Snd*)
 apply (*erule analz.Decrypt*)
 apply *assumption*
 apply (*erule analz.Auth-Fst*)
 apply *assumption*
 apply (*erule analz.Auth-Snd*)
 apply *assumption*
apply (*rule analz-subset*)
done

lemma *analz-parts-subset*:

analz H ⊆ parts H
apply (*rule subsetI*)
apply (*erule analz.induct*)
 apply (*erule parts.Inj*)
 apply (*erule parts.Fst*)
 apply (*erule parts.Snd*)
 apply (*erule parts.Body*)
 apply (*erule parts.Auth-Fst*)
apply (*erule parts.Auth-Snd*)
done

lemma *analz-items-subset*:

analz H ⊆ items H
apply (*rule subsetI*)
apply (*erule analz.induct*)
 apply (*erule items.Inj*)
 apply (*erule items.Fst*)
 apply (*erule items.Snd*)
 apply (*erule items.Body*)
 apply (*erule items.Auth-Fst*)
 apply *assumption*
apply (*erule items.Auth-Snd*)
apply *assumption*
done

lemma *analz-simp*:

H ⊆ range Agent ∪
 range Number ∪
 range Nonce ∪

```

    range Key  $\cup$ 
    range Hash  $\cup$ 
    range Passwd  $\cup$ 
    range Pri-AgrK  $\cup$ 
    range Pub-AgrK  $\implies$ 
    analz H = H
apply (rule equalityI)
apply (subst ( $\exists$ ) parts-simp [symmetric])
apply assumption
apply (rule analz-parts-subset)
apply (rule analz-subset)
done

```

```

lemma analz-mono:
   $G \subseteq H \implies \text{analz } G \subseteq \text{analz } H$ 
apply (rule subsetI)
apply (erule analz.induct)
  apply (drule subsetD)
  apply assumption
  apply (erule analz.Inj)
  apply (erule analz.Fst)
  apply (erule analz.Snd)
  apply (erule analz.Decrypt)
  apply assumption
  apply (erule analz.Auth-Fst)
  apply assumption
  apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-insert:
   $\text{insert } X (\text{analz } H) \subseteq \text{analz } (\text{insert } X H)$ 
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
apply (erule rev-subsetD)
apply (rule analz-mono)
apply blast
done

```

```

lemma analz-simp-insert-1:
   $X \in \text{analz } H \implies \text{analz } (\text{insert } X H) = \text{analz } H$ 
apply (rule equalityI)
apply (rule subsetI)
apply (erule analz.induct [of - insert X H])
  apply simp

```



```

apply (erule disjE)
apply simp
apply (erule analz.Inj)
apply (erule analz.Fst)
apply (erule analz.Snd)
apply (erule analz.Decrypt)
apply assumption
apply (erule analz.Auth-Fst)
apply assumption
apply (erule analz.Auth-Snd)
apply assumption
apply (rule analz-mono)
apply blast
done

```

lemma *analz-simp-insert-2*:

```

 $X \in \text{range } Agent \cup$ 
 $\text{range } Number \cup$ 
 $\text{range } Nonce \cup$ 
 $\text{range } Hash \cup$ 
 $\text{range } Passwd \cup$ 
 $\text{range } Pub\text{-Agr}K \implies$ 
 $\text{analz } (\text{insert } X H) = \text{insert } X (\text{analz } H)$ 
apply (rule equalityI [OF - analz-insert])
apply (rule subsetI)
apply (erule analz.induct)
apply simp-all
apply (rotate-tac [!])
apply (erule disjE)
apply simp
apply (rule disjI2)
apply (erule analz.Inj)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule analz.Fst)
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule analz.Snd)
apply (erule disjE)
apply blast
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule analz.Decrypt)
apply assumption
apply (erule disjE)
apply blast

```

```

apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule analz.Auth-Fst)
apply assumption
apply (erule disjE)
apply blast
apply (erule disjE)
apply blast
apply (rule disjI2)
apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-auth-data-in-1:
  analz (insert (Auth-Data x y) H)  $\subseteq$ 
    insert (Auth-Data x y) (analz ({Pri-AgrK x, Pri-AgrK y}  $\cup$  H))
apply (rule subsetI)
apply (erule analz.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Fst)
  apply (erule analz.Snd)
  apply (erule analz.Decrypt)
  apply assumption
apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Auth-Fst)
  apply assumption
apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-auth-data-in-2:
  Pri-AgrK x  $\in$  analz H  $\vee$  Pri-AgrK y  $\in$  analz H  $\implies$ 
    insert (Auth-Data x y) (analz ({Pri-AgrK x, Pri-AgrK y}  $\cup$  H))  $\subseteq$ 
      analz (insert (Auth-Data x y) H)
apply (rule subsetI)
apply simp

```

```

apply rotate-tac
apply (erule disjE)
  apply (rule analz.Inj)
  apply simp
apply (subst analz-idem [symmetric])
apply (erule rev-subsetD)
apply (rule analz-mono)
apply (rule subsetI)
apply simp
apply rotate-tac
apply (erule disjE)
  apply simp
  apply (erule disjE)
  apply (erule rev-subsetD)
  apply (rule analz-mono)
  apply blast
apply (rule analz.Auth-Fst [of - y])
  apply (rule analz.Inj)
  apply simp
apply (erule rev-subsetD)
apply (rule analz-mono)
apply blast
apply rotate-tac
apply (erule disjE)
  apply simp
  apply (erule disjE)
  apply (rule analz.Auth-Snd [of x])
  apply (rule analz.Inj)
  apply simp
  apply (erule rev-subsetD)
  apply (rule analz-mono)
  apply blast
apply (erule rev-subsetD)
apply (rule analz-mono)
apply blast
apply (rule analz.Inj)
apply simp
done

```

lemma analz-auth-data-in:

$$\begin{aligned}
 & \text{Pri-AgrK } x \in \text{analz } H \vee \text{Pri-AgrK } y \in \text{analz } H \implies \\
 & \text{analz } (\text{insert } (\text{Auth-Data } x \ y) \ H) = \\
 & \quad \text{insert } (\text{Auth-Data } x \ y) \ (\text{analz } (\{\text{Pri-AgrK } x, \text{Pri-AgrK } y\} \cup H))
 \end{aligned}$$

by (rule equalityI, rule analz-auth-data-in-1, rule analz-auth-data-in-2)

lemma analz-auth-data-out:

$$\begin{aligned}
 & \llbracket \text{Pri-AgrK } x \notin \text{analz } H; \text{Pri-AgrK } y \notin \text{analz } H \rrbracket \implies \\
 & \text{analz } (\text{insert } (\text{Auth-Data } x \ y) \ H) = \text{insert } (\text{Auth-Data } x \ y) \ (\text{analz } H)
 \end{aligned}$$

apply (rule equalityI [OF - analz-insert])

```

apply (rule subsetI)
apply (erule analz.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (erule analz.Inj)
  apply (erule analz.Fst)
  apply (erule analz.Snd)
apply (erule analz.Decrypt)
apply assumption
apply (erule disjE)
apply simp
apply (erule analz.Auth-Fst)
apply assumption
apply (erule disjE)
apply simp
apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-crypt-in-1:
  analz (insert (Crypt K X) H)  $\subseteq$  insert (Crypt K X) (analz (insert X H))
apply (rule subsetI)
apply (erule analz.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Fst)
  apply (erule analz.Snd)
apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Decrypt)
  apply assumption
apply (erule analz.Auth-Fst)
apply assumption
apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-crypt-in-2:
  Key (invK K)  $\in$  analz H  $\implies$ 
  insert (Crypt K X) (analz (insert X H))  $\subseteq$  analz (insert (Crypt K X) H)
apply (rule subsetI)

```

```

apply simp
apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
apply rotate-tac
apply (erule analz.induct)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule analz.Decrypt [of K])
  apply (rule analz.Inj)
  apply simp
  apply (erule rev-subsetD)
  apply (rule analz-mono)
  apply blast
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Fst)
  apply (erule analz.Snd)
  apply (erule analz.Decrypt)
  apply assumption
  apply (erule analz.Auth-Fst)
  apply assumption
apply (erule analz.Auth-Snd)
apply assumption
done

```

lemma *analz-crypt-in*:

```

  Key (invK K)  $\in$  analz H  $\implies$ 
    analz (insert (Crypt K X) H) = insert (Crypt K X) (analz (insert X H))
by (rule equalityI, rule analz-crypt-in-1, rule analz-crypt-in-2)

```

lemma *analz-crypt-out*:

```

  Key (invK K)  $\notin$  analz H  $\implies$ 
    analz (insert (Crypt K X) H) = insert (Crypt K X) (analz H)
apply (rule equalityI [OF - analz-insert])
apply (rule subsetI)
apply (erule analz.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (erule analz.Inj)
  apply (erule analz.Fst)
  apply (erule analz.Snd)
apply (erule disjE)
  apply simp
apply (erule analz.Decrypt)

```

```

apply assumption
apply (erule analz.Auth-Fst)
apply assumption
apply (erule analz.Auth-Snd)
apply assumption
done

```

```

lemma analz-mpair-1:
  analz (insert {X, Y} H) ⊆ insert {X, Y} (analz ({X, Y} ∪ H))
apply (rule subsetI)
apply (erule analz.induct)
  apply simp-all
  apply (erule disjE)
  apply simp
  apply (rule-tac [1-4] disjI2)
  apply (rule analz.Inj)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Fst)
  apply (erule disjE)
  apply simp
  apply (rule analz.Inj)
  apply simp
  apply (erule analz.Snd)
  apply (erule analz.Decrypt)
  apply assumption
  apply (erule analz.Auth-Fst)
  apply assumption
  apply (erule analz.Auth-Snd)
  apply assumption
done

```

```

lemma analz-mpair-2:
  insert {X, Y} (analz ({X, Y} ∪ H)) ⊆ analz (insert {X, Y} H)
apply (rule subsetI)
apply simp
apply (erule disjE)
  apply (rule analz.Inj)
  apply simp
apply (erule analz.induct)
  apply simp
  apply (erule disjE)
  apply simp
  apply (rule analz.Fst [of - Y])
  apply (rule analz.Inj)
  apply simp

```

```

apply (erule disjE)
apply simp
apply (rule analz.Snd [of X])
apply (rule analz.Inj)
apply simp
apply (rule analz.Inj)
apply simp
apply (erule analz.Fst)
apply (erule analz.Snd)
apply (erule analz.Decrypt)
apply assumption
apply (erule analz.Auth-Fst)
apply assumption
apply (erule analz.Auth-Snd)
apply assumption
done

```

lemma *analz-mpair*:

```

analz (insert {X, Y} H) = insert {X, Y} (analz ({X, Y} ∪ H))
by (rule equalityI, rule analz-mpair-1, rule analz-mpair-2)

```

lemma *synth-simp-intro*:

```

X ∈ synth H ⇒
  X ∈ range Nonce ∪
    range Key ∪
    range Passwd ∪
    range Pri-AgrK ∪
    range Pub-AgrK ⇒
  X ∈ H
by (erule synth.cases, blast+)

```

lemma *synth-auth-data*:

```

Auth-Data x y ∈ synth H ⇒
  Auth-Data x y ∈ H ∨ Pri-AgrK x ∈ H ∧ Pri-AgrK y ∈ H
by (erule synth.cases, simp-all)

```

lemma *synth-crypt*:

```

Crypt K X ∈ synth H ⇒ Crypt K X ∈ H ∨ X ∈ synth H ∧ Key K ∈ H
by (erule synth.cases, simp-all)

```

lemma *synth-mpair*:

```

{X, Y} ∈ synth H ⇒ {X, Y} ∈ H ∨ X ∈ synth H ∧ Y ∈ synth H
by (erule synth.cases, simp-all)

```

lemma *synth-analz-fst*:

```

{X, Y} ∈ synth (analz H) ⇒ X ∈ synth (analz H)
proof (drule-tac synth-mpair, erule-tac disjE)
qed (drule analz.Fst, erule synth.Inj, erule conjE)

```

lemma *synth-analz-snd*:
 $\{X, Y\} \in \text{synth } (\text{analz } H) \implies Y \in \text{synth } (\text{analz } H)$
proof (*drule-tac synth-mpair, erule-tac disjE*)
qed (*drule analz.Snd, erule synth.Inj, erule conjE*)

end

2 Protocol modeling and verification

theory *Protocol*
imports *Propaedeutics*
begin

2.1 Protocol modeling

The protocol under consideration can be formalized by means of the following inductive definition.

inductive-set *protocol* :: (*event list* \times *state* \times *msg set* \times *msg set*) *set* **where**

Nil: $([], \text{start-}S, \text{start-}A, \text{start-}U) \in \text{protocol} \mid$

R1: $\llbracket (\text{evsR1}, S, A, U) \in \text{protocol}; \text{Pri-AgrK } s \notin U; s \neq 0;$
 $\text{NonceS } (S (\text{Card } n, n, \text{run})) = \text{None} \rrbracket$
 $\implies (\text{Says } n \text{ run } 1 (\text{Card } n) (\text{User } m) (\text{Crypt } (\text{symK } n) (\text{Pri-AgrK } s)) \# \text{evsR1},$
 $S ((\text{Card } n, n, \text{run}) := S (\text{Card } n, n, \text{run}) (\text{NonceS } := \text{Some } s)),$
 $\text{if } n \in \text{bad then insert } (\text{Pri-AgrK } s) A \text{ else } A,$
 $\text{insert } (\text{Pri-AgrK } s) U) \in \text{protocol} \mid$

FR1: $\llbracket (\text{evsFR1}, S, A, U) \in \text{protocol}; \text{User } m \neq \text{Spy}; s \neq 0;$
 $\text{Crypt } (\text{symK } m) (\text{Pri-AgrK } s) \in \text{synth } (\text{analz } (A \cup \text{spies evsFR1})) \rrbracket$
 $\implies (\text{Says } n \text{ run } 1 \text{ Spy } (\text{User } m) (\text{Crypt } (\text{symK } m) (\text{Pri-AgrK } s)) \# \text{evsFR1},$
 $S, A, U) \in \text{protocol} \mid$

C2: $\llbracket (\text{evsC2}, S, A, U) \in \text{protocol}; \text{Pri-AgrK } a \notin U;$
 $\text{NonceS } (S (\text{User } m, n, \text{run})) = \text{None};$
 $\text{Says } n \text{ run } 1 X (\text{User } m) (\text{Crypt } (\text{symK } n') (\text{Pri-AgrK } s)) \in \text{set evsC2};$
 $s' = (\text{if } \text{symK } n' = \text{symK } m \text{ then } s \text{ else } 0) \rrbracket$
 $\implies (\text{Says } n \text{ run } 2 (\text{User } m) (\text{Card } n) (\text{pubAK } a) \# \text{evsC2},$
 $S ((\text{User } m, n, \text{run}) := S (\text{User } m, n, \text{run})$
 $(\text{NonceS } := \text{Some } s', \text{IntMapK } := \text{Some } a)),$
 $\text{if } \text{User } m = \text{Spy then insert } (\text{Pri-AgrK } a) A \text{ else } A,$
 $\text{insert } (\text{Pri-AgrK } a) U) \in \text{protocol} \mid$

FC2: $\llbracket (\text{evsFC2}, S, A, U) \in \text{protocol};$
 $\text{Pri-AgrK } a \in \text{analz } (A \cup \text{spies evsFC2}) \rrbracket$
 $\implies (\text{Says } n \text{ run } 2 \text{ Spy } (\text{Card } n) (\text{pubAK } a) \# \text{evsFC2},$
 $S, A, U) \in \text{protocol} \mid$

$R2: \llbracket (evsR2, S, A, U) \in protocol; Pri-AgrK\ b \notin U;$
 $NonceS\ (S\ (Card\ n, n, run)) \neq None;$
 $IntMapK\ (S\ (Card\ n, n, run)) = None;$
 $Says\ n\ run\ 2\ X\ (Card\ n)\ (pubAK\ a) \in set\ evsR2 \rrbracket$
 $\implies (Says\ n\ run\ 2\ (Card\ n)\ X\ (pubAK\ b) \# evsR2,$
 $S\ ((Card\ n, n, run) := S\ (Card\ n, n, run)$
 $\ (IntMapK := Some\ b, ExtMapK := Some\ a)),$
 $A, insert\ (Pri-AgrK\ b)\ U) \in protocol \mid$

$FR2: \llbracket (evsFR2, S, A, U) \in protocol; User\ m \neq Spy;$
 $Pri-AgrK\ b \in analz\ (A \cup spies\ evsFR2) \rrbracket$
 $\implies (Says\ n\ run\ 2\ Spy\ (User\ m)\ (pubAK\ b) \# evsFR2,$
 $S, A, U) \in protocol \mid$

$C3: \llbracket (evsC3, S, A, U) \in protocol; Pri-AgrK\ c \notin U;$
 $NonceS\ (S\ (User\ m, n, run)) = Some\ s;$
 $IntMapK\ (S\ (User\ m, n, run)) = Some\ a;$
 $ExtMapK\ (S\ (User\ m, n, run)) = None;$
 $Says\ n\ run\ 2\ X\ (User\ m)\ (pubAK\ b) \in set\ evsC3;$
 $c * (s + a * b) \neq 0 \rrbracket$
 $\implies (Says\ n\ run\ 3\ (User\ m)\ (Card\ n)\ (pubAK\ (c * (s + a * b))) \# evsC3,$
 $S\ ((User\ m, n, run) := S\ (User\ m, n, run)$
 $\ (ExtMapK := Some\ b, IntAgrK := Some\ c)),$
 $if\ User\ m = Spy\ then\ insert\ (Pri-AgrK\ c)\ A\ else\ A,$
 $insert\ (Pri-AgrK\ c)\ U) \in protocol \mid$

$FC3: \llbracket (evsFC3, S, A, U) \in protocol;$
 $NonceS\ (S\ (Card\ n, n, run)) = Some\ s;$
 $IntMapK\ (S\ (Card\ n, n, run)) = Some\ b;$
 $ExtMapK\ (S\ (Card\ n, n, run)) = Some\ a;$
 $\{Pri-AgrK\ s, Pri-AgrK\ a, Pri-AgrK\ c\} \subseteq analz\ (A \cup spies\ evsFC3) \rrbracket$
 $\implies (Says\ n\ run\ 3\ Spy\ (Card\ n)\ (pubAK\ (c * (s + a * b))) \# evsFC3,$
 $S, A, U) \in protocol \mid$

$R3: \llbracket (evsR3, S, A, U) \in protocol; Pri-AgrK\ d \notin U;$
 $NonceS\ (S\ (Card\ n, n, run)) = Some\ s;$
 $IntMapK\ (S\ (Card\ n, n, run)) = Some\ b;$
 $ExtMapK\ (S\ (Card\ n, n, run)) = Some\ a;$
 $IntAgrK\ (S\ (Card\ n, n, run)) = None;$
 $Says\ n\ run\ 3\ X\ (Card\ n)\ (pubAK\ (c * (s' + a * b))) \in set\ evsR3;$
 $Key\ (sesK\ (c * d * (s' + a * b))) \notin U;$
 $Key\ (sesK\ (c * d * (s + a * b))) \notin U;$
 $d * (s + a * b) \neq 0 \rrbracket$
 $\implies (Says\ n\ run\ 3\ (Card\ n)\ X\ (pubAK\ (d * (s + a * b))) \# evsR3,$
 $S\ ((Card\ n, n, run) := S\ (Card\ n, n, run)$
 $\ (IntAgrK := Some\ d, ExtAgrK := Some\ (c * (s' + a * b))))),$
 $if\ s' = s \wedge Pri-AgrK\ c \in analz\ (A \cup spies\ evsR3)$
 $\ then\ insert\ (Key\ (sesK\ (c * d * (s + a * b))))\ A\ else\ A,$

$\{ \text{Pri-AgrK } d, \\
\text{Key } (\text{sesK } (c * d * (s' + a * b))), \text{Key } (\text{sesK } (c * d * (s + a * b))), \\
\{ \text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } X, \text{Number } n, \text{Number } \text{run} \} \} \cup \\
U) \in \text{protocol} \mid$

$\text{FR3: } \llbracket (\text{evsFR3}, S, A, U) \in \text{protocol}; \text{User } m \neq \text{Spy}; \\
\text{NonceS } (S (\text{User } m, n, \text{run})) = \text{Some } s; \\
\text{IntMapK } (S (\text{User } m, n, \text{run})) = \text{Some } a; \\
\text{ExtMapK } (S (\text{User } m, n, \text{run})) = \text{Some } b; \\
\text{IntAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } c; \\
\{ \text{Pri-AgrK } s, \text{Pri-AgrK } b, \text{Pri-AgrK } d \} \subseteq \text{analz } (A \cup \text{spies evsFR3}); \\
\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U \rrbracket \\
\implies (\text{Says } n \text{ run } 3 \text{ Spy } (\text{User } m) (\text{pubAK } (d * (s + a * b)))) \# \text{evsFR3}, S, \\
\text{insert } (\text{Key } (\text{sesK } (c * d * (s + a * b)))) A, \\
\{ \text{Key } (\text{sesK } (c * d * (s + a * b))), \\
\{ \text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \\
\text{run} \} \} \cup U) \in \text{protocol} \mid$

$\text{C4: } \llbracket (\text{evsC4}, S, A, U) \in \text{protocol}; \\
\text{IntAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } c; \\
\text{ExtAgrK } (S (\text{User } m, n, \text{run})) = \text{None}; \\
\text{Says } n \text{ run } 3 X (\text{User } m) (\text{pubAK } f) \in \text{set evsC4}; \\
\{ \text{Key } (\text{sesK } (c * f)), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \text{run} \} \in U \rrbracket \\
\implies (\text{Says } n \text{ run } 4 (\text{User } m) (\text{Card } n) (\text{Crypt } (\text{sesK } (c * f)) (\text{pubAK } f))) \# \text{evsC4}, \\
S ((\text{User } m, n, \text{run}) := S (\text{User } m, n, \text{run}) (\text{ExtAgrK } := \text{Some } f)), \\
A, U) \in \text{protocol} \mid$

$\text{FC4: } \llbracket (\text{evsFC4}, S, A, U) \in \text{protocol}; \\
\text{NonceS } (S (\text{Card } n, n, \text{run})) = \text{Some } s; \\
\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b; \\
\text{ExtMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } a; \\
\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d; \\
\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e; \\
\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } (d * (s + a * b))) \\
\in \text{synth } (\text{analz } (A \cup \text{spies evsFC4})) \rrbracket \\
\implies (\text{Says } n \text{ run } 4 \text{ Spy } (\text{Card } n) \\
(\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } (d * (s + a * b)))) \# \text{evsFC4}, \\
S, A, U) \in \text{protocol} \mid$

$\text{R4: } \llbracket (\text{evsR4}, S, A, U) \in \text{protocol}; \\
\text{NonceS } (S (\text{Card } n, n, \text{run})) = \text{Some } s; \\
\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b; \\
\text{ExtMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } a; \\
\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d; \\
\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e; \\
\text{Says } n \text{ run } 4 X (\text{Card } n) (\text{Crypt } (\text{sesK } (d * e)) \\
(\text{pubAK } (d * (s + a * b)))) \in \text{set evsR4} \rrbracket \\
\implies (\text{Says } n \text{ run } 4 (\text{Card } n) X (\text{Crypt } (\text{sesK } (d * e)) \\
\{ \text{pubAK } e, \text{Auth-Data } (\text{priAK } n) b, \text{pubAK } (\text{priAK } n),$

$Crypt (priSK CA) (Hash (pubAK (priAK n))) \# evsR4,$
 $S, A, U) \in protocol \mid$

$FR4: \llbracket (evsFR4, S, A, U) \in protocol; User m \neq Spy;$
 $NonceS (S (User m, n, run)) = Some s;$
 $IntMapK (S (User m, n, run)) = Some a;$
 $ExtMapK (S (User m, n, run)) = Some b;$
 $IntAgrK (S (User m, n, run)) = Some c;$
 $ExtAgrK (S (User m, n, run)) = Some f;$
 $Crypt (sesK (c * f))$
 $\{pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,$
 $Crypt (priSK CA) (Hash (pubAK g))\} \in synth (analz (A \cup spies evsFR4)) \rrbracket$
 $\implies (Says n run 4 Spy (User m) (Crypt (sesK (c * f)))$
 $\{pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,$
 $Crypt (priSK CA) (Hash (pubAK g))\} \# evsFR4,$
 $S, A, U) \in protocol \mid$

$C5: \llbracket (evsC5, S, A, U) \in protocol;$
 $NonceS (S (User m, n, run)) = Some s;$
 $IntMapK (S (User m, n, run)) = Some a;$
 $ExtMapK (S (User m, n, run)) = Some b;$
 $IntAgrK (S (User m, n, run)) = Some c;$
 $ExtAgrK (S (User m, n, run)) = Some f;$
 $Says n run 4 X (User m) (Crypt (sesK (c * f)))$
 $\{pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,$
 $Crypt (priSK CA) (Hash (pubAK g))\} \in set evsC5 \rrbracket$
 $\implies (Says n run 5 (User m) (Card n) (Crypt (sesK (c * f))) (Passwd m)) \#$
 $evsC5,$
 $S, A, U) \in protocol \mid$

$FC5: \llbracket (evsFC5, S, A, U) \in protocol;$
 $IntAgrK (S (Card n, n, run)) = Some d;$
 $ExtAgrK (S (Card n, n, run)) = Some e;$
 $Crypt (sesK (d * e)) (Passwd n) \in synth (analz (A \cup spies evsFC5)) \rrbracket$
 $\implies (Says n run 5 Spy (Card n) (Crypt (sesK (d * e))) (Passwd n)) \# evsFC5,$
 $S, A, U) \in protocol \mid$

$R5: \llbracket (evsR5, S, A, U) \in protocol;$
 $IntAgrK (S (Card n, n, run)) = Some d;$
 $ExtAgrK (S (Card n, n, run)) = Some e;$
 $Says n run 5 X (Card n) (Crypt (sesK (d * e)) (Passwd n)) \in set evsR5 \rrbracket$
 $\implies (Says n run 5 (Card n) X (Crypt (sesK (d * e)) (Number 0)) \# evsR5,$
 $S, A, U) \in protocol \mid$

$FR5: \llbracket (evsFR5, S, A, U) \in protocol; User m \neq Spy;$
 $IntAgrK (S (User m, n, run)) = Some c;$
 $ExtAgrK (S (User m, n, run)) = Some f;$
 $Crypt (sesK (c * f)) (Number 0) \in synth (analz (A \cup spies evsFR5)) \rrbracket$
 $\implies (Says n run 5 Spy (User m) (Crypt (sesK (c * f)) (Number 0)) \# evsFR5,$

$S, A, U) \in protocol$

Here below are some comments about the most significant points of this definition.

- Rules $R1$ and $FR1$ constrain the values of nonce s to be different from 0. In this way, the state of affairs where an incorrect PACE authentication key has been used to encrypt nonce s , so that a wrong value results from the decryption, can be modeled in rule $C2$ by identifying such value with 0.
- The spy can disclose session keys as soon as they are established, namely in correspondence with rules $R3$ and $FR3$.
In the former rule, condition $s' = s$ identifies Diffie-Hellman private key c as the terminal's ephemeral private key for key agreement, and then $[c \times d \times (s + a \times b)]G$ as the terminal's value of the shared secret, which the spy can compute by multiplying the card's ephemeral public key $[d \times (s + a \times b)]G$ by c provided she knows c .
In the latter rule, the spy is required to know private keys s , b , and d to be able to compute and send public key $[d \times (s + a \times b)]G$. This is the only way to share with *User m* the same shared secret's value $[c \times d \times (s + a \times b)]G$, which the spy can compute by multiplying the user's ephemeral public key $[c \times (s + a \times b)]G$ by d .
- Rules $R3$ and $FR3$ record the user, the communication channel, and the protocol run associated to the session key having been established by adding this information to the set of the messages already used. In this way, rule $C4$ can specify that the session key computed by *User m* is fresh by assuming that a corresponding record be included in set U . In fact, a simple check that the session key be not included in U would vacuously fail, as session keys are added to the set of the messages already used in rules $R3$ and $FR3$.

2.2 Secrecy theorems

This section contains a series of lemmas culminating in the secrecy theorems *pr-key-secrecy* and *pr-passwd-secrecy*. Structured Isar proofs are used, possibly preceded by *apply*-style scripts in case a substantial amount of backward reasoning steps is required at the beginning.

lemma *pr-state*:

$$(evs, S, A, U) \in protocol \implies \\ (NonceS (S (X, n, run)) = None \longrightarrow IntMapK (S (X, n, run)) = None) \wedge$$

$(IntMapK (S (X, n, run)) = None \longrightarrow ExtMapK (S (X, n, run)) = None) \wedge$
 $(ExtMapK (S (X, n, run)) = None \longrightarrow IntAgrK (S (X, n, run)) = None) \wedge$
 $(IntAgrK (S (X, n, run)) = None \longrightarrow ExtAgrK (S (X, n, run)) = None)$

proof (*erule protocol.induct, simp-all*)

qed (*rule-tac [!] impI, simp-all*)

lemma *pr-state-1*:

$\llbracket (evs, S, A, U) \in protocol; NonceS (S (X, n, run)) = None \rrbracket \Longrightarrow$
 $IntMapK (S (X, n, run)) = None$

by (*simp add: pr-state*)

lemma *pr-state-2*:

$\llbracket (evs, S, A, U) \in protocol; IntMapK (S (X, n, run)) = None \rrbracket \Longrightarrow$
 $ExtMapK (S (X, n, run)) = None$

by (*simp add: pr-state*)

lemma *pr-state-3*:

$\llbracket (evs, S, A, U) \in protocol; ExtMapK (S (X, n, run)) = None \rrbracket \Longrightarrow$
 $IntAgrK (S (X, n, run)) = None$

by (*simp add: pr-state*)

lemma *pr-state-4*:

$\llbracket (evs, S, A, U) \in protocol; IntAgrK (S (X, n, run)) = None \rrbracket \Longrightarrow$
 $ExtAgrK (S (X, n, run)) = None$

by (*simp add: pr-state*)

lemma *pr-analz-used*:

$(evs, S, A, U) \in protocol \Longrightarrow A \subseteq U$

by (*erule protocol.induct, auto*)

lemma *pr-key-parts-intro* [*rule-format*]:

$(evs, S, A, U) \in protocol \Longrightarrow$
 $Key K \in parts (A \cup spies evs) \longrightarrow$
 $Key K \in A$

proof (*erule protocol.induct, subst parts-simp, simp, blast, simp*)

qed (*simp-all add: parts-simp-insert parts-auth-data parts-encrypt parts-mpair*)

lemma *pr-key-analz*:

$(evs, S, A, U) \in protocol \Longrightarrow (Key K \in analz (A \cup spies evs)) = (Key K \in A)$

proof (*rule iffI, drule subsetD [OF analz-parts-subset], erule pr-key-parts-intro, assumption*)

qed (*rule subsetD [OF analz-subset], simp*)

lemma *pr-symk-used*:

$(evs, S, A, U) \in protocol \Longrightarrow Key (symK n) \in U$

by (*erule protocol.induct, simp-all*)

lemma *pr-symk-analz*:

$(evs, S, A, U) \in protocol \Longrightarrow (Key (symK n) \in analz (A \cup spies evs)) = (n \in$

bad)
proof (*simp add: pr-key-analz, erule protocol.induct, simp-all, rule-tac [2] impI,*
rule-tac [!] iffI, simp-all, erule disjE, erule-tac [2-4] disjE, simp-all)
assume $\text{Key } (\text{symK } n) \in \text{Key } ' \text{symK } ' \text{bad}$
hence $\exists m \in \text{bad}. \text{symK } n = \text{symK } m$
by (*simp add: image-iff*)
then obtain m **where** $m \in \text{bad}$ **and** $\text{symK } n = \text{symK } m$..
thus $n \in \text{bad}$
by (*rule symK-bad*)
next
assume $\text{Key } (\text{symK } n) \in \text{Key } ' \text{range pubSK}$
thus $n \in \text{bad}$
by (*auto, drule-tac sym, erule-tac notE [OF pubSK-symK]*)
next
assume $\text{Key } (\text{symK } n) \in \text{pubAK } ' \text{range priAK}$
thus $n \in \text{bad}$
by *blast*
next
fix $\text{evsR3 } S A U s a b c d$
assume $(\text{evsR3}, S, A, U) \in \text{protocol}$
hence $\text{Key } (\text{symK } n) \in U$
by (*rule pr-symk-used*)
moreover assume $\text{symK } n = \text{sesK } (c * d * (s + a * b))$
ultimately have $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
by *simp*
moreover assume $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
ultimately show $n \in \text{bad}$
by *contradiction*
next
fix $\text{evsFR3 } S A U s a b c d$
assume $(\text{evsFR3}, S, A, U) \in \text{protocol}$
hence $\text{Key } (\text{symK } n) \in U$
by (*rule pr-symk-used*)
moreover assume $\text{symK } n = \text{sesK } (c * d * (s + a * b))$
ultimately have $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
by *simp*
moreover assume $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
ultimately show $n \in \text{bad}$
by *contradiction*
qed

lemma *pr-sesk-card [rule-format]:*

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d \implies$
 $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e \implies$
 $\text{Key } (\text{sesK } (d * e)) \in U$

proof (*erule protocol.induct, simp-all, (rule impI)+, simp*)

qed (*subst (2) mult commute, subst mult.assoc, simp*)

lemma *pr-sesk-user-1* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
IntAgrK (*S* (*User m*, *n*, *run*)) = *Some c* →
ExtAgrK (*S* (*User m*, *n*, *run*)) = *Some f* →
 {*Key* (*sesK* (*c * f*)), *Agent* (*User m*), *Number n*, *Number run*} ∈ *U*
proof (*erule protocol.induct*, *simp-all*, (*rule-tac* [!] *impI*)⁺, *simp-all*)
fix *evsC3 S A U m n run*
assume *A*: (*evsC3*, *S*, *A*, *U*) ∈ *protocol* **and**
ExtMapK (*S* (*User m*, *n*, *run*)) = *None*
hence *IntAgrK* (*S* (*User m*, *n*, *run*)) = *None*
by (*rule pr-state-3*)
with *A* **have** *ExtAgrK* (*S* (*User m*, *n*, *run*)) = *None*
by (*rule pr-state-4*)
moreover assume *ExtAgrK* (*S* (*User m*, *n*, *run*)) = *Some f*
ultimately show {*Key* (*sesK* (*c * f*)), *Agent* (*User m*), *Number n*, *Number run*}
 ∈ *U*
by *simp*
qed

lemma *pr-sesk-user-2* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
 {*Key* (*sesK K*), *Agent* (*User m*), *Number n*, *Number run*} ∈ *U* →
Key (*sesK K*) ∈ *U*
by (*erule protocol.induct*, *blast*, *simp-all*)

lemma *pr-auth-key-used*:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒ *Pri-AgrK* (*priAK n*) ∈ *U*
by (*erule protocol.induct*, *simp-all*)

lemma *pr-int-mapk-used* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
IntMapK (*S* (*Card n*, *n*, *run*)) = *Some b* →
Pri-AgrK b ∈ *U*
by (*erule protocol.induct*, *simp-all*)

lemma *pr-valid-key-analz*:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒ *Key* (*pubSK X*) ∈ *analz* (*A* ∪ *spies evs*)
by (*simp add: pr-key-analz*, *erule protocol.induct*, *simp-all*)

lemma *pr-pri-agrk-parts* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
Pri-AgrK x ∉ *U* →
Pri-AgrK x ∉ *parts* (*A* ∪ *spies evs*)
proof (*induction arbitrary: x rule: protocol.induct*,
simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair,
subst parts-simp, *blast*, *blast*, *rule-tac* [!] *impI*)
fix *evsFR1 A U m s x*
assume
 ∧*x*. *Pri-AgrK x* ∉ *U* → *Pri-AgrK x* ∉ *parts* (*A* ∪ *spies evsFR1*) **and**

```

  Pri-AgrK x ∉ U
hence A: Pri-AgrK x ∉ parts (A ∪ spies evsFR1) ..
assume B: Crypt (symK m) (Pri-AgrK s) ∈ synth (analz (A ∪ spies evsFR1))
show x ≠ s
proof
  assume x = s
  hence Crypt (symK m) (Pri-AgrK x) ∈ synth (analz (A ∪ spies evsFR1))
  using B by simp
  hence Crypt (symK m) (Pri-AgrK x) ∈ analz (A ∪ spies evsFR1) ∨
    Pri-AgrK x ∈ synth (analz (A ∪ spies evsFR1)) ∧
    Key (symK m) ∈ analz (A ∪ spies evsFR1)
  (is ?P ∨ ?Q)
  by (rule synth-crypt)
  moreover {
    assume ?P
    hence Crypt (symK m) (Pri-AgrK x) ∈ parts (A ∪ spies evsFR1)
    by (rule subsetD [OF analz-parts-subset])
    hence Pri-AgrK x ∈ parts (A ∪ spies evsFR1)
    by (rule parts.Body)
    hence False
    using A by contradiction
  }
  moreover {
    assume ?Q
    hence Pri-AgrK x ∈ synth (analz (A ∪ spies evsFR1)) ..
    hence Pri-AgrK x ∈ analz (A ∪ spies evsFR1)
    by (rule synth-simp-intro, simp)
    hence Pri-AgrK x ∈ parts (A ∪ spies evsFR1)
    by (rule subsetD [OF analz-parts-subset])
    hence False
    using A by contradiction
  }
  ultimately show False ..
qed
next
fix evsR4 S A U b n run x
assume
  A: (evsR4, S, A, U) ∈ protocol and
  B: IntMapK (S (Card n, n, run)) = Some b and
  C: Pri-AgrK x ∉ U
show x ≠ priAK n ∧ x ≠ b
proof (rule conjI, rule-tac [!]) notI
  assume x = priAK n
  moreover have Pri-AgrK (priAK n) ∈ U
  using A by (rule pr-auth-key-used)
  ultimately have Pri-AgrK x ∈ U
  by simp
  thus False
  using C by contradiction

```



```

next
  assume  $x = b$ 
  moreover have  $Pri-AgrK\ b \in U$ 
  using  $A$  and  $B$  by (rule pr-int-mapk-used)
  ultimately have  $Pri-AgrK\ x \in U$ 
  by simp
  thus False
  using  $C$  by contradiction
qed
next
fix  $evsFR4\ S\ A\ U\ s\ a\ b\ c\ f\ g\ x$ 
assume
  A:  $\bigwedge x. Pri-AgrK\ x \notin U \longrightarrow Pri-AgrK\ x \notin parts\ (A \cup spies\ evsFR4)$  and
  B:  $(evsFR4, S, A, U) \in protocol$  and
  C:  $Crypt\ (sesK\ (c * f))$ 
     $\{pubAK\ (c * (s + a * b)), Auth-Data\ g\ b, pubAK\ g,$ 
     $Crypt\ (priSK\ CA)\ (Hash\ (pubAK\ g))\} \in synth\ (analz\ (A \cup spies\ evsFR4))$ 
    and
  D:  $Pri-AgrK\ x \notin U$ 
show  $x \neq g \wedge x \neq b$ 
proof -
  have  $E: Pri-AgrK\ b \in U \wedge Pri-AgrK\ g \in U$ 
  proof -
    have  $Crypt\ (sesK\ (c * f))\ ?M \in analz\ ?A \vee$ 
       $?M \in synth\ (analz\ ?A) \wedge Key\ (sesK\ (c * f)) \in analz\ ?A$ 
    using  $C$  by (rule synth-crypt)
    moreover {
      assume  $Crypt\ (sesK\ (c * f))\ ?M \in analz\ ?A$ 
      hence  $Crypt\ (sesK\ (c * f))\ ?M \in parts\ ?A$ 
      by (rule subsetD [OF analz-parts-subset])
      hence  $?M \in parts\ ?A$ 
      by (rule parts.Body)
      hence  $\{Auth-Data\ g\ b, pubAK\ g, Crypt\ (priSK\ CA)\ (Hash\ (pubAK\ g))\}$ 
         $\in parts\ ?A$ 
      by (rule parts.Snd)
      hence  $F: Auth-Data\ g\ b \in parts\ ?A$ 
      by (rule parts.Fst)
      hence  $Pri-AgrK\ b \in parts\ ?A$ 
      by (rule parts.Auth-Snd)
      moreover have  $Pri-AgrK\ g \in parts\ ?A$ 
      using  $F$  by (rule parts.Auth-Fst)
      ultimately have  $Pri-AgrK\ b \in parts\ ?A \wedge Pri-AgrK\ g \in parts\ ?A ..$ 
    }
  }
  moreover {
    assume  $?M \in synth\ (analz\ ?A) \wedge$ 
       $Key\ (sesK\ (c * f)) \in analz\ ?A$ 
    hence  $?M \in synth\ (analz\ ?A) ..$ 
    hence  $\{Auth-Data\ g\ b, pubAK\ g, Crypt\ (priSK\ CA)\ (Hash\ (pubAK\ g))\}$ 
       $\in synth\ (analz\ ?A)$ 
  }

```

by (rule synth-analz-snd)
 hence $Auth\text{-}Data\ g\ b \in synth\ (analz\ ?A)$
 by (rule synth-analz-fst)
 hence $Auth\text{-}Data\ g\ b \in analz\ ?A \vee$
 $Pri\text{-}AgrK\ g \in analz\ ?A \wedge Pri\text{-}AgrK\ b \in analz\ ?A$
 by (rule synth-auth-data)
 moreover {
 assume $Auth\text{-}Data\ g\ b \in analz\ ?A$
 hence $F: Auth\text{-}Data\ g\ b \in parts\ ?A$
 by (rule subsetD [OF analz-parts-subset])
 hence $Pri\text{-}AgrK\ b \in parts\ ?A$
 by (rule parts.Auth-Snd)
 moreover have $Pri\text{-}AgrK\ g \in parts\ ?A$
 using F by (rule parts.Auth-Fst)
 ultimately have $Pri\text{-}AgrK\ b \in parts\ ?A \wedge Pri\text{-}AgrK\ g \in parts\ ?A ..$
 }
 moreover {
 assume $F: Pri\text{-}AgrK\ g \in analz\ ?A \wedge Pri\text{-}AgrK\ b \in analz\ ?A$
 hence $Pri\text{-}AgrK\ b \in analz\ ?A ..$
 hence $Pri\text{-}AgrK\ b \in parts\ ?A$
 by (rule subsetD [OF analz-parts-subset])
 moreover have $Pri\text{-}AgrK\ g \in analz\ ?A$
 using $F ..$
 hence $Pri\text{-}AgrK\ g \in parts\ ?A$
 by (rule subsetD [OF analz-parts-subset])
 ultimately have $Pri\text{-}AgrK\ b \in parts\ ?A \wedge Pri\text{-}AgrK\ g \in parts\ ?A ..$
 }
 ultimately have $Pri\text{-}AgrK\ b \in parts\ ?A \wedge Pri\text{-}AgrK\ g \in parts\ ?A ..$
 }
 ultimately have $F: Pri\text{-}AgrK\ b \in parts\ ?A \wedge Pri\text{-}AgrK\ g \in parts\ ?A ..$
 hence $Pri\text{-}AgrK\ b \in parts\ ?A ..$
 hence $Pri\text{-}AgrK\ b \in U$
 by (rule contrapos-pp, insert A, simp)
 moreover have $Pri\text{-}AgrK\ g \in parts\ ?A$
 using $F ..$
 hence $Pri\text{-}AgrK\ g \in U$
 by (rule contrapos-pp, insert A, simp)
 ultimately show $?thesis ..$
 qed
 show $?thesis$
 proof (rule conjI, rule-tac [!] notI)
 assume $x = g$
 hence $Pri\text{-}AgrK\ x \in U$
 using E by simp
 thus $False$
 using D by contradiction
 next
 assume $x = b$
 hence $Pri\text{-}AgrK\ x \in U$

using E by *simp*
 thus *False*
 using D by *contradiction*
 qed
 qed
 qed

lemma *pr-pri-agrk-items*:
 $(evs, S, A, U) \in \text{protocol} \implies$
 $Pri\text{-AgrK } x \notin U \implies$
 $\text{items } (\text{insert } (Pri\text{-AgrK } x) (A \cup \text{spies } evs)) =$
 $\text{insert } (Pri\text{-AgrK } x) (\text{items } (A \cup \text{spies } evs))$
by (*rule items-pri-agrk-out, rule pr-pri-agrk-parts*)

lemma *pr-auth-data-items*:
 $(evs, S, A, U) \in \text{protocol} \implies$
 $Pri\text{-AgrK } (priAK\ n) \notin \text{items } (A \cup \text{spies } evs) \wedge$
 $(IntMapK\ (S\ (Card\ n, n, run)) = \text{Some } b \longrightarrow$
 $Pri\text{-AgrK } b \notin \text{items } (A \cup \text{spies } evs))$

proof (*induction arbitrary: n run b rule: protocol.induct,*
simp-all add: items-simp-insert-2 items-crypt items-mpair pr-pri-agrk-items,
subst items-simp, blast+)

fix $evsR1\ S\ A\ U\ n'\ run'\ s\ n\ run\ b$

assume

$A: (evsR1, S, A, U) \in \text{protocol}$ **and**

$B: Pri\text{-AgrK } s \notin U$

show

$(n = n' \wedge run = run' \longrightarrow$

$priAK\ n' \neq s \wedge (IntMapK\ (S\ (Card\ n', n', run')) = \text{Some } b \longrightarrow b \neq s)) \wedge$

$((n = n' \longrightarrow run \neq run') \longrightarrow$

$priAK\ n \neq s \wedge (IntMapK\ (S\ (Card\ n, n, run)) = \text{Some } b \longrightarrow b \neq s))$

proof (*rule conjI, rule-tac [!] impI, rule-tac [!] conjI, rule-tac [2] impI,*
rule-tac [4] impI, rule-tac [!] notI)

have $Pri\text{-AgrK } (priAK\ n) \in U$

using A **by** (*rule pr-auth-key-used*)

moreover assume $priAK\ n = s$

ultimately have $Pri\text{-AgrK } s \in U$

by *simp*

thus *False*

using B **by** *contradiction*

next

assume $IntMapK\ (S\ (Card\ n, n, run)) = \text{Some } b$

with A **have** $Pri\text{-AgrK } b \in U$

by (*rule pr-int-mapk-used*)

moreover assume $b = s$

ultimately have $Pri\text{-AgrK } s \in U$

by *simp*

thus *False*

using B **by** *contradiction*

```

next
  have Pri-AgrK (priAK n') ∈ U
  using A by (rule pr-auth-key-used)
  moreover assume priAK n' = s
  ultimately have Pri-AgrK s ∈ U
  by simp
  thus False
  using B by contradiction
next
assume IntMapK (S (Card n', n', run^)) = Some b
with A have Pri-AgrK b ∈ U
  by (rule pr-int-mapk-used)
moreover assume b = s
ultimately have Pri-AgrK s ∈ U
  by simp
thus False
  using B by contradiction
qed
next
fix evsFR1 A m s n run b and S :: state
assume A:  $\bigwedge n$  run b. Pri-AgrK (priAK n) ∉ items (A ∪ spies evsFR1) ∧
  (IntMapK (S (Card n, n, run)) = Some b →
    Pri-AgrK b ∉ items (A ∪ spies evsFR1))
assume Crypt (symK m) (Pri-AgrK s) ∈ synth (analz (A ∪ spies evsFR1))
hence Crypt (symK m) (Pri-AgrK s) ∈ analz (A ∪ spies evsFR1) ∨
  Pri-AgrK s ∈ synth (analz (A ∪ spies evsFR1)) ∧
  Key (symK m) ∈ analz (A ∪ spies evsFR1)
(is ?P ∨ ?Q)
by (rule synth-crypt)
moreover {
  assume ?P
  hence Crypt (symK m) (Pri-AgrK s) ∈ items (A ∪ spies evsFR1)
  by (rule subsetD [OF analz-items-subset])
  hence Pri-AgrK s ∈ items (A ∪ spies evsFR1)
  by (rule items.Body)
}
moreover {
  assume ?Q
  hence Pri-AgrK s ∈ synth (analz (A ∪ spies evsFR1)) ..
  hence Pri-AgrK s ∈ analz (A ∪ spies evsFR1)
  by (rule synth-simp-intro, simp)
  hence Pri-AgrK s ∈ items (A ∪ spies evsFR1)
  by (rule subsetD [OF analz-items-subset])
}
ultimately have B: Pri-AgrK s ∈ items (A ∪ spies evsFR1) ..
show Pri-AgrK (priAK n) ∉ items (insert (Pri-AgrK s) (A ∪ spies evsFR1)) ∧
  (IntMapK (S (Card n, n, run)) = Some b →
    Pri-AgrK b ∉ items (insert (Pri-AgrK s) (A ∪ spies evsFR1)))
by (simp add: items-simp-insert-1 [OF B] A)

```

next
fix $evsC2\ S\ A\ U\ a\ n\ run\ b$ **and** $m :: nat$
assume
 $A: (evsC2, S, A, U) \in protocol$ **and**
 $B: Pri-AgrK\ a \notin U$
show $m = 0 \longrightarrow priAK\ n \neq a \wedge (IntMapK\ (S\ (Card\ n, n, run)) = Some\ b \longrightarrow b \neq a)$
proof ($rule\ impI, rule\ conjI, rule-tac\ [2]\ impI, rule-tac\ [!]\ notI$)
have $Pri-AgrK\ (priAK\ n) \in U$
using A **by** ($rule\ pr-auth-key-used$)
moreover assume $priAK\ n = a$
ultimately have $Pri-AgrK\ a \in U$
by $simp$
thus $False$
using B **by** $contradiction$
next
assume $IntMapK\ (S\ (Card\ n, n, run)) = Some\ b$
with A **have** $Pri-AgrK\ b \in U$
by ($rule\ pr-int-mapk-used$)
moreover assume $b = a$
ultimately have $Pri-AgrK\ a \in U$
by $simp$
thus $False$
using B **by** $contradiction$
qed
next
fix $evsR2\ S\ A\ U\ b'\ n'\ run'\ b$ **and** $n :: nat$ **and** $run :: nat$
assume
 $A: (evsR2, S, A, U) \in protocol$ **and**
 $B: Pri-AgrK\ b' \notin U$
show $n = n' \wedge run = run' \longrightarrow b' = b \longrightarrow Pri-AgrK\ b \notin items\ (A \cup spies\ evsR2)$
proof ($(rule\ impI)+, drule\ sym, simp$)
qed ($rule\ contra-subsetD\ [OF\ items-parts-subset], rule\ pr-pri-agrk-parts\ [OF\ A\ B]$)
next
fix $evsC3\ S\ A\ U\ c\ n\ run\ b$ **and** $m :: nat$
assume
 $A: (evsC3, S, A, U) \in protocol$ **and**
 $B: Pri-AgrK\ c \notin U$
show $m = 0 \longrightarrow priAK\ n \neq c \wedge (IntMapK\ (S\ (Card\ n, n, run)) = Some\ b \longrightarrow b \neq c)$
proof ($rule\ impI, rule\ conjI, rule-tac\ [2]\ impI, rule-tac\ [!]\ notI$)
have $Pri-AgrK\ (priAK\ n) \in U$
using A **by** ($rule\ pr-auth-key-used$)
moreover assume $priAK\ n = c$
ultimately have $Pri-AgrK\ c \in U$
by $simp$
thus $False$
using B **by** $contradiction$

```

next
  assume  $\text{IntMapK } (S \text{ (Card } n, n, \text{run})) = \text{Some } b$ 
  with  $A$  have  $\text{Pri-AgrK } b \in U$ 
  by (rule pr-int-mapk-used)
  moreover assume  $b = c$ 
  ultimately have  $\text{Pri-AgrK } c \in U$ 
  by simp
  thus False
  using  $B$  by contradiction
qed
next
fix  $\text{evsR3 } A \ n' \ \text{run}' \ s \ b' \ c \ n \ \text{run} \ b$  and  $S :: \text{state}$  and  $s' :: \text{pri-agrk}$ 
assume
  A:  $\bigwedge n \ \text{run} \ b. \ \text{Pri-AgrK } (\text{priAK } n) \notin \text{items } (A \cup \text{spies } \text{evsR3}) \wedge$ 
     $(\text{IntMapK } (S \text{ (Card } n, n, \text{run})) = \text{Some } b \longrightarrow$ 
     $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies } \text{evsR3}))$  and
  B:  $\text{IntMapK } (S \text{ (Card } n', n', \text{run}')) = \text{Some } b'$ 
show
   $(s' = s \wedge \text{Pri-AgrK } c \in \text{analz } (A \cup \text{spies } \text{evsR3}) \longrightarrow$ 
   $n = n' \wedge \text{run} = \text{run}' \longrightarrow b' = b \longrightarrow$ 
   $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies } \text{evsR3})) \wedge$ 
   $((s' = s \longrightarrow \text{Pri-AgrK } c \notin \text{analz } (A \cup \text{spies } \text{evsR3})) \longrightarrow$ 
   $n = n' \wedge \text{run} = \text{run}' \longrightarrow b' = b \longrightarrow$ 
   $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies } \text{evsR3}))$ 
proof (rule conjI, (rule-tac [!] impI)+)
  have  $\text{Pri-AgrK } (\text{priAK } n') \notin \text{items } (A \cup \text{spies } \text{evsR3}) \wedge$ 
     $(\text{IntMapK } (S \text{ (Card } n', n', \text{run}')) = \text{Some } b' \longrightarrow$ 
     $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies } \text{evsR3}))$ 
  using  $A$  .
  hence  $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies } \text{evsR3})$ 
  using  $B$  by simp
  moreover assume  $b' = b$ 
  ultimately show  $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies } \text{evsR3})$ 
  by simp
next
  have  $\text{Pri-AgrK } (\text{priAK } n') \notin \text{items } (A \cup \text{spies } \text{evsR3}) \wedge$ 
     $(\text{IntMapK } (S \text{ (Card } n', n', \text{run}')) = \text{Some } b' \longrightarrow$ 
     $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies } \text{evsR3}))$ 
  using  $A$  .
  hence  $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies } \text{evsR3})$ 
  using  $B$  by simp
  moreover assume  $b' = b$ 
  ultimately show  $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies } \text{evsR3})$ 
  by simp
qed
next
fix  $\text{evsR4 } A \ n' \ \text{run}' \ b' \ n \ \text{run} \ b$  and  $S :: \text{state}$ 
let  $?M = \{\text{pubAK } (\text{priAK } n'), \text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } (\text{priAK } n')))\}$ 
assume

```

$A: \bigwedge n \text{ run } b. \text{Pri-AgrK } (\text{priAK } n) \notin \text{items } (A \cup \text{spies evsR}_4) \wedge$
 $(\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b \longrightarrow$
 $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies evsR}_4)) \text{ and}$
 $B: \text{IntMapK } (S (\text{Card } n', n', \text{run}')) = \text{Some } b'$

show

$\text{Pri-AgrK } (\text{priAK } n) \notin \text{items } (\text{insert } (\text{Auth-Data } (\text{priAK } n') b')$
 $(\text{insert } ?M (A \cup \text{spies evsR}_4))) \wedge$
 $(\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b \longrightarrow$
 $\text{Pri-AgrK } b \notin \text{items } (\text{insert } (\text{Auth-Data } (\text{priAK } n') b')$
 $(\text{insert } ?M (A \cup \text{spies evsR}_4))))$

proof (*subst (1 2) insert-commute, simp add: items-mpair,*
subst (1 3) insert-commute, simp add: items-simp-insert-2,
subst (1 2) insert-commute, simp add: items-crypt items-simp-insert-2)

have $C: \text{Pri-AgrK } (\text{priAK } n') \notin \text{items } (A \cup \text{spies evsR}_4) \wedge$
 $(\text{IntMapK } (S (\text{Card } n', n', \text{run}')) = \text{Some } b' \longrightarrow$
 $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies evsR}_4))$

using A .

hence $\text{Pri-AgrK } (\text{priAK } n') \notin \text{items } (A \cup \text{spies evsR}_4)$..

moreover have $\text{Pri-AgrK } b' \notin \text{items } (A \cup \text{spies evsR}_4)$

using B and C **by** *simp*

ultimately show

$\text{Pri-AgrK } (\text{priAK } n) \notin \text{items } (\text{insert } (\text{Auth-Data } (\text{priAK } n') b')$
 $(A \cup \text{spies evsR}_4)) \wedge$
 $(\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b \longrightarrow$
 $\text{Pri-AgrK } b \notin \text{items } (\text{insert } (\text{Auth-Data } (\text{priAK } n') b')$
 $(A \cup \text{spies evsR}_4)))$

by (*simp add: items-auth-data-out A*)

qed

next

fix $\text{evsFR}_4 A s a b' c f g n \text{ run } b$ **and** $S :: \text{state}$

let $?M = \{\text{pubAK } g, \text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } g))\}$

assume

$A: \bigwedge n \text{ run } b. \text{Pri-AgrK } (\text{priAK } n) \notin \text{items } (A \cup \text{spies evsFR}_4) \wedge$
 $(\text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b \longrightarrow$
 $\text{Pri-AgrK } b \notin \text{items } (A \cup \text{spies evsFR}_4)) \text{ and}$
 $B: \text{Crypt } (\text{sesK } (c * f)) \{\text{pubAK } (c * (s + a * b')), \text{Auth-Data } g b', ?M\}$
 $\in \text{synth } (\text{analz } (A \cup \text{spies evsFR}_4))$
 $(\text{is Crypt } - ?M' \in \text{synth } (\text{analz } ?A))$

have $C: \text{Pri-AgrK } b' \in \text{items } ?A \vee \text{Pri-AgrK } g \in \text{items } ?A \longrightarrow$
 $\text{Pri-AgrK } b' \in \text{items } ?A \wedge \text{Pri-AgrK } g \in \text{items } ?A$
 $(\text{is } ?P \longrightarrow ?Q)$

proof

assume $?P$

have $\text{Crypt } (\text{sesK } (c * f)) ?M' \in \text{analz } ?A \vee$
 $?M' \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (\text{sesK } (c * f)) \in \text{analz } ?A$

using B **by** (*rule synth-crypt*)

moreover {

assume $\text{Crypt } (\text{sesK } (c * f)) ?M' \in \text{analz } ?A$

hence $\text{Crypt } (\text{sesK } (c * f)) ?M' \in \text{items } ?A$

```

    by (rule subsetD [OF analz-items-subset])
  hence ?M' ∈ items ?A
    by (rule items.Body)
  hence {Auth-Data g b', pubAK g, Crypt (priSK CA) (Hash (pubAK g))}
    ∈ items ?A
    by (rule items.Snd)
  hence D: Auth-Data g b' ∈ items ?A
    by (rule items.Fst)
  have ?Q
  proof (rule disjE [OF ‹?P›])
    assume Pri-AgrK b' ∈ items ?A
    moreover from this have Pri-AgrK g ∈ items ?A
      by (rule items.Auth-Fst [OF D])
    ultimately show ?Q ..
  next
    assume Pri-AgrK g ∈ items ?A
    moreover from this have Pri-AgrK b' ∈ items ?A
      by (rule items.Auth-Snd [OF D])
    ultimately show ?Q
      by simp
  qed
}
moreover {
  assume ?M' ∈ synth (analz ?A) ∧ Key (sesK (c * f)) ∈ analz ?A
  hence ?M' ∈ synth (analz ?A) ..
  hence {Auth-Data g b', pubAK g, Crypt (priSK CA) (Hash (pubAK g))}
    ∈ synth (analz ?A)
    by (rule synth-analz-snd)
  hence Auth-Data g b' ∈ synth (analz ?A)
    by (rule synth-analz-fst)
  hence Auth-Data g b' ∈ analz ?A ∨
    Pri-AgrK g ∈ analz ?A ∧ Pri-AgrK b' ∈ analz ?A
    by (rule synth-auth-data)
  moreover {
    assume Auth-Data g b' ∈ analz ?A
    hence D: Auth-Data g b' ∈ items ?A
      by (rule subsetD [OF analz-items-subset])
    have ?Q
    proof (rule disjE [OF ‹?P›])
      assume Pri-AgrK b' ∈ items ?A
      moreover from this have Pri-AgrK g ∈ items ?A
        by (rule items.Auth-Fst [OF D])
      ultimately show ?Q ..
    next
      assume Pri-AgrK g ∈ items ?A
      moreover from this have Pri-AgrK b' ∈ items ?A
        by (rule items.Auth-Snd [OF D])
      ultimately show ?Q
        by simp
    }
}

```



```

    qed
  }
  moreover {
    assume D: Pri-AgrK g ∈ analz ?A ∧ Pri-AgrK b' ∈ analz ?A
    hence Pri-AgrK b' ∈ analz ?A ..
    hence Pri-AgrK b' ∈ items ?A
    by (rule subsetD [OF analz-items-subset])
    moreover have Pri-AgrK g ∈ analz ?A
    using D ..
    hence Pri-AgrK g ∈ items ?A
    by (rule subsetD [OF analz-items-subset])
    ultimately have ?Q ..
  }
  ultimately have ?Q ..
}
ultimately show ?Q ..
qed
show
  Pri-AgrK (priAK n) ∉ items (insert (Auth-Data g b')
    (insert ?M (A ∪ spies evsFR4))) ∧
  (IntMapK (S (Card n, n, run)) = Some b →
    Pri-AgrK b ∉ items (insert (Auth-Data g b')
      (insert ?M (A ∪ spies evsFR4))))
proof (subst (1 2) insert-commute, simp add: items-mpair,
  subst (1 3) insert-commute, simp add: items-simp-insert-2,
  subst (1 2) insert-commute, simp add: items-crypt items-simp-insert-2, cases
  ?P)
case True
with C have ?Q ..
thus
  Pri-AgrK (priAK n) ∉ items (insert (Auth-Data g b')
    (A ∪ spies evsFR4)) ∧
  (IntMapK (S (Card n, n, run)) = Some b →
    Pri-AgrK b ∉ items (insert (Auth-Data g b')
      (A ∪ spies evsFR4)))
  by (simp add: items-auth-data-in items-simp-insert-1 A)
next
case False
thus
  Pri-AgrK (priAK n) ∉ items (insert (Auth-Data g b')
    (A ∪ spies evsFR4)) ∧
  (IntMapK (S (Card n, n, run)) = Some b →
    Pri-AgrK b ∉ items (insert (Auth-Data g b')
      (A ∪ spies evsFR4)))
  by (simp add: items-auth-data-out A)
qed
qed

```

lemma pr-auth-key-analz:

($evs, S, A, U \in protocol \implies Pri-AgrK (priAK\ n) \notin analz (A \cup spies\ evs)$)
proof (rule contra-subsetD [OF analz-items-subset], drule pr-auth-data-items)
qed (erule conjE)

lemma pr-int-mapk-analz:

($evs, S, A, U \in protocol \implies$
 $IntMapK (S (Card\ n, n, run)) = Some\ b \implies$
 $Pri-AgrK\ b \notin analz (A \cup spies\ evs)$)
proof (rule contra-subsetD [OF analz-items-subset], drule pr-auth-data-items)
qed (erule conjE, rule mp)

lemma pr-key-set-unused [rule-format]:

($evs, S, A, U \in protocol \implies$
 $H \subseteq range\ Key \cup range\ Pri-AgrK - U \longrightarrow$
 $analz (H \cup A \cup spies\ evs) = H \cup analz (A \cup spies\ evs)$)
proof (induction arbitrary: H rule: protocol.induct, simp-all add: analz-simp-insert-2,
rule impI, (subst analz-simp, blast)+, simp)
fix evsR1 S A U n s H

assume

A: $\bigwedge H. H \subseteq range\ Key \cup range\ Pri-AgrK - U \longrightarrow$
 $analz (H \cup A \cup spies\ evsR1) = H \cup analz (A \cup spies\ evsR1)$ **and**
B: ($evsR1, S, A, U \in protocol$ **and**
C: $Pri-AgrK\ s \notin U$)

let

?B = $H \cup A \cup spies\ evsR1$ **and**
?C = $A \cup spies\ evsR1$

show

($n \in bad \longrightarrow$
 $H \subseteq range\ Key \cup range\ Pri-AgrK - insert (Pri-AgrK\ s)\ U \longrightarrow$
 $analz (insert (Crypt (symK\ n) (Pri-AgrK\ s)) (insert (Pri-AgrK\ s)\ ?B)) =$
 $H \cup analz (insert (Crypt (symK\ n) (Pri-AgrK\ s)) (insert (Pri-AgrK\ s)\ ?C))$)

\wedge

($n \notin bad \longrightarrow$
 $H \subseteq range\ Key \cup range\ Pri-AgrK - insert (Pri-AgrK\ s)\ U \longrightarrow$
 $analz (insert (Crypt (symK\ n) (Pri-AgrK\ s))\ ?B) =$
 $H \cup analz (insert (Crypt (symK\ n) (Pri-AgrK\ s))\ ?C)$)
(is ($- \longrightarrow - \longrightarrow ?T$) \wedge ($- \longrightarrow - \longrightarrow ?T'$))

proof (rule conjI, (rule-tac [!] impI)+)

assume $H \subseteq range\ Key \cup range\ Pri-AgrK - insert (Pri-AgrK\ s)\ U$
hence $insert (Pri-AgrK\ s)\ H \subseteq range\ Key \cup range\ Pri-AgrK - U$
using C **by** blast

with A **have** $analz (insert (Pri-AgrK\ s)\ H \cup A \cup spies\ evsR1) =$
 $insert (Pri-AgrK\ s)\ H \cup analz (A \cup spies\ evsR1)$..

hence $analz (insert (Pri-AgrK\ s)\ ?B) = H \cup insert (Pri-AgrK\ s) (analz\ ?C)$
by simp

moreover **have** $\{Pri-AgrK\ s\} \subseteq range\ Key \cup range\ Pri-AgrK - U$
using C **by** simp

with A **have** $analz (\{Pri-AgrK\ s\} \cup A \cup spies\ evsR1) =$
 $\{Pri-AgrK\ s\} \cup analz (A \cup spies\ evsR1)$..

hence $\text{insert } (Pri\text{-AgrK } s) (\text{analz } ?C) = \text{analz } (\text{insert } (Pri\text{-AgrK } s) ?C)$
by *simp*
ultimately have $D: \text{analz } (\text{insert } (Pri\text{-AgrK } s) ?B) =$
 $H \cup \text{analz } (\text{insert } (Pri\text{-AgrK } s) ?C)$
by *simp*
assume $n \in \text{bad}$
hence $E: \text{Key } (\text{invK } (\text{symK } n)) \in \text{analz } ?C$
using B **by** (*simp add: pr-symk-analz invK-symK*)
have $\text{Key } (\text{invK } (\text{symK } n)) \in \text{analz } (\text{insert } (Pri\text{-AgrK } s) ?B)$
by (*rule subsetD [OF - E], rule analz-mono, blast*)
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (\text{insert } (Pri\text{-AgrK } s) ?B))$
 $=$
 $\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (\text{analz } (\text{insert } (Pri\text{-AgrK } s) ?B))$
by (*simp add: analz-crypt-in*)
moreover have $\text{Key } (\text{invK } (\text{symK } n)) \in \text{analz } (\text{insert } (Pri\text{-AgrK } s) ?C)$
by (*rule subsetD [OF - E], rule analz-mono, blast*)
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (\text{insert } (Pri\text{-AgrK } s) ?C))$
 $=$
 $\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (\text{analz } (\text{insert } (Pri\text{-AgrK } s) ?C))$
by (*simp add: analz-crypt-in*)
ultimately show $?T$
using D **by** *simp*
next
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (Pri\text{-AgrK } s) U$
hence $D: H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
by *blast*
with A **have** $E: \text{analz } ?B = H \cup \text{analz } ?C ..$
moreover assume $n \notin \text{bad}$
hence $F: \text{Key } (\text{invK } (\text{symK } n)) \notin \text{analz } ?C$
using B **by** (*simp add: pr-symk-analz invK-symK*)
ultimately have $\text{Key } (\text{invK } (\text{symK } n)) \notin \text{analz } ?B$
proof (*simp add: invK-symK, insert pr-symk-used [OF B, of n]*)
qed (*rule notI, drule subsetD [OF D], simp*)
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) ?B) =$
 $\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (\text{analz } ?B)$
by (*simp add: analz-crypt-out*)
moreover have $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) ?C) =$
 $\text{insert } (\text{Crypt } (\text{symK } n) (Pri\text{-AgrK } s)) (H \cup \text{analz } ?C)$
using F **by** (*simp add: analz-crypt-out*)
ultimately show $?T'$
using E **by** *simp*
qed
next
fix $\text{evsFR1 } S A U m s H$
assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsFR1}) = H \cup \text{analz } (A \cup \text{spies evsFR1})$ **and**
 $B: (\text{evsFR1}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{Crypt } (\text{symK } m) (Pri\text{-AgrK } s) \in \text{synth } (\text{analz } (A \cup \text{spies evsFR1}))$

```

let
  ?B = H ∪ A ∪ spies evsFR1 and
  ?C = A ∪ spies evsFR1
show H ⊆ range Key ∪ range Pri-AgrK - U →
  analz (insert (Crypt (symK m) (Pri-AgrK s)) ?B) =
  H ∪ analz (insert (Crypt (symK m) (Pri-AgrK s)) ?C)
(is - → ?T)
proof (rule impI, cases Key (invK (symK m)) ∈ analz ?C)
  case True
  assume H ⊆ range Key ∪ range Pri-AgrK - U
  with A have analz ?B = H ∪ analz ?C ..
  moreover have Pri-AgrK s ∈ analz ?C
  proof (insert synth-crypt [OF C], erule disjE, erule-tac [2] conjE)
    assume Crypt (symK m) (Pri-AgrK s) ∈ analz ?C
    thus ?thesis
    using True by (rule analz.Decrypt)
  next
  assume Pri-AgrK s ∈ synth (analz ?C)
  thus ?thesis
  by (rule synth-simp-intro, simp)
qed
moreover from this have Pri-AgrK s ∈ analz ?B
  by (rule rev-subsetD, rule-tac analz-mono, blast)
ultimately have D: analz (insert (Pri-AgrK s) ?B) =
  H ∪ analz (insert (Pri-AgrK s) ?C)
  by (simp add: analz-simp-insert-1)
have Key (invK (symK m)) ∈ analz ?B
  by (rule subsetD [OF - True], rule analz-mono, blast)
hence analz (insert (Crypt (symK m) (Pri-AgrK s)) ?B) =
  insert (Crypt (symK m) (Pri-AgrK s)) (analz (insert (Pri-AgrK s) ?B))
  by (simp add: analz-crypt-in)
moreover have analz (insert (Crypt (symK m) (Pri-AgrK s)) ?C) =
  insert (Crypt (symK m) (Pri-AgrK s)) (analz (insert (Pri-AgrK s) ?C))
  using True by (simp add: analz-crypt-in)
ultimately show ?T
  using D by simp
next
  case False
  moreover assume D: H ⊆ range Key ∪ range Pri-AgrK - U
  with A have E: analz ?B = H ∪ analz ?C ..
  ultimately have Key (invK (symK m)) ∉ analz ?B
  proof (simp add: invK-symK, insert pr-symk-used [OF B, of m])
  qed (rule notI, drule subsetD [OF D], simp)
  hence analz (insert (Crypt (symK m) (Pri-AgrK s)) ?B) =
    insert (Crypt (symK m) (Pri-AgrK s)) (analz ?B)
    by (simp add: analz-crypt-out)
  moreover have H ∪ analz (insert (Crypt (symK m) (Pri-AgrK s)) ?C) =
    insert (Crypt (symK m) (Pri-AgrK s)) (H ∪ analz ?C)
    using False by (simp add: analz-crypt-out)

```

```

ultimately show ?T
using E by simp
qed
next
fix evsC2 S A U a H and m :: nat
assume
  A:  $\bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
     $\text{analz } (H \cup A \cup \text{spies evsC2}) = H \cup \text{analz } (A \cup \text{spies evsC2})$  and
  B:  $\text{Pri-AgrK } a \notin U$ 
let
  ?B =  $H \cup A \cup \text{spies evsC2}$  and
  ?C =  $A \cup \text{spies evsC2}$ 
show
  ( $m = 0 \longrightarrow$ 
     $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } a) U \longrightarrow$ 
     $\text{insert } (\text{pubAK } a) (\text{analz } (\text{insert } (\text{Pri-AgrK } a) ?B)) =$ 
     $\text{insert } (\text{pubAK } a) (H \cup \text{analz } (\text{insert } (\text{Pri-AgrK } a) ?C))$ )  $\wedge$ 
  ( $0 < m \longrightarrow$ 
     $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } a) U \longrightarrow$ 
     $\text{insert } (\text{pubAK } a) (\text{analz } ?B) =$ 
     $\text{insert } (\text{pubAK } a) (H \cup \text{analz } ?C)$ )
  (is  $(- \longrightarrow - \longrightarrow ?T) \wedge (- \longrightarrow - \longrightarrow ?T')$ )
proof (rule conjI, (rule-tac [!] impI)+)
  assume  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } a) U$ 
  hence  $\text{insert } (\text{Pri-AgrK } a) H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  using B by blast
  with A have  $\text{analz } (\text{insert } (\text{Pri-AgrK } a) H \cup A \cup \text{spies evsC2}) =$ 
     $\text{insert } (\text{Pri-AgrK } a) H \cup \text{analz } (A \cup \text{spies evsC2})$  ..
  hence  $\text{analz } (\text{insert } (\text{Pri-AgrK } a) ?B) = H \cup \text{insert } (\text{Pri-AgrK } a) (\text{analz } ?C)$ 
  by simp
  moreover have  $\{\text{Pri-AgrK } a\} \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  using B by simp
  with A have  $\text{analz } (\{\text{Pri-AgrK } a\} \cup A \cup \text{spies evsC2}) =$ 
     $\{\text{Pri-AgrK } a\} \cup \text{analz } (A \cup \text{spies evsC2})$  ..
  hence  $\text{insert } (\text{Pri-AgrK } a) (\text{analz } ?C) = \text{analz } (\text{insert } (\text{Pri-AgrK } a) ?C)$ 
  by simp
  ultimately have  $\text{analz } (\text{insert } (\text{Pri-AgrK } a) ?B) =$ 
     $H \cup \text{analz } (\text{insert } (\text{Pri-AgrK } a) ?C)$ 
  by simp
  thus ?T
  by simp
next
  assume  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } a) U$ 
  hence  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  by blast
  with A have  $\text{analz } ?B = H \cup \text{analz } ?C$  ..
  thus ?T'
  by simp
qed

```

next
fix *evsR2* *S A U b H*
assume $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsR2}) = H \cup \text{analz } (A \cup \text{spies evsR2})$
let
 $?B = H \cup A \cup \text{spies evsR2}$ **and**
 $?C = A \cup \text{spies evsR2}$
show $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } b) U \longrightarrow$
 $\text{insert } (\text{pubAK } b) (\text{analz } ?B) = \text{insert } (\text{pubAK } b) (H \cup \text{analz } ?C)$
(is - \longrightarrow ?T)
proof
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } b) U$
hence $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
by *blast*
with A **have** $\text{analz } ?B = H \cup \text{analz } ?C$..
thus $?T$
by *simp*
qed

next
fix *evsC3* *S A U s a b c H and m :: nat*
assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsC3}) = H \cup \text{analz } (A \cup \text{spies evsC3})$ **and**
 $B: \text{Pri-AgrK } c \notin U$
let
 $?B = H \cup A \cup \text{spies evsC3}$ **and**
 $?C = A \cup \text{spies evsC3}$
show
 $(m = 0 \longrightarrow$
 $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } c) U \longrightarrow$
 $\text{insert } (\text{pubAK } (c * (s + a * b))) (\text{analz } (\text{insert } (\text{Pri-AgrK } c) ?B)) =$
 $\text{insert } (\text{pubAK } (c * (s + a * b))) (H \cup \text{analz } (\text{insert } (\text{Pri-AgrK } c) ?C))) \wedge$
 $(0 < m \longrightarrow$
 $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } c) U \longrightarrow$
 $\text{insert } (\text{pubAK } (c * (s + a * b))) (\text{analz } ?B) =$
 $\text{insert } (\text{pubAK } (c * (s + a * b))) (H \cup \text{analz } ?C))$
(is (- \longrightarrow - \longrightarrow ?T) \wedge (- \longrightarrow - \longrightarrow ?T'))
proof (*rule conjI*, (*rule-tac* [!] *impI*)+)
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } c) U$
hence $\text{insert } (\text{Pri-AgrK } c) H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
using B **by** *blast*
with A **have** $\text{analz } (\text{insert } (\text{Pri-AgrK } c) H \cup A \cup \text{spies evsC3}) =$
 $\text{insert } (\text{Pri-AgrK } c) H \cup \text{analz } (A \cup \text{spies evsC3})$..
hence $\text{analz } (\text{insert } (\text{Pri-AgrK } c) ?B) = H \cup \text{insert } (\text{Pri-AgrK } c) (\text{analz } ?C)$
by *simp*
moreover **have** $\{\text{Pri-AgrK } c\} \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
using B **by** *simp*
with A **have** $\text{analz } (\{\text{Pri-AgrK } c\} \cup A \cup \text{spies evsC3}) =$
 $\{\text{Pri-AgrK } c\} \cup \text{analz } (A \cup \text{spies evsC3})$..

hence $\text{insert } (\text{Pri-AgrK } c) (\text{analz } ?C) = \text{analz } (\text{insert } (\text{Pri-AgrK } c) ?C)$
by simp
ultimately have $\text{analz } (\text{insert } (\text{Pri-AgrK } c) ?B) =$
 $H \cup \text{analz } (\text{insert } (\text{Pri-AgrK } c) ?C)$
by simp
thus $?T$
by simp
next
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } c) U$
hence $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
by blast
with A have $\text{analz } ?B = H \cup \text{analz } ?C ..$
thus $?T'$
by simp
qed
next
fix $\text{evsR3 } S A U n \text{ run } s s' a b c d X H$
assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsR3}) = H \cup \text{analz } (A \cup \text{spies evsR3})$ **and**
 $B: \text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
 $(\text{is Key } ?K \notin -)$
let
 $?B = H \cup A \cup \text{spies evsR3}$ **and**
 $?C = A \cup \text{spies evsR3}$ **and**
 $?K' = \text{sesK } (c * d * (s' + a * b))$
show
 $(s' = s \wedge \text{Pri-AgrK } c \in \text{analz } (A \cup \text{spies evsR3}) \longrightarrow$
 $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } d)$
 $(\text{insert } (\text{Key } ?K) (\text{insert } \{\text{Key } ?K, \text{Agent } X, \text{Number } n, \text{Number run}\} U)))$
 \longrightarrow
 $\text{insert } (\text{pubAK } (d * (s + a * b))) (\text{analz } (\text{insert } (\text{Key } ?K) ?B)) =$
 $\text{insert } (\text{pubAK } (d * (s + a * b))) (H \cup \text{analz } (\text{insert } (\text{Key } ?K) ?C)) \wedge$
 $((s' = s \longrightarrow \text{Pri-AgrK } c \notin \text{analz } (A \cup \text{spies evsR3})) \longrightarrow$
 $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } d) (\text{insert } (\text{Key } ?K')$
 $(\text{insert } (\text{Key } ?K) (\text{insert } \{\text{Key } ?K, \text{Agent } X, \text{Number } n, \text{Number run}\} U)))$
 \longrightarrow
 $\text{insert } (\text{pubAK } (d * (s + a * b))) (\text{analz } ?B) =$
 $\text{insert } (\text{pubAK } (d * (s + a * b))) (H \cup \text{analz } ?C)$
 $(\text{is } (- \longrightarrow - \longrightarrow ?T) \wedge (- \longrightarrow - \longrightarrow ?T'))$
proof $(\text{rule conjI}, (\text{rule-tac } [!] \text{impI})+)$
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - \text{insert } (\text{Pri-AgrK } d)$
 $(\text{insert } (\text{Key } ?K) (\text{insert } \{\text{Key } ?K, \text{Agent } X, \text{Number } n, \text{Number run}\} U))$
hence $\text{insert } (\text{Key } ?K) H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
using B by blast
with A have $\text{analz } (\text{insert } (\text{Key } ?K) H \cup A \cup \text{spies evsR3}) =$
 $\text{insert } (\text{Key } ?K) H \cup \text{analz } (A \cup \text{spies evsR3}) ..$
hence $\text{analz } (\text{insert } (\text{Key } ?K) ?B) = H \cup \text{insert } (\text{Key } ?K) (\text{analz } ?C)$
by simp

moreover have $\{Key\ ?K\} \subseteq range\ Key \cup range\ Pri-AgrK - U$
using B **by** *simp*
with A **have** $analz\ (\{Key\ ?K\} \cup A \cup spies\ evsR3) =$
 $\{Key\ ?K\} \cup analz\ (A \cup spies\ evsR3) ..$
hence $insert\ (Key\ ?K)\ (analz\ ?C) = analz\ (insert\ (Key\ ?K)\ ?C)$
by *simp*
ultimately have $analz\ (insert\ (Key\ ?K)\ ?B) = H \cup analz\ (insert\ (Key\ ?K)$
 $?C)$
by *simp*
thus $?T$
by *simp*
next
assume $H \subseteq range\ Key \cup range\ Pri-AgrK - insert\ (Pri-AgrK\ d)\ (insert\ (Key$
 $?K')$
 $(insert\ (Key\ ?K)\ (insert\ \{Key\ ?K,\ Agent\ X,\ Number\ n,\ Number\ run\} U))$
hence $H \subseteq range\ Key \cup range\ Pri-AgrK - U$
by *blast*
with A **have** $analz\ ?B = H \cup analz\ ?C ..$
thus $?T'$
by *simp*
qed
next
fix $evsFR3\ S\ A\ U\ m\ n\ run\ s\ a\ b\ c\ d\ H$
assume
 $A: \bigwedge H. H \subseteq range\ Key \cup range\ Pri-AgrK - U \longrightarrow$
 $analz\ (H \cup A \cup spies\ evsFR3) = H \cup analz\ (A \cup spies\ evsFR3)$ **and**
 $B: Key\ (sesK\ (c * d * (s + a * b))) \notin U$
 $(is\ Key\ ?K \notin -)$
let
 $?B = H \cup A \cup spies\ evsFR3$ **and**
 $?C = A \cup spies\ evsFR3$
show
 $H \subseteq range\ Key \cup range\ Pri-AgrK - insert\ (Key\ ?K)$
 $(insert\ \{Key\ ?K,\ Agent\ (User\ m),\ Number\ n,\ Number\ run\} U) \longrightarrow$
 $insert\ (pubAK\ (d * (s + a * b)))\ (analz\ (insert\ (Key\ ?K)\ ?B)) =$
 $insert\ (pubAK\ (d * (s + a * b)))\ (H \cup analz\ (insert\ (Key\ ?K)\ ?C))$
 $(is\ - \longrightarrow ?T)$
proof
assume $H \subseteq range\ Key \cup range\ Pri-AgrK - insert\ (Key\ ?K)$
 $(insert\ \{Key\ ?K,\ Agent\ (User\ m),\ Number\ n,\ Number\ run\} U)$
hence $insert\ (Key\ ?K)\ H \subseteq range\ Key \cup range\ Pri-AgrK - U$
using B **by** *blast*
with A **have** $analz\ (insert\ (Key\ ?K)\ H \cup A \cup spies\ evsFR3) =$
 $insert\ (Key\ ?K)\ H \cup analz\ (A \cup spies\ evsFR3) ..$
hence $analz\ (insert\ (Key\ ?K)\ ?B) = H \cup insert\ (Key\ ?K)\ (analz\ ?C)$
by *simp*
moreover have $\{Key\ ?K\} \subseteq range\ Key \cup range\ Pri-AgrK - U$
using B **by** *simp*
with A **have** $analz\ (\{Key\ ?K\} \cup A \cup spies\ evsFR3) =$


```

    {Key ?K} ∪ analz (A ∪ spies evsFR3) ..
  hence insert (Key ?K) (analz ?C) = analz (insert (Key ?K) ?C)
    by simp
  ultimately have analz (insert (Key ?K) ?B) = H ∪ analz (insert (Key ?K)
?C)
    by simp
  thus ?T
    by simp
qed
next
fix evsC4 S A U m n run c f H
assume
  A:  $\bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
    analz (H ∪ A ∪ spies evsC4) = H ∪ analz (A ∪ spies evsC4) and
  B: (evsC4, S, A, U) ∈ protocol and
  C: {Key (sesK (c * f)), Agent (User m), Number n, Number run} ∈ U
let
  ?B = H ∪ A ∪ spies evsC4 and
  ?C = A ∪ spies evsC4
show H ⊆ range Key ∪ range Pri-AgrK - U ⟶
  analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?B) =
  H ∪ analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?C)
  (is - ⟶ ?T)
proof (rule impI, cases Key (invK (sesK (c * f))) ∈ analz ?C)
  case True
  assume H ⊆ range Key ∪ range Pri-AgrK - U
  with A have D: analz ?B = H ∪ analz ?C ..
  have Key (invK (sesK (c * f))) ∈ analz ?B
    by (rule subsetD [OF - True], rule analz-mono, blast)
  hence analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?B) =
    insert (Crypt (sesK (c * f)) (pubAK f)) (insert (pubAK f) (analz ?B))
    by (simp add: analz-crypt-in analz-simp-insert-2)
  moreover have H ∪ analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?C) =
    insert (Crypt (sesK (c * f)) (pubAK f)) (insert (pubAK f) (H ∪ analz ?C))
    using True by (simp add: analz-crypt-in analz-simp-insert-2)
  ultimately show ?T
    using D by simp
  case False
  moreover assume D: H ⊆ range Key ∪ range Pri-AgrK - U
  with A have E: analz ?B = H ∪ analz ?C ..
  ultimately have Key (invK (sesK (c * f))) ∉ analz ?B
  proof (simp add: invK-sesK, insert pr-sesk-user-2 [OF B C])
  qed (rule notI, drule subsetD [OF D], simp)
  hence analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?B) =
    insert (Crypt (sesK (c * f)) (pubAK f)) (analz ?B)
    by (simp add: analz-crypt-out)
  moreover have H ∪ analz (insert (Crypt (sesK (c * f)) (pubAK f)) ?C) =
    insert (Crypt (sesK (c * f)) (pubAK f)) (H ∪ analz ?C)

```

```

    using False by (simp add: analz-crypt-out)
    ultimately show ?T
    using E by simp
qed
next
fix evsFC4 S A U n run s a b d e H
assume
  A:  $\bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
     $\text{analz } (H \cup A \cup \text{spies evsFC4}) = H \cup \text{analz } (A \cup \text{spies evsFC4})$  and
  B:  $(\text{evsFC4}, S, A, U) \in \text{protocol}$  and
  C:  $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$  and
  D:  $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e$ 
let
  ?B =  $H \cup A \cup \text{spies evsFC4}$  and
  ?C =  $A \cup \text{spies evsFC4}$  and
  ?f =  $d * (s + a * b)$ 
show  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
   $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?B) =$ 
   $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?C)$ 
  (is  $\longrightarrow ?T$ )
proof (rule impI, cases Key (invK (sesK (d * e)))  $\in$  analz ?C)
  case True
  assume  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  with A have E:  $\text{analz } ?B = H \cup \text{analz } ?C$  ..
  have Key (invK (sesK (d * e)))  $\in$  analz ?B
  by (rule subsetD [OF - True], rule analz-mono, blast)
  hence  $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?B) =$ 
     $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) (\text{insert } (\text{pubAK } ?f) (\text{analz } ?B))$ 
  by (simp add: analz-crypt-in analz-simp-insert-2)
  moreover have  $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?C) =$ 
     $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) (\text{insert } (\text{pubAK } ?f) (H \cup \text{analz } ?C))$ 
  using True by (simp add: analz-crypt-in analz-simp-insert-2)
  ultimately show ?T
  using E by simp
next
  case False
  moreover assume E:  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  with A have F:  $\text{analz } ?B = H \cup \text{analz } ?C$  ..
  ultimately have Key (invK (sesK (d * e)))  $\notin$  analz ?B
  proof (simp add: invK-sesK, insert pr-sesk-card [OF B C D])
  qed (rule notI, drule subsetD [OF E], simp)
  hence  $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?B) =$ 
     $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) (\text{analz } ?B)$ 
  by (simp add: analz-crypt-out)
  moreover have  $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) ?C) =$ 
     $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } ?f)) (H \cup \text{analz } ?C)$ 
  using False by (simp add: analz-crypt-out)
  ultimately show ?T

```

```

    using F by simp
  qed
next
fix evsR4 S A U n run b d e H
let
  ?B = H ∪ A ∪ spies evsR4 and
  ?C = A ∪ spies evsR4 and
  ?H = Hash (pubAK (priAK n)) and
  ?M = {pubAK (priAK n), Crypt (priSK CA) (Hash (pubAK (priAK n)))} and
  ?M' = {pubAK e, Auth-Data (priAK n) b, pubAK (priAK n),
    Crypt (priSK CA) (Hash (pubAK (priAK n)))}
assume
  A:  $\bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
    analz (H ∪ A ∪ spies evsR4) = H ∪ analz (A ∪ spies evsR4) and
  B: (evsR4, S, A, U) ∈ protocol and
  C: IntMapK (S (Card n, n, run)) = Some b and
  D: IntAgrK (S (Card n, n, run)) = Some d and
  E: ExtAgrK (S (Card n, n, run)) = Some e
show H ⊆ range Key ∪ range Pri-AgrK - U ⟶
  analz (insert (Crypt (sesK (d * e)) ?M') ?B) =
  H ∪ analz (insert (Crypt (sesK (d * e)) ?M') ?C)
(is - ⟶ ?T)
proof
  assume F: H ⊆ range Key ∪ range Pri-AgrK - U
  with A have G: analz ?B = H ∪ analz ?C ..
  have H: Key (pubSK CA) ∈ analz ?C
    using B by (rule pr-valid-key-analz)
  hence I: analz (insert (Crypt (priSK CA) ?H) ?C) =
    {Crypt (priSK CA) ?H, ?H} ∪ analz ?C
    by (simp add: analz-crypt-in analz-simp-insert-2)
  have Key (pubSK CA) ∈ analz ?B
    by (rule subsetD [OF - H], rule analz-mono, blast)
  hence J: analz (insert (Crypt (priSK CA) ?H) ?B) =
    {Crypt (priSK CA) ?H, ?H} ∪ analz ?B
    by (simp add: analz-crypt-in analz-simp-insert-2)
  have K: Pri-AgrK (priAK n) ∉ analz ?C
    using B by (rule pr-auth-key-analz)
  hence L: Pri-AgrK (priAK n) ∉ analz (insert (Crypt (priSK CA) ?H) ?C)
    using I by simp
  have M: Pri-AgrK b ∉ analz ?C
    using B and C by (rule pr-int-mapk-analz)
  hence N: Pri-AgrK b ∉ analz (insert (Crypt (priSK CA) ?H) ?C)
    using I by simp
  have Pri-AgrK (priAK n) ∈ U
    using B by (rule pr-auth-key-used)
  hence Pri-AgrK (priAK n) ∉ H
    using F by blast
  hence O: Pri-AgrK (priAK n) ∉ analz (insert (Crypt (priSK CA) ?H) ?B)
    using G and J and K by simp

```

```

have Pri-AgrK b ∈ U
  using B and C by (rule pr-int-mapk-used)
hence Pri-AgrK b ∉ H
  using F by blast
hence P: Pri-AgrK b ∉ analz (insert (Crypt (priSK CA) ?H) ?B)
  using G and J and M by simp
show ?T
proof (cases Key (invK (sesK (d * e))) ∈ analz ?C)
  case True
  have Q: Key (invK (sesK (d * e))) ∈ analz ?B
    by (rule subsetD [OF - True], rule analz-mono, blast)
  show ?T
  proof (simp add: analz-crypt-in analz-mpair analz-simp-insert-2 True Q,
    rule equalityI, (rule-tac [!] insert-mono)+)
    show analz (insert (Auth-Data (priAK n) b) (insert ?M ?B)) ⊆
      H ∪ analz (insert (Auth-Data (priAK n) b) (insert ?M ?C))
  proof (subst (1 2) insert-commute, simp add: analz-mpair analz-simp-insert-2
    del: Un-insert-right, subst (1 3) insert-commute,
    subst analz-auth-data-out [OF O P], subst analz-auth-data-out [OF L N])
    qed (auto simp add: G I J)
  next
  show H ∪ analz (insert (Auth-Data (priAK n) b) (insert ?M ?C)) ⊆
    analz (insert (Auth-Data (priAK n) b) (insert ?M ?B))
  proof (subst (1 2) insert-commute, simp add: analz-mpair analz-simp-insert-2
    del: Un-insert-right Un-subset-iff semilattice-sup-class.sup.bounded-iff,
    subst (1 3) insert-commute, subst analz-auth-data-out [OF L N],
    subst analz-auth-data-out [OF O P])
    qed (auto simp add: G I J)
  qed
next
case False
hence Key (invK (sesK (d * e))) ∉ analz ?B
proof (simp add: invK-sesK G, insert pr-sesk-card [OF B D E])
qed (rule notI, drule subsetD [OF F], simp)
hence analz (insert (Crypt (sesK (d * e)) ?M') ?B) =
  insert (Crypt (sesK (d * e)) ?M') (analz ?B)
  by (simp add: analz-crypt-out)
moreover have H ∪ analz (insert (Crypt (sesK (d * e)) ?M') ?C) =
  insert (Crypt (sesK (d * e)) ?M') (H ∪ analz ?C)
  using False by (simp add: analz-crypt-out)
ultimately show ?T
  using G by simp
qed
qed
next
fix evsFR4 S A U m n run s a b c f g H
let
  ?B = H ∪ A ∪ spies evsFR4 and
  ?C = A ∪ spies evsFR4 and

```

$?H = \text{Hash}(\text{pubAK } g)$ **and**
 $?M = \{\{\text{pubAK } g, \text{Crypt}(\text{priSK } CA) (\text{Hash}(\text{pubAK } g))\}\}$ **and**
 $?M' = \{\{\text{pubAK } (c * (s + a * b)), \text{Auth-Data } g \ b, \text{pubAK } g, \text{Crypt}(\text{priSK } CA) (\text{Hash}(\text{pubAK } g))\}\}$

assume

$A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz}(H \cup A \cup \text{spies evsFR}_4) = H \cup \text{analz}(A \cup \text{spies evsFR}_4)$ **and**
 $B: (\text{evsFR}_4, S, A, U) \in \text{protocol}$ **and**
 $C: \text{IntAgrK}(S(\text{User } m, n, \text{run})) = \text{Some } c$ **and**
 $D: \text{ExtAgrK}(S(\text{User } m, n, \text{run})) = \text{Some } f$ **and**
 $E: \text{Crypt}(\text{sesK}(c * f)) ?M' \in \text{synth}(\text{analz } ?C)$

have F :

$\text{Key}(\text{invK}(\text{sesK}(c * f))) \in \text{analz } ?C \longrightarrow$
 $\text{Pri-AgrK } b \in \text{analz } ?C \vee \text{Pri-AgrK } g \in \text{analz } ?C \longrightarrow$
 $\text{Pri-AgrK } b \in \text{analz } ?C \wedge \text{Pri-AgrK } g \in \text{analz } ?C$
(is $?P \longrightarrow ?Q \longrightarrow ?R)$

proof (*rule impI*)**+**

assume $?P$ **and** $?Q$

have $\text{Crypt}(\text{sesK}(c * f)) ?M' \in \text{analz } ?C \vee$
 $?M' \in \text{synth}(\text{analz } ?C) \wedge \text{Key}(\text{sesK}(c * f)) \in \text{analz } ?C$

using E **by** (*rule synth-crypt*)

moreover {

assume $\text{Crypt}(\text{sesK}(c * f)) ?M' \in \text{analz } ?C$

hence $?M' \in \text{analz } ?C$

using $\langle ?P \rangle$ **by** (*rule analz.Decrypt*)

hence $\{\{\text{Auth-Data } g \ b, \text{pubAK } g, \text{Crypt}(\text{priSK } CA) (\text{Hash}(\text{pubAK } g))\}\}$
 $\in \text{analz } ?C$

by (*rule analz.Snd*)

hence $G: \text{Auth-Data } g \ b \in \text{analz } ?C$

by (*rule analz.Fst*)

have $?R$

proof (*rule disjE* [*OF* $\langle ?Q \rangle$])

assume $\text{Pri-AgrK } b \in \text{analz } ?C$

moreover from this have $\text{Pri-AgrK } g \in \text{analz } ?C$

by (*rule analz.Auth-Fst* [*OF* G])

ultimately show $?R$ **..**

next

assume $\text{Pri-AgrK } g \in \text{analz } ?C$

moreover from this have $\text{Pri-AgrK } b \in \text{analz } ?C$

by (*rule analz.Auth-Snd* [*OF* G])

ultimately show $?R$

by *simp*

qed

}

moreover {

assume $?M' \in \text{synth}(\text{analz } ?C) \wedge \text{Key}(\text{sesK}(c * f)) \in \text{analz } ?C$

hence $?M' \in \text{synth}(\text{analz } ?C)$ **..**

hence $\{\{\text{Auth-Data } g \ b, \text{pubAK } g, \text{Crypt}(\text{priSK } CA) (\text{Hash}(\text{pubAK } g))\}\}$
 $\in \text{synth}(\text{analz } ?C)$

```

    by (rule synth-analz-snd)
  hence Auth-Data  $g\ b \in \text{synth } (analz\ ?C)$ 
    by (rule synth-analz-fst)
  hence Auth-Data  $g\ b \in \text{analz } ?C \vee$ 
    Pri-AgrK  $g \in \text{analz } ?C \wedge \text{Pri-AgrK } b \in \text{analz } ?C$ 
    by (rule synth-auth-data)
  moreover {
    assume  $G: \text{Auth-Data } g\ b \in \text{analz } ?C$ 
    have  $?R$ 
    proof (rule disjE [OF ‹?Q›])
      assume Pri-AgrK  $b \in \text{analz } ?C$ 
      moreover from this have Pri-AgrK  $g \in \text{analz } ?C$ 
        by (rule analz.Auth-Fst [OF G])
      ultimately show  $?R ..$ 
    next
      assume Pri-AgrK  $g \in \text{analz } ?C$ 
      moreover from this have Pri-AgrK  $b \in \text{analz } ?C$ 
        by (rule analz.Auth-Snd [OF G])
      ultimately show  $?R$ 
        by simp
    qed
  }
  moreover {
    assume Pri-AgrK  $g \in \text{analz } ?C \wedge \text{Pri-AgrK } b \in \text{analz } ?C$ 
    hence  $?R$ 
      by simp
  }
  ultimately have  $?R ..$ 
}
ultimately show  $?R ..$ 
qed
show  $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$ 
  analz (insert (Crypt (sesK (c * f)) ?M') ?B) =
   $H \cup \text{analz } (insert (Crypt (sesK (c * f)) ?M') ?C)$ 
  (is -  $\longrightarrow ?T$ )
proof
  assume  $G: H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$ 
  with A have  $H: \text{analz } ?B = H \cup \text{analz } ?C ..$ 
  have  $I: \text{Key } (\text{pubSK } CA) \in \text{analz } ?C$ 
    using B by (rule pr-valid-key-analz)
  hence  $J: \text{analz } (insert (Crypt (priSK CA) ?H) ?C) =$ 
    {Crypt (priSK CA) ?H, ?H}  $\cup \text{analz } ?C$ 
    by (simp add: analz-crypt-in analz-simp-insert-2)
  have  $\text{Key } (\text{pubSK } CA) \in \text{analz } ?B$ 
    by (rule subsetD [OF - I], rule analz-mono, blast)
  hence  $K: \text{analz } (insert (Crypt (priSK CA) ?H) ?B) =$ 
    {Crypt (priSK CA) ?H, ?H}  $\cup \text{analz } ?B$ 
    by (simp add: analz-crypt-in analz-simp-insert-2)
  show  $?T$ 

```

proof (*cases* $\text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?C$,
cases $\text{Pri-AgrK } g \in \text{analz } ?C \vee \text{Pri-AgrK } b \in \text{analz } ?C$, *simp-all*)
assume $L: \text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?C$
have $M: \text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?B$
by (*rule subsetD [OF - L]*, *rule analz-mono*, *blast*)
assume $N: \text{Pri-AgrK } g \in \text{analz } ?C \vee \text{Pri-AgrK } b \in \text{analz } ?C$
hence $O: \text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C) \vee$
 $\text{Pri-AgrK } b \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)$
using J **by** *simp*
have $\text{Pri-AgrK } g \in \text{analz } ?B \vee \text{Pri-AgrK } b \in \text{analz } ?B$
using H **and** N **by** *blast*
hence $P: \text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B) \vee$
 $\text{Pri-AgrK } b \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B)$
using K **by** *simp*
have $Q: \text{Pri-AgrK } b \in \text{analz } ?C \wedge \text{Pri-AgrK } g \in \text{analz } ?C$
using F **and** L **and** N **by** *blast*
hence $\text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)$
using J **by** *simp*
hence $R: \text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Pri-AgrK } b)$
 $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C))$
by (*rule rev-subsetD*, *rule-tac analz-mono*, *blast*)
have $S: \text{Pri-AgrK } b \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)$
using J **and** Q **by** *simp*
have $T: \text{Pri-AgrK } b \in \text{analz } ?B \wedge \text{Pri-AgrK } g \in \text{analz } ?B$
using H **and** Q **by** *simp*
hence $\text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B)$
using K **by** *simp*
hence $U: \text{Pri-AgrK } g \in \text{analz} (\text{insert} (\text{Pri-AgrK } b)$
 $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B))$
by (*rule rev-subsetD*, *rule-tac analz-mono*, *blast*)
have $V: \text{Pri-AgrK } b \in \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B)$
using K **and** T **by** *simp*
show $?T$
proof (*simp add: analz-crypt-in analz-mpair analz-simp-insert-2 L M*,
rule equalityI, (*rule-tac [!] insert-mono*) $+$)
show $\text{analz} (\text{insert} (\text{Auth-Data } g b) (\text{insert } ?M ?B)) \subseteq$
 $H \cup \text{analz} (\text{insert} (\text{Auth-Data } g b) (\text{insert } ?M ?C))$
proof (*subst (1 2) insert-commute*, *simp add: analz-mpair analz-simp-insert-2*
del: Un-insert-right, *subst (1 3) insert-commute*,
subst analz-auth-data-in [OF P], *subst analz-auth-data-in [OF O]*,
simp del: Un-insert-right)
show
 $\text{analz} (\text{insert} (\text{Pri-AgrK } g) (\text{insert} (\text{Pri-AgrK } b)$
 $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B))) \subseteq$
 $H \cup \text{insert } ?M (\text{insert} (\text{pubAK } g) (\text{insert} (\text{Auth-Data } g b)$
 $(\text{analz} (\text{insert} (\text{Pri-AgrK } g) (\text{insert} (\text{Pri-AgrK } b)$
 $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C))))))$
proof (*subst analz-simp-insert-1 [OF U]*, *subst analz-simp-insert-1 [OF*

$V]$,

```

      subst analz-simp-insert-1 [OF R], subst analz-simp-insert-1 [OF S])
    qed (auto simp add: H J K)
  qed
next
  show  $H \cup \text{analz} (\text{insert} (\text{Auth-Data } g \ b) (\text{insert } ?M \ ?C)) \subseteq$ 
     $\text{analz} (\text{insert} (\text{Auth-Data } g \ b) (\text{insert } ?M \ ?B))$ 
  proof (subst (1 2) insert-commute, simp add: analz-mpair analz-simp-insert-2
    del: Un-insert-right Un-subset-iff semilattice-sup-class.sup.bounded-iff,
    subst (2 4) insert-commute, subst analz-auth-data-in [OF O],
    subst analz-auth-data-in [OF P], simp only: Un-insert-left Un-empty-left)
  show
     $H \cup \text{insert } ?M (\text{insert} (\text{pubAK } g) (\text{insert} (\text{Auth-Data } g \ b)$ 
       $(\text{analz} (\text{insert} (\text{Pri-AgrK } g) (\text{insert} (\text{Pri-AgrK } b)$ 
         $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)))))) \subseteq$ 
       $\text{insert } ?M (\text{insert} (\text{pubAK } g) (\text{insert} (\text{Auth-Data } g \ b)$ 
         $(\text{analz} (\text{insert} (\text{Pri-AgrK } g) (\text{insert} (\text{Pri-AgrK } b)$ 
           $(\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?B))))))$ 
    proof (subst analz-simp-insert-1 [OF R], subst analz-simp-insert-1 [OF
S],
      subst analz-simp-insert-1 [OF U], subst analz-simp-insert-1 [OF V])
    qed (auto simp add: H J K)
  qed
next
  assume L:  $\text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?C$ 
  have M:  $\text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?B$ 
  by (rule subsetD [OF - L], rule analz-mono, blast)
  assume N:  $\text{Pri-AgrK } g \notin \text{analz } ?C \wedge \text{Pri-AgrK } b \notin \text{analz } ?C$ 
  hence O:  $\text{Pri-AgrK } g \notin \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)$ 
  using J by simp
  have P:  $\text{Pri-AgrK } b \notin \text{analz} (\text{insert} (\text{Crypt} (\text{priSK } CA) ?H) ?C)$ 
  using J and N by simp
  have Q:  $\text{Pri-AgrK } g \in U \wedge \text{Pri-AgrK } b \in U$ 
  proof -
  have  $\text{Crypt} (\text{sesK} (c * f)) ?M' \in \text{analz } ?C \vee$ 
     $?M' \in \text{synth} (\text{analz } ?C) \wedge \text{Key} (\text{sesK} (c * f)) \in \text{analz } ?C$ 
  using E by (rule synth-crypt)
  moreover {
  assume  $\text{Crypt} (\text{sesK} (c * f)) ?M' \in \text{analz } ?C$ 
  hence  $\text{Crypt} (\text{sesK} (c * f)) ?M' \in \text{parts } ?C$ 
  by (rule subsetD [OF analz-parts-subset])
  hence  $?M' \in \text{parts } ?C$ 
  by (rule parts.Body)
  hence  $\{\{\text{Auth-Data } g \ b, \text{pubAK } g, \text{Crypt} (\text{priSK } CA) (\text{Hash} (\text{pubAK } g))\}$ 
     $\in \text{parts } ?C$ 
  by (rule parts.Snd)
  hence R:  $\text{Auth-Data } g \ b \in \text{parts } ?C$ 
  by (rule parts.Fst)
  hence  $\text{Pri-AgrK } g \in \text{parts } ?C$ 
  }
  
```



```

    by (rule parts.Auth-Fst)
  hence Pri-AgrK g ∈ U
    by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
  moreover have Pri-AgrK b ∈ parts ?C
    using R by (rule parts.Auth-Snd)
  hence Pri-AgrK b ∈ U
    by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
  ultimately have ?thesis ..
}
moreover {
  assume ?M' ∈ synth (analz ?C) ∧
    Key (sesK (c * f)) ∈ analz ?C
  hence ?M' ∈ synth (analz ?C) ..
  hence {Auth-Data g b, pubAK g,
    Crypt (priSK CA) (Hash (pubAK g))} ∈ synth (analz ?C)
    by (rule synth-analz-snd)
  hence Auth-Data g b ∈ synth (analz ?C)
    by (rule synth-analz-fst)
  hence Auth-Data g b ∈ analz ?C ∨
    Pri-AgrK g ∈ analz ?C ∧ Pri-AgrK b ∈ analz ?C
    by (rule synth-auth-data)
  moreover {
    assume Auth-Data g b ∈ analz ?C
    hence R: Auth-Data g b ∈ parts ?C
      by (rule subsetD [OF analz-parts-subset])
    hence Pri-AgrK g ∈ parts ?C
      by (rule parts.Auth-Fst)
    hence Pri-AgrK g ∈ U
      by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
    moreover have Pri-AgrK b ∈ parts ?C
      using R by (rule parts.Auth-Snd)
    hence Pri-AgrK b ∈ U
      by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
    ultimately have ?thesis ..
  }
}
moreover {
  assume R: Pri-AgrK g ∈ analz ?C ∧ Pri-AgrK b ∈ analz ?C
  hence Pri-AgrK g ∈ analz ?C ..
  hence Pri-AgrK g ∈ parts ?C
    by (rule subsetD [OF analz-parts-subset])
  hence Pri-AgrK g ∈ U
    by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
  moreover have Pri-AgrK b ∈ analz ?C
    using R ..
  hence Pri-AgrK b ∈ parts ?C
    by (rule subsetD [OF analz-parts-subset])
  hence Pri-AgrK b ∈ U
    by (rule contrapos-pp, rule-tac pr-pri-agrk-parts [OF B])
  ultimately have ?thesis ..
}

```

```

    }
    ultimately have ?thesis ..
  }
  ultimately show ?thesis ..
qed
have R: Pri-AgrK g  $\notin$  analz ?B  $\wedge$  Pri-AgrK b  $\notin$  analz ?B
proof (simp add: H N, rule conjI, rule-tac [!] notI, drule-tac [!] subsetD [OF
G])
qed (simp-all add: Q)
hence S: Pri-AgrK g  $\notin$  analz (insert (Crypt (priSK CA) ?H) ?B)
  using K by simp
have T: Pri-AgrK b  $\notin$  analz (insert (Crypt (priSK CA) ?H) ?B)
  using K and R by simp
show ?T
proof (simp add: analz-crypt-in analz-mpair analz-simp-insert-2 L M,
  rule equalityI, (rule-tac [!] insert-mono)+)
  show analz (insert (Auth-Data g b) (insert ?M ?B))  $\subseteq$ 
    H  $\cup$  analz (insert (Auth-Data g b) (insert ?M ?C))
proof (subst (1 2) insert-commute, simp add: analz-mpair analz-simp-insert-2
  del: Un-insert-right, subst (1 3) insert-commute,
  subst analz-auth-data-out [OF S T], subst analz-auth-data-out [OF O P])
qed (auto simp add: H J K)
next
show H  $\cup$  analz (insert (Auth-Data g b) (insert ?M ?C))  $\subseteq$ 
  analz (insert (Auth-Data g b) (insert ?M ?B))
proof (subst (1 2) insert-commute, simp add: analz-mpair analz-simp-insert-2
  del: Un-insert-right Un-subset-iff semilattice-sup-class.sup.bounded-iff,
  subst (2 4) insert-commute, subst analz-auth-data-out [OF O P],
  subst analz-auth-data-out [OF S T])
qed (simp add: H J K)
qed
next
assume L: Key (invK (sesK (c * f)))  $\notin$  analz ?C
hence Key (invK (sesK (c * f)))  $\notin$  analz ?B
proof (simp add: invK-sesK, insert pr-sesk-user-1 [OF B C D,
  THEN pr-sesk-user-2 [OF B]])
qed (rule notI, simp add: H, drule subsetD [OF G], simp)
hence analz (insert (Crypt (sesK (c * f)) ?M') ?B) =
  insert (Crypt (sesK (c * f)) ?M') (analz ?B)
by (simp add: analz-crypt-out)
moreover have H  $\cup$  analz (insert (Crypt (sesK (c * f)) ?M') ?C) =
  insert (Crypt (sesK (c * f)) ?M') (H  $\cup$  analz ?C)
using L by (simp add: analz-crypt-out)
ultimately show ?T
  using H by simp
qed
qed
next
fix evsC5 S A U m n run c f H

```

assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsC5}) = H \cup \text{analz } (A \cup \text{spies evsC5})$ **and**
 $B: (\text{evsC5}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{IntAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } c$ **and**
 $D: \text{ExtAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } f$

let
 $?B = H \cup A \cup \text{spies evsC5}$ **and**
 $?C = A \cup \text{spies evsC5}$

show $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?B) =$
 $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?C)$
 $(\text{is } - \longrightarrow ?T)$

proof $(\text{rule impI}, \text{cases Key } (\text{invK } (\text{sesK } (c * f)))) \in \text{analz } ?C)$
case *True*
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A **have** $E: \text{analz } ?B = H \cup \text{analz } ?C$..
have $\text{Key } (\text{invK } (\text{sesK } (c * f))) \in \text{analz } ?B$
by $(\text{rule subsetD } [OF - \text{True}], \text{rule analz-mono}, \text{blast})$
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?B) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) (\text{insert } (\text{Passwd } m) (\text{analz } ?B))$
by $(\text{simp add: analz-crypt-in analz-simp-insert-2})$
moreover have $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?C) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) (\text{insert } (\text{Passwd } m) (H \cup \text{analz } ?C))$
using *True* **by** $(\text{simp add: analz-crypt-in analz-simp-insert-2})$
ultimately show $?T$
using E **by** *simp*

next
case *False*
moreover assume $E: H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A **have** $F: \text{analz } ?B = H \cup \text{analz } ?C$..
ultimately have $\text{Key } (\text{invK } (\text{sesK } (c * f))) \notin \text{analz } ?B$
proof $(\text{simp add: invK-sesK}, \text{insert pr-sesk-user-1 } [OF B C D,$
 $\text{THEN pr-sesk-user-2 } [OF B]])$
qed $(\text{rule notI}, \text{drule subsetD } [OF E], \text{simp})$
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?B) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) (\text{analz } ?B)$
by $(\text{simp add: analz-crypt-out})$
moreover have $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) ?C) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (c * f)) (\text{Passwd } m)) (H \cup \text{analz } ?C)$
using *False* **by** $(\text{simp add: analz-crypt-out})$
ultimately show $?T$
using F **by** *simp*

qed
next
fix $\text{evsFC5 } S A U n \text{ run } d e H$
assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$

$\text{analz } (H \cup A \cup \text{spies evsFC5}) = H \cup \text{analz } (A \cup \text{spies evsFC5})$ **and**
 $B: (\text{evsFC5}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $D: \text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e$

let

$?B = H \cup A \cup \text{spies evsFC5}$ **and**
 $?C = A \cup \text{spies evsFC5}$

show $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?B) =$
 $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?C)$
(is - \longrightarrow ?T)

proof (*rule impI*, *cases Key (invK (sesK (d * e)))*) $\in \text{analz } ?C$
case True
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A have E: $\text{analz } ?B = H \cup \text{analz } ?C$..
have $\text{Key } (\text{invK } (\text{sesK } (d * e))) \in \text{analz } ?B$
by (*rule subsetD [OF - True]*, *rule analz-mono*, *blast*)
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?B) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) (\text{insert } (\text{Passwd } n) (\text{analz } ?B))$
by (*simp add: analz-crypt-in analz-simp-insert-2*)
moreover have $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?C) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) (\text{insert } (\text{Passwd } n) (H \cup \text{analz } ?C))$
using True by (*simp add: analz-crypt-in analz-simp-insert-2*)
ultimately show ?T
using E by simp

next

case False
moreover assume E: $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A have F: $\text{analz } ?B = H \cup \text{analz } ?C$..
ultimately have $\text{Key } (\text{invK } (\text{sesK } (d * e))) \notin \text{analz } ?B$
proof (*simp add: invK-sesK*, *insert pr-sesk-card [OF B C D]*)
qed (*rule notI*, *drule subsetD [OF E]*, *simp*)
hence $\text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?B) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) (\text{analz } ?B)$
by (*simp add: analz-crypt-out*)
moreover have $H \cup \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) ?C) =$
 $\text{insert } (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } n)) (H \cup \text{analz } ?C)$
using False by (*simp add: analz-crypt-out*)
ultimately show ?T
using F by simp

qed

next

fix $\text{evsR5 } S A U n \text{run } d e H$
assume
 $A: \bigwedge H. H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz } (H \cup A \cup \text{spies evsR5}) = H \cup \text{analz } (A \cup \text{spies evsR5})$ **and**
 $B: (\text{evsR5}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $D: \text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e$

```

let
  ?B = H ∪ A ∪ spies evsR5 and
  ?C = A ∪ spies evsR5
show H ⊆ range Key ∪ range Pri-AgrK - U →
  analz (insert (Crypt (sesK (d * e)) (Number 0)) (H ∪ A ∪ spies evsR5)) =
  H ∪ analz (insert (Crypt (sesK (d * e)) (Number 0)) (A ∪ spies evsR5))
  (is - → ?T)
proof (rule impI, cases Key (invK (sesK (d * e))) ∈ analz ?C)
  case True
  assume H ⊆ range Key ∪ range Pri-AgrK - U
  with A have E: analz ?B = H ∪ analz ?C ..
  have Key (invK (sesK (d * e))) ∈ analz ?B
  by (rule subsetD [OF - True], rule analz-mono, blast)
  hence analz (insert (Crypt (sesK (d * e)) (Number 0)) ?B) =
  insert (Crypt (sesK (d * e)) (Number 0)) (insert (Number 0) (analz ?B))
  by (simp add: analz-crypt-in analz-simp-insert-2)
  moreover have H ∪ analz (insert (Crypt (sesK (d * e)) (Number 0)) ?C) =
  insert (Crypt (sesK (d * e)) (Number 0)) (insert (Number 0) (H ∪ analz
  ?C))
  using True by (simp add: analz-crypt-in analz-simp-insert-2)
  ultimately show ?T
  using E by simp
next
  case False
  moreover assume E: H ⊆ range Key ∪ range Pri-AgrK - U
  with A have F: analz ?B = H ∪ analz ?C ..
  ultimately have Key (invK (sesK (d * e))) ∉ analz ?B
  proof (simp add: invK-sesK, insert pr-sesk-card [OF B C D])
  qed (rule notI, drule subsetD [OF E], simp)
  hence analz (insert (Crypt (sesK (d * e)) (Number 0)) ?B) =
  insert (Crypt (sesK (d * e)) (Number 0)) (analz ?B)
  by (simp add: analz-crypt-out)
  moreover have H ∪ analz (insert (Crypt (sesK (d * e)) (Number 0)) ?C) =
  insert (Crypt (sesK (d * e)) (Number 0)) (H ∪ analz ?C)
  using False by (simp add: analz-crypt-out)
  ultimately show ?T
  using F by simp
qed
next
fix evsFR5 S A U m n run c f H
assume
  A: ∧H. H ⊆ range Key ∪ range Pri-AgrK - U →
  analz (H ∪ A ∪ spies evsFR5) = H ∪ analz (A ∪ spies evsFR5) and
  B: (evsFR5, S, A, U) ∈ protocol and
  C: IntAgrK (S (User m, n, run)) = Some c and
  D: ExtAgrK (S (User m, n, run)) = Some f
let
  ?B = H ∪ A ∪ spies evsFR5 and
  ?C = A ∪ spies evsFR5

```

show $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U \longrightarrow$
 $\text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (H \cup A \cup \text{spies evsFR5})) =$
 $H \cup \text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (A \cup \text{spies evsFR5}))$
 $(\text{is } - \longrightarrow ?T)$
proof (*rule impI, cases Key (invK (sesK (c * f)))*) $\in \text{analz } ?C)$
case True
assume $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A have E: $\text{analz } ?B = H \cup \text{analz } ?C$..
have $\text{Key} (\text{invK} (\text{sesK} (c * f))) \in \text{analz } ?B$
by (*rule subsetD [OF - True], rule analz-mono, blast*)
hence $\text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) ?B) =$
 $\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (\text{insert} (\text{Number } 0) (\text{analz } ?B))$
by (*simp add: analz-crypt-in analz-simp-insert-2*)
moreover have $H \cup \text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) ?C) =$
 $\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (\text{insert} (\text{Number } 0) (H \cup \text{analz } ?C))$
using True by (*simp add: analz-crypt-in analz-simp-insert-2*)
ultimately show $?T$
using E by simp
next
case False
moreover assume E: $H \subseteq \text{range Key} \cup \text{range Pri-AgrK} - U$
with A have F: $\text{analz } ?B = H \cup \text{analz } ?C$..
ultimately have $\text{Key} (\text{invK} (\text{sesK} (c * f))) \notin \text{analz } ?B$
proof (*simp add: invK-sesK, insert pr-sesk-user-1 [OF B C D,*
 $\text{THEN pr-sesk-user-2 [OF B]]$)
qed (*rule notI, drule subsetD [OF E], simp*)
hence $\text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) ?B) =$
 $\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (\text{analz } ?B)$
by (*simp add: analz-crypt-out*)
moreover have $H \cup \text{analz} (\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) ?C) =$
 $\text{insert} (\text{Crypt} (\text{sesK} (c * f)) (\text{Number } 0)) (H \cup \text{analz } ?C)$
using False by (*simp add: analz-crypt-out*)
ultimately show $?T$
using F by simp
qed
qed

lemma pr-key-unused:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$

$\text{Key } K \notin U \implies$

$\text{analz} (\text{insert} (\text{Key } K) (A \cup \text{spies evs})) =$

$\text{insert} (\text{Key } K) (\text{analz} (A \cup \text{spies evs}))$

by (*simp only: insert-def Un-assoc [symmetric], rule pr-key-set-unused, simp-all*)

lemma pr-pri-agrk-unused:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$

$\text{Pri-AgrK } x \notin U \implies$

$\text{analz} (\text{insert} (\text{Pri-AgrK } x) (A \cup \text{spies evs})) =$

insert (Pri-AgrK x) (analz (A ∪ spies evs))
by (*simp only: insert-def Un-assoc [symmetric], rule pr-key-set-unused, simp-all*)

lemma *pr-pri-agrk-analz-intro* [rule-format]:

(*evs, S, A, U*) ∈ *protocol* ⇒
Pri-AgrK x ∈ *analz (A ∪ spies evs)* →
Pri-AgrK x ∈ *A*

proof (*erule protocol.induct, subst analz-simp, simp, blast,*
simp-all add: analz-simp-insert-2 pr-key-unused pr-pri-agrk-unused,
rule conjI, rule-tac [1-2] impI, rule-tac [!] impI)

fix *evsR1 S A U n s*

assume

A: Pri-AgrK x ∈ *analz (A ∪ spies evsR1)* → *Pri-AgrK x* ∈ *A*
 (**is** - ∈ *analz ?A* → -) **and**

B: (evsR1, S, A, U) ∈ *protocol* **and**

C: n ∈ *bad* **and**

D: Pri-AgrK x ∈ *analz (insert (Crypt (symK n) (Pri-AgrK s))*
(insert (Pri-AgrK s) (A ∪ spies evsR1))) **and**

E: Pri-AgrK s ∉ *U*

have *Key (symK n)* ∈ *analz ?A*

using *B* **and** *C* **by** (*simp add: pr-symk-analz*)

hence *Key (invK (symK n))* ∈ *analz ?A*

by (*simp add: invK-symK*)

hence *Key (invK (symK n))* ∈ *analz (insert (Pri-AgrK s) ?A)*

using *B* **and** *E* **by** (*simp add: pr-pri-agrk-unused*)

hence *Pri-AgrK x* ∈ *analz (insert (Pri-AgrK s) ?A)*

using *D* **by** (*simp add: analz-crypt-in*)

hence *x = s ∨ Pri-AgrK x* ∈ *analz ?A*

using *B* **and** *E* **by** (*simp add: pr-pri-agrk-unused*)

thus *x = s ∨ Pri-AgrK x* ∈ *A*

using *A* **by** *blast*

next

fix *evsR1 S A U n s*

assume

A: Pri-AgrK x ∈ *analz (A ∪ spies evsR1)* → *Pri-AgrK x* ∈ *A*
 (**is** - ∈ *analz ?A* → -) **and**

B: (evsR1, S, A, U) ∈ *protocol* **and**

C: n ∉ *bad* **and**

D: Pri-AgrK x ∈ *analz (insert (Crypt (symK n) (Pri-AgrK s))*
(A ∪ spies evsR1))

have *Key (symK n)* ∉ *analz ?A*

using *B* **and** *C* **by** (*simp add: pr-symk-analz*)

hence *Key (invK (symK n))* ∉ *analz ?A*

by (*simp add: invK-symK*)

hence *Pri-AgrK x* ∈ *analz ?A*

using *D* **by** (*simp add: analz-crypt-out*)

with *A* **show** *Pri-AgrK x* ∈ *A* ..

next

fix *evsFR1 A m s*

```

assume
  A:  $Pri-AgrK\ x \in \text{analz}\ (A \cup \text{spies}\ \text{evsFR1}) \longrightarrow Pri-AgrK\ x \in A$ 
    (is  $- \in \text{analz}\ ?A \longrightarrow -$ ) and
  B:  $Crypt\ (\text{symK}\ m)\ (Pri-AgrK\ s) \in \text{synth}\ (\text{analz}\ (A \cup \text{spies}\ \text{evsFR1}))$  and
  C:  $Pri-AgrK\ x \in \text{analz}\ (\text{insert}\ (Crypt\ (\text{symK}\ m)\ (Pri-AgrK\ s))$ 
     $(A \cup \text{spies}\ \text{evsFR1}))$ 
show  $Pri-AgrK\ x \in A$ 
proof (cases  $Key\ (\text{invK}\ (\text{symK}\ m)) \in \text{analz}\ ?A$ )
  case True
  have  $Crypt\ (\text{symK}\ m)\ (Pri-AgrK\ s) \in \text{analz}\ ?A \vee$ 
     $Pri-AgrK\ s \in \text{synth}\ (\text{analz}\ ?A) \wedge Key\ (\text{symK}\ m) \in \text{analz}\ ?A$ 
  using B by (rule synth-crypt)
  moreover {
    assume  $Crypt\ (\text{symK}\ m)\ (Pri-AgrK\ s) \in \text{analz}\ ?A$ 
    hence  $Pri-AgrK\ s \in \text{analz}\ ?A$ 
    using True by (rule analz.Decrypt)
  }
  moreover {
    assume  $Pri-AgrK\ s \in \text{synth}\ (\text{analz}\ ?A) \wedge Key\ (\text{symK}\ m) \in \text{analz}\ ?A$ 
    hence  $Pri-AgrK\ s \in \text{synth}\ (\text{analz}\ ?A)$  ..
    hence  $Pri-AgrK\ s \in \text{analz}\ ?A$ 
    by (rule synth-simp-intro, simp)
  }
  ultimately have  $Pri-AgrK\ s \in \text{analz}\ ?A$  ..
  moreover have  $Pri-AgrK\ x \in \text{analz}\ (\text{insert}\ (Pri-AgrK\ s)\ ?A)$ 
  using C and True by (simp add: analz-crypt-in)
  ultimately have  $Pri-AgrK\ x \in \text{analz}\ ?A$ 
  by (simp add: analz-simp-insert-1)
  with A show ?thesis ..
next
  case False
  hence  $Pri-AgrK\ x \in \text{analz}\ ?A$ 
  using C by (simp add: analz-crypt-out)
  with A show ?thesis ..
qed
next
fix evsC4 A c f
assume
  A:  $Pri-AgrK\ x \in \text{analz}\ (A \cup \text{spies}\ \text{evsC4}) \longrightarrow Pri-AgrK\ x \in A$ 
    (is  $- \in \text{analz}\ ?A \longrightarrow -$ ) and
  B:  $Pri-AgrK\ x \in \text{analz}\ (\text{insert}\ (Crypt\ (\text{sesK}\ (c * f))\ (\text{pubAK}\ f))$ 
     $(A \cup \text{spies}\ \text{evsC4}))$ 
show  $Pri-AgrK\ x \in A$ 
proof (cases  $Key\ (\text{invK}\ (\text{sesK}\ (c * f))) \in \text{analz}\ ?A$ )
  case True
  hence  $Pri-AgrK\ x \in \text{analz}\ ?A$ 
  using B by (simp add: analz-crypt-in analz-simp-insert-2)
  with A show ?thesis ..
next

```



```

    case False
  hence Pri-AgrK  $x \in \text{analz } ?A$ 
    using B by (simp add: analz-crypt-out)
  with A show ?thesis ..
qed
next
fix evsFC4 A s a b d e
assume
  A: Pri-AgrK  $x \in \text{analz } (A \cup \text{spies evsFC4}) \longrightarrow \text{Pri-AgrK } x \in A$ 
    (is  $- \in \text{analz } ?A \longrightarrow -$ ) and
  B: Pri-AgrK  $x \in \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e))) (\text{pubAK } (d * (s + a * b))))$ 
    ( $A \cup \text{spies evsFC4}$ )
show Pri-AgrK  $x \in A$ 
proof (cases Key (invK (sesK (d * e)))  $\in \text{analz } ?A$ )
  case True
  hence Pri-AgrK  $x \in \text{analz } ?A$ 
    using B by (simp add: analz-crypt-in analz-simp-insert-2)
  with A show ?thesis ..
next
  case False
  hence Pri-AgrK  $x \in \text{analz } ?A$ 
    using B by (simp add: analz-crypt-out)
  with A show ?thesis ..
qed
next
fix evsR4 S A U n run b d e
let
  ?H = Hash (pubAK (priAK n)) and
  ?M =  $\{\text{pubAK } (priAK n), \text{Crypt } (priSK CA) (\text{Hash } (\text{pubAK } (priAK n)))\}$  and
  ?M' =  $\{\text{pubAK } e, \text{Auth-Data } (priAK n) b, \text{pubAK } (priAK n),$ 
     $\text{Crypt } (priSK CA) (\text{Hash } (\text{pubAK } (priAK n)))\}$ 
assume
  A: Pri-AgrK  $x \in \text{analz } (A \cup \text{spies evsR4}) \longrightarrow \text{Pri-AgrK } x \in A$ 
    (is  $- \in \text{analz } ?A \longrightarrow -$ ) and
  B: (evsR4, S, A, U)  $\in \text{protocol}$  and
  C: IntMapK (S (Card n, n, run)) = Some b and
  D: Pri-AgrK  $x \in \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e))) ?M')$ 
    ( $A \cup \text{spies evsR4}$ )
show Pri-AgrK  $x \in A$ 
proof (cases Key (invK (sesK (d * e)))  $\in \text{analz } ?A$ )
  case True
  have Key (pubSK CA)  $\in \text{analz } ?A$ 
    using B by (rule pr-valid-key-analz)
  hence E:  $\text{analz } (\text{insert } (\text{Crypt } (priSK CA) ?H) ?A) =$ 
     $\{\text{Crypt } (priSK CA) ?H, ?H\} \cup \text{analz } ?A$ 
    by (simp add: analz-crypt-in analz-simp-insert-2)
  have Pri-AgrK (priAK n)  $\notin \text{analz } ?A$ 
    using B by (rule pr-auth-key-analz)

```

hence $F: \text{Pri-AgrK } (priAK \ n) \notin \text{analz } (\text{insert } (\text{Crypt } (priSK \ CA) \ ?H) \ ?A)$
using E **by** *simp*
have $\text{Pri-AgrK } b \notin \text{analz } ?A$
using B **and** C **by** (*rule pr-int-mapk-analz*)
hence $G: \text{Pri-AgrK } b \notin \text{analz } (\text{insert } (\text{Crypt } (priSK \ CA) \ ?H) \ ?A)$
using E **by** *simp*
have $\text{Pri-AgrK } x \in \text{analz } (\text{insert } ?M' \ ?A)$
using D **and** True **by** (*simp add: analz-crypt-in*)
hence $\text{Pri-AgrK } x \in \text{analz } (\text{insert } (\text{Auth-Data } (priAK \ n) \ b) (\text{insert } ?M \ ?A))$
by (*simp add: analz-mpair analz-simp-insert-2*)
hence $\text{Pri-AgrK } x \in \text{analz } ?A$
proof (*subst (asm) insert-commute, simp add: analz-mpair analz-simp-insert-2*
del: Un-insert-right, subst (asm) insert-commute,
subst (asm) analz-auth-data-out [OF F G])
qed (*simp add: E*)
with A **show** *?thesis ..*
next
case *False*
hence $\text{Pri-AgrK } x \in \text{analz } ?A$
using D **by** (*simp add: analz-crypt-out*)
with A **show** *?thesis ..*
qed
next
fix *evsFR4 S A U m n run s a b c f g*
let
 $?H = \text{Hash } (pubAK \ g)$ **and**
 $?M = \{\{pubAK \ g, \text{Crypt } (priSK \ CA) \ (\text{Hash } (pubAK \ g))\}\}$ **and**
 $?M' = \{\{pubAK \ (c * (s + a * b)), \text{Auth-Data } g \ b, \text{pubAK } g,$
 $\text{Crypt } (priSK \ CA) \ (\text{Hash } (pubAK \ g))\}\}$
assume
 $A: \text{Pri-AgrK } x \in \text{analz } (A \cup \text{spies } \text{evsFR4}) \longrightarrow \text{Pri-AgrK } x \in A$
(is $- \in \text{analz } ?A \longrightarrow -)$ **and**
 $B: (\text{evsFR4}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{synth } (\text{analz } (A \cup \text{spies } \text{evsFR4}))$ **and**
 $D: \text{Pri-AgrK } x \in \text{analz } (\text{insert } (\text{Crypt } (sesK \ (c * f)) \ ?M')$
 $(A \cup \text{spies } \text{evsFR4}))$
have $E:$
 $\text{Key } (\text{invK } (sesK \ (c * f))) \in \text{analz } ?A \longrightarrow$
 $\text{Pri-AgrK } b \in \text{analz } ?A \vee \text{Pri-AgrK } g \in \text{analz } ?A \longrightarrow$
 $\text{Pri-AgrK } b \in \text{analz } ?A \wedge \text{Pri-AgrK } g \in \text{analz } ?A$
(is $?P \longrightarrow ?Q \longrightarrow ?R)$
proof (*rule impI*)
assume $?P$ **and** $?Q$
have $\text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{analz } ?A \vee$
 $?M' \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (sesK \ (c * f)) \in \text{analz } ?A$
using C **by** (*rule synth-crypt*)
moreover **{**
assume $\text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{analz } ?A$
hence $?M' \in \text{analz } ?A$
}

```

    using ⟨?P⟩ by (rule analz.Decrypt)
  hence {Auth-Data g b, pubAK g, Crypt (priSK CA) (Hash (pubAK g))}
    ∈ analz ?A
    by (rule analz.Snd)
  hence F: Auth-Data g b ∈ analz ?A
    by (rule analz.Fst)
  have ?R
  proof (rule disjE [OF ⟨?Q⟩])
    assume Pri-AgrK b ∈ analz ?A
    moreover from this have Pri-AgrK g ∈ analz ?A
      by (rule analz.Auth-Fst [OF F])
    ultimately show ?R ..
  next
    assume Pri-AgrK g ∈ analz ?A
    moreover from this have Pri-AgrK b ∈ analz ?A
      by (rule analz.Auth-Snd [OF F])
    ultimately show ?R
      by simp
  qed
}
moreover {
  assume ?M' ∈ synth (analz ?A) ∧ Key (sesK (c * f)) ∈ analz ?A
  hence ?M' ∈ synth (analz ?A) ..
  hence {Auth-Data g b, pubAK g, Crypt (priSK CA) (Hash (pubAK g))}
    ∈ synth (analz ?A)
    by (rule synth-analz-snd)
  hence Auth-Data g b ∈ synth (analz ?A)
    by (rule synth-analz-fst)
  hence Auth-Data g b ∈ analz ?A ∨
    Pri-AgrK g ∈ analz ?A ∧ Pri-AgrK b ∈ analz ?A
    by (rule synth-auth-data)
  moreover {
    assume F: Auth-Data g b ∈ analz ?A
    have ?R
  proof (rule disjE [OF ⟨?Q⟩])
    assume Pri-AgrK b ∈ analz ?A
    moreover from this have Pri-AgrK g ∈ analz ?A
      by (rule analz.Auth-Fst [OF F])
    ultimately show ?R ..
  next
    assume Pri-AgrK g ∈ analz ?A
    moreover from this have Pri-AgrK b ∈ analz ?A
      by (rule analz.Auth-Snd [OF F])
    ultimately show ?R
      by simp
  qed
}
}
moreover {
  assume Pri-AgrK g ∈ analz ?A ∧ Pri-AgrK b ∈ analz ?A

```

```

    hence ?R
    by simp
  }
  ultimately have ?R ..
}
ultimately show ?R ..
qed
show Pri-AgrK x ∈ A
proof (cases Key (invK (sesK (c * f))) ∈ analz ?A)
  case True
  have Key (pubSK CA) ∈ analz ?A
  using B by (rule pr-valid-key-analz)
  hence F: analz (insert (Crypt (priSK CA) ?H) ?A) =
    {Crypt (priSK CA) ?H, ?H} ∪ analz ?A
  by (simp add: analz-crypt-in analz-simp-insert-2)
  show ?thesis
proof (cases Pri-AgrK g ∈ analz ?A ∨ Pri-AgrK b ∈ analz ?A, simp-all)
  assume G: Pri-AgrK g ∈ analz ?A ∨ Pri-AgrK b ∈ analz ?A
  hence H: Pri-AgrK g ∈ analz (insert (Crypt (priSK CA) ?H) ?A) ∨
    Pri-AgrK b ∈ analz (insert (Crypt (priSK CA) ?H) ?A)
  using F by simp
  have I: Pri-AgrK b ∈ analz ?A ∧ Pri-AgrK g ∈ analz ?A
  using E and G and True by blast
  hence Pri-AgrK g ∈ analz (insert (Crypt (priSK CA) ?H) ?A)
  using F by simp
  hence J: Pri-AgrK g ∈ analz (insert (Pri-AgrK b)
    (insert (Crypt (priSK CA) ?H) ?A))
  by (rule rev-subsetD, rule-tac analz-mono, blast)
  have K: Pri-AgrK b ∈ analz (insert (Crypt (priSK CA) ?H) ?A)
  using F and I by simp
  have Pri-AgrK x ∈ analz (insert ?M' ?A)
  using D and True by (simp add: analz-crypt-in)
  hence Pri-AgrK x ∈ analz (insert (Auth-Data g b) (insert ?M ?A))
  by (simp add: analz-mpair analz-simp-insert-2)
  hence Pri-AgrK x ∈ analz ?A
proof (subst (asm) insert-commute, simp add: analz-mpair analz-simp-insert-2
  del: Un-insert-right, subst (asm) insert-commute,
  subst (asm) analz-auth-data-in [OF H], simp del: Un-insert-right)
  assume Pri-AgrK x ∈ analz (insert (Pri-AgrK g) (insert (Pri-AgrK b)
    (insert (Crypt (priSK CA) ?H) ?A)))
  thus ?thesis
  proof (subst (asm) analz-simp-insert-1 [OF J],
    subst (asm) analz-simp-insert-1 [OF K])
    qed (simp add: F)
  qed
with A show ?thesis ..
next
assume G: Pri-AgrK g ∉ analz ?A ∧ Pri-AgrK b ∉ analz ?A
hence H: Pri-AgrK g ∉ analz (insert (Crypt (priSK CA) ?H) ?A)

```

```

    using F by simp
  have I: Pri-AgrK b  $\notin$  analz (insert (Crypt (priSK CA) ?H) ?A)
    using F and G by simp
  have Pri-AgrK x  $\in$  analz (insert ?M' ?A)
    using D and True by (simp add: analz-crypt-in)
  hence Pri-AgrK x  $\in$  analz (insert (Auth-Data g b) (insert ?M ?A))
    by (simp add: analz-mpair analz-simp-insert-2)
  hence Pri-AgrK x  $\in$  analz ?A
proof (subst (asm) insert-commute, simp add: analz-mpair analz-simp-insert-2
  del: Un-insert-right, subst (asm) insert-commute,
  subst (asm) analz-auth-data-out [OF H I])
qed (simp add: F)
with A show ?thesis ..
qed
next
case False
  hence Pri-AgrK x  $\in$  analz ?A
    using D by (simp add: analz-crypt-out)
  with A show ?thesis ..
qed
next
fix evsC5 A m c f
assume
  A: Pri-AgrK x  $\in$  analz (A  $\cup$  spies evsC5)  $\longrightarrow$  Pri-AgrK x  $\in$  A
    (is -  $\in$  analz ?A  $\longrightarrow$  -) and
  B: Pri-AgrK x  $\in$  analz (insert (Crypt (sesK (c * f)) (Passwd m))
    (A  $\cup$  spies evsC5))
show Pri-AgrK x  $\in$  A
proof (cases Key (invK (sesK (c * f)))  $\in$  analz ?A)
case True
  hence Pri-AgrK x  $\in$  analz ?A
    using B by (simp add: analz-crypt-in analz-simp-insert-2)
  with A show ?thesis ..
next
case False
  hence Pri-AgrK x  $\in$  analz ?A
    using B by (simp add: analz-crypt-out)
  with A show ?thesis ..
qed
next
fix evsFC5 A n d e
assume
  A: Pri-AgrK x  $\in$  analz (A  $\cup$  spies evsFC5)  $\longrightarrow$  Pri-AgrK x  $\in$  A
    (is -  $\in$  analz ?A  $\longrightarrow$  -) and
  B: Pri-AgrK x  $\in$  analz (insert (Crypt (sesK (d * e)) (Passwd n))
    (A  $\cup$  spies evsFC5))
show Pri-AgrK x  $\in$  A
proof (cases Key (invK (sesK (d * e)))  $\in$  analz ?A)
case True

```

```

    hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
    using  $B$  by (simp add: analz-crypt-in analz-simp-insert-2)
    with  $A$  show ?thesis ..
  next
    case False
    hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
    using  $B$  by (simp add: analz-crypt-out)
    with  $A$  show ?thesis ..
  qed
next
fix  $evsR5\ A\ d\ e$ 
assume
   $A: Pri\text{-}AgrK\ x \in \text{analz}\ (A \cup \text{spies}\ evsR5) \longrightarrow Pri\text{-}AgrK\ x \in A$ 
  (is  $- \in \text{analz}\ ?A \longrightarrow -$ ) and
   $B: Pri\text{-}AgrK\ x \in \text{analz}\ (\text{insert}\ (\text{Crypt}\ (\text{sesK}\ (d * e))\ (\text{Number}\ 0)))$ 
  ( $A \cup \text{spies}\ evsR5$ )
show  $Pri\text{-}AgrK\ x \in A$ 
proof (cases  $\text{Key}\ (\text{invK}\ (\text{sesK}\ (d * e))) \in \text{analz}\ ?A$ )
  case True
  hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
  using  $B$  by (simp add: analz-crypt-in analz-simp-insert-2)
  with  $A$  show ?thesis ..
next
  case False
  hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
  using  $B$  by (simp add: analz-crypt-out)
  with  $A$  show ?thesis ..
qed
next
fix  $evsFR5\ A\ c\ f$ 
assume
   $A: Pri\text{-}AgrK\ x \in \text{analz}\ (A \cup \text{spies}\ evsFR5) \longrightarrow Pri\text{-}AgrK\ x \in A$ 
  (is  $- \in \text{analz}\ ?A \longrightarrow -$ ) and
   $B: Pri\text{-}AgrK\ x \in \text{analz}\ (\text{insert}\ (\text{Crypt}\ (\text{sesK}\ (c * f))\ (\text{Number}\ 0)))$ 
  ( $A \cup \text{spies}\ evsFR5$ )
show  $Pri\text{-}AgrK\ x \in A$ 
proof (cases  $\text{Key}\ (\text{invK}\ (\text{sesK}\ (c * f))) \in \text{analz}\ ?A$ )
  case True
  hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
  using  $B$  by (simp add: analz-crypt-in analz-simp-insert-2)
  with  $A$  show ?thesis ..
next
  case False
  hence  $Pri\text{-}AgrK\ x \in \text{analz}\ ?A$ 
  using  $B$  by (simp add: analz-crypt-out)
  with  $A$  show ?thesis ..
qed
qed

```

lemma *pr-pri-agrk-analz*:

$(evs, S, A, U) \in \text{protocol} \implies$

$(\text{Pri-AgrK } x \in \text{analz } (A \cup \text{spies } evs)) = (\text{Pri-AgrK } x \in A)$

proof (*rule iffI, erule pr-pri-agrk-analz-intro, assumption*)

qed (*rule subsetD [OF analz-subset], simp*)

lemma *pr-ext-agrk-user-1* [*rule-format*]:

$(evs, S, A, U) \in \text{protocol} \implies$

$\text{User } m \neq \text{Spy} \longrightarrow$

$\text{Says } n \text{ run } _4 (\text{User } m) (\text{Card } n) (\text{Crypt } (sesK \ K) (\text{pubAK } e)) \in \text{set } evs \longrightarrow$

$\text{ExtAgrK } (S (\text{User } m, n, \text{run})) \neq \text{None}$

by (*erule protocol.induct, simp-all, (rule-tac [!] impI)+, simp-all*)

lemma *pr-ext-agrk-user-2* [*rule-format*]:

$(evs, S, A, U) \in \text{protocol} \implies$

$\text{User } m \neq \text{Spy} \longrightarrow$

$\text{Says } n \text{ run } _4 X (\text{User } m) (\text{Crypt } (sesK \ K)$

$\{\text{pubAK } e, \text{Auth-Data } x \ y, \text{pubAK } g, \text{Crypt } (priSK \ CA) (\text{Hash } (\text{pubAK } g))\})$

$\in \text{set } evs \longrightarrow$

$\text{ExtAgrK } (S (\text{User } m, n, \text{run})) \neq \text{None}$

using [*simproc del: defined-all*] **proof** (*erule protocol.induct, simp-all, (rule-tac [!] impI)+, simp-all,*

(erule conjE)+)

fix *evs S A U n run s a b d e X*

assume $(evs, S, A, U) \in \text{protocol}$

moreover assume $0 < m$

hence $\text{User } m \neq \text{Spy}$

by *simp*

moreover assume *A: User m = X and*

$\text{Says } n \text{ run } _4 X (\text{Card } n) (\text{Crypt } (sesK \ (d * e))$

$(\text{pubAK } (d * (s + a * b)))) \in \text{set } evs$

hence $\text{Says } n \text{ run } _4 (\text{User } m) (\text{Card } n) (\text{Crypt } (sesK \ (d * e))$

$(\text{pubAK } (d * (s + a * b)))) \in \text{set } evs$

by *simp*

ultimately have $\text{ExtAgrK } (S (\text{User } m, n, \text{run})) \neq \text{None}$

by (*rule pr-ext-agrk-user-1*)

thus $\exists e. \text{ExtAgrK } (S (X, n, \text{run})) = \text{Some } e$

using *A* **by** *simp*

qed

lemma *pr-ext-agrk-user-3* [*rule-format*]:

$(evs, S, A, U) \in \text{protocol} \implies$

$\text{User } m \neq \text{Spy} \longrightarrow$

$\text{ExtAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } e \longrightarrow$

$\text{Says } n \text{ run } _4 (\text{User } m) (\text{Card } n) (\text{Crypt } (sesK \ K) (\text{pubAK } e')) \in \text{set } evs \longrightarrow$

$e' = e$

proof (*erule protocol.induct, simp-all, (rule conjI, (rule-tac [!] impI)+)+,*

(erule conjE)+, simp-all)

assume $\text{agrK } e' = \text{agrK } e$

```

with agrK-inj show e' = e
  by (rule injD)
next
  fix evsC4 S A U n run and m :: nat
  assume (evsC4, S, A, U) ∈ protocol
  moreover assume 0 < m
  hence User m ≠ Spy
  by simp
  moreover assume
    Says n run 4 (User m) (Card n) (Crypt (sesK K) (pubAK e')) ∈ set evsC4
  ultimately have ExtAgrK (S (User m, n, run)) ≠ None
  by (rule pr-ext-agrk-user-1)
  moreover assume ExtAgrK (S (User m, n, run)) = None
  ultimately show e' = e
  by contradiction
qed

```

```

lemma pr-ext-agrk-user-4 [rule-format]:
  (evs, S, A, U) ∈ protocol ⇒
    ExtAgrK (S (User m, n, run)) = Some f →
    (∃ X. Says n run 3 X (User m) (pubAK f) ∈ set evs)
proof (erule protocol.induct, simp-all, rule-tac [!] impI, rule-tac [1-2] impI,
  rule-tac [5] impI, simp-all)
qed blast+

```

```

declare fun-upd-apply [simp del]

```

```

lemma pr-ext-agrk-user-5 [rule-format]:
  (evs, S, A, U) ∈ protocol ⇒
    Says n run 3 X (User m) (pubAK f) ∈ set evs →
    (∃ s a b d. f = d * (s + a * b) ∧
      NonceS (S (Card n, n, run)) = Some s ∧
      IntMapK (S (Card n, n, run)) = Some b ∧
      ExtMapK (S (Card n, n, run)) = Some a ∧
      IntAgrK (S (Card n, n, run)) = Some d ∧
      d ≠ 0 ∧ s + a * b ≠ 0) ∨
    (∃ b. Pri-AgrK b ∈ A ∧
      ExtMapK (S (User m, n, run)) = Some b)
  (is - ⇒ ?H evs → ?P S n run ∨ ?Q S A n run)
apply (erule protocol.induct, simp-all add: pr-pri-agrk-analz)
  apply (rule conjI)
  apply (rule-tac [1-2] impI)+
  apply (rule-tac [3] conjI, (rule-tac [3] impI)+)+
  apply (rule-tac [4] impI)+
  apply ((rule-tac [5] impI)+, (rule-tac [5] conjI)?) +
  apply (rule-tac [6] impI)+
  apply ((rule-tac [7] impI)+, (rule-tac [7] conjI)?) +
  apply (rule-tac [8] impI)+
  apply ((rule-tac [9] impI)+, (rule-tac [9] conjI)?) +

```



```

apply (rule-tac [10] impI)+
apply (rule-tac [11] impI)+
apply (rule-tac [12] conjI, (rule-tac [12] impI)+)+
apply (rule-tac [13] impI)+
apply (rule-tac [14] conjI, (rule-tac [14] impI)+)+
apply (erule-tac [14] conjE)+
apply (rule-tac [15] impI)+
apply ((rule-tac [16] impI)+, (rule-tac [16] conjI)?) +
apply (erule-tac [16] conjE)+
apply (rule-tac [17-18] impI)

proof –
  fix evsR1 S A U s n' run'
  assume
    ?H evsR1  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
    ?H evsR1
  hence A: ?P S n run  $\vee$  ?Q S A n run ..
  assume B: NonceS (S (Card n', n', run')) = None
  let ?S = S((Card n', n', run') := S (Card n', n', run'))
    (NonceS := Some s)
  show ?P ?S n run  $\vee$ 
    ( $\exists b. (b = s \vee \text{Pri-AgrK } b \in A) \wedge \text{ExtMapK } (?S (\text{User } m, n, \text{run})) = \text{Some } b)$ )
  proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
  add: B)
  qed (rule disjI2, simp add: fun-upd-apply, blast)
next
  fix evsR1 S A U s n' run'
  assume
    ?H evsR1  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
    ?H evsR1
  hence A: ?P S n run  $\vee$  ?Q S A n run ..
  assume B: NonceS (S (Card n', n', run')) = None
  let ?S = S((Card n', n', run') := S (Card n', n', run'))
    (NonceS := Some s)
  show ?P ?S n run  $\vee$  ?Q ?S A n run
  proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
  add: B)
  qed (rule disjI2, simp add: fun-upd-apply)
next
  fix evsC2 S A U s a n' run'
  assume
    ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
    ?H evsC2
  hence A: ?P S n run  $\vee$  ?Q S A n run ..
  let ?S = S((Spy, n', run') := S (Spy, n', run'))
    (NonceS := Some s, IntMapK := Some a)
  show ?P ?S n run  $\vee$ 
    ( $\exists b. (b = a \vee \text{Pri-AgrK } b \in A) \wedge \text{ExtMapK } (?S (\text{User } m, n, \text{run})) = \text{Some } b)$ )
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next

```

```

fix evsC2 S A U s a m' n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((User m', n', run') := S (User m', n', run')
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((Spy, n', run') := S (Spy, n', run')
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m' n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((User m', n', run') := S (User m', n', run')
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((Spy, n', run') := S (Spy, n', run')
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m' n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((User m', n', run') := S (User m', n', run')
  (NonceS := Some s, IntMapK := Some a))

```

```

show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m' n' run'
assume
  ?H evsC2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
let ?S = S((User m', n', run') := S (User m', n', run'))
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsR2 S A U a b n' run'
assume
  ?H evsR2  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsR2
hence A: ?P S n run  $\vee$  ?Q S A n run ..
assume B: IntMapK (S (Card n', n', run')) = None
let ?S = S((Card n', n', run') := S (Card n', n', run'))
  (IntMapK := Some b, ExtMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
add: B)
qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsC3 S A U b c m' n' run'
assume
  ?H evsC3  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC3
hence A: ?P S n run  $\vee$  ?Q S A n run ..
assume
  ExtMapK (S (User m', n', run')) = None and
  m' = 0
hence B: ExtMapK (S (Spy, n', run')) = None
by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (ExtMapK := Some b, IntAgrK := Some c))

```

```

show ?P ?S n run  $\vee$ 
  ( $\exists b. (b = c \vee \text{Pri-AgrK } b \in A) \wedge \text{ExtMapK } (?S (\text{User } m, n, \text{run})) = \text{Some } b$ )
proof (rule disjE [OF A], simp add: fun-upd-apply)
qed (rule disjI2, simp add: fun-upd-apply, rule conjI, rule impI, simp add: B,
blast)
next
fix evsC3 S A U b c m' n' run'
assume
  ?H evsC3  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsC3
hence A: ?P S n run  $\vee$  ?Q S A n run ..
assume B: ExtMapK (S (User m', n', run')) = None
let ?S = S((User m', n', run') := S (User m', n', run'))
  (ExtMapK := Some b, IntAgrK := Some c))
show ?P ?S n run  $\vee$  ?Q ?S A n run
proof (rule disjE [OF A], simp add: fun-upd-apply)
qed (rule disjI2, simp add: fun-upd-apply, rule impI, simp add: B)
next
fix evsR3 A U s a b c d n' run' X and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run'))
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
assume agrK f = agrK (d * (s + a * b))
with agrK-inj have f = d * (s + a * b)
by (rule injD)
moreover assume
  NonceS (S (Card n', n', run')) = Some s and
  IntMapK (S (Card n', n', run')) = Some b and
  ExtMapK (S (Card n', n', run')) = Some a and
  d  $\neq$  0 and
  s + a * b  $\neq$  0
ultimately show ?P ?S n' run'  $\vee$ 
  ( $\exists b. \text{Pri-AgrK } b \in A \wedge \text{ExtMapK } (?S (X, n', \text{run}')) = \text{Some } b$ )
by (simp add: fun-upd-apply)
next
fix evsR3 S A U s a b c d n' run'
assume
  ?H evsR3  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H evsR3
hence A: ?P S n run  $\vee$  ?Q S A n run ..
assume B: IntAgrK (S (Card n', n', run')) = None
let ?S = S((Card n', n', run') := S (Card n', n', run'))
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
show ?P ?S n run  $\vee$  ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
add: B)
qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsR3 A U s s' a b c d n' run' X and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run'))

```

```

  (IntAgrK := Some d, ExtAgrK := Some (c * (s' + a * b)))
assume agrK f = agrK (d * (s + a * b))
with agrK-inj have f = d * (s + a * b)
by (rule injD)
moreover assume
  NonceS (S (Card n', n', run')) = Some s and
  IntMapK (S (Card n', n', run')) = Some b and
  ExtMapK (S (Card n', n', run')) = Some a and
  d ≠ 0 and
  s + a * b ≠ 0
ultimately show ?P ?S n' run' ∨
  (∃ b. Pri-AgrK b ∈ A ∧ ExtMapK (?S (X, n', run')) = Some b)
by (simp add: fun-upd-apply)
next
fix evsR3 S A U s a b c d n' run'
assume
  ?H evsR3 → ?P S n run ∨ ?Q S A n run and
  ?H evsR3
hence A: ?P S n run ∨ ?Q S A n run ..
assume B: IntAgrK (S (Card n', n', run')) = None
let ?S = S((Card n', n', run') := S (Card n', n', run'))
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
show ?P ?S n run ∨ ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
add: B)
qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsC4 S A U f m' n' run'
assume
  ?H evsC4 → ?P S n run ∨ ?Q S A n run and
  ?H evsC4
hence A: ?P S n run ∨ ?Q S A n run ..
let ?S = S((User m', n', run') := S (User m', n', run'))
  (ExtAgrK := Some f))
show ?P ?S n run ∨ ?Q ?S A n run
by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
qed

declare fun-upd-apply [simp]

lemma pr-int-agrk-user-1 [rule-format]:
  (evs, S, A, U) ∈ protocol ⇒
  IntAgrK (S (User m, n, run)) = Some c →
  Pri-AgrK c ∈ U
by (erule protocol.induct, simp-all)

lemma pr-int-agrk-user-2 [rule-format]:
  (evs, S, A, U) ∈ protocol ⇒
  User m ≠ Spy →

```

$IntAgrK (S (User m, n, run)) = Some c \longrightarrow$
 $Pri-AgrK c \notin A$
proof (*erule protocol.induct, simp-all, rule-tac [3] conjI, (rule-tac [!] impI)+,*
rule-tac [2] impI, rule-tac [4] impI, rule-tac [!] notI, simp-all)
fix *evsR1 S A U s*
assume
 $(evsR1, S, A, U) \in protocol$ **and**
 $IntAgrK (S (User m, n, run)) = Some s$
hence $Pri-AgrK s \in U$
by (*rule pr-int-agrk-user-1*)
moreover assume $Pri-AgrK s \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsC2 S A U a*
assume
 $(evsC2, S, A, U) \in protocol$ **and**
 $IntAgrK (S (User m, n, run)) = Some a$
hence $Pri-AgrK a \in U$
by (*rule pr-int-agrk-user-1*)
moreover assume $Pri-AgrK a \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsC3 S A U*
assume $(evsC3, S, A, U) \in protocol$
hence $A \subseteq U$
by (*rule pr-analz-used*)
moreover assume $Pri-AgrK c \in A$
ultimately have $Pri-AgrK c \in U$..
moreover assume $Pri-AgrK c \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsC3 S A U c'*
assume
 $(evsC3, S, A, U) \in protocol$ **and**
 $IntAgrK (S (User m, n, run)) = Some c'$
hence $Pri-AgrK c' \in U$
by (*rule pr-int-agrk-user-1*)
moreover assume $Pri-AgrK c' \notin U$
ultimately show *False*
by *contradiction*
qed

lemma *pr-int-agrk-user-3 [rule-format]:*
 $(evs, S, A, U) \in protocol \implies$
 $NonceS (S (User m, n, run)) = Some s \longrightarrow$
 $IntMapK (S (User m, n, run)) = Some a \longrightarrow$

$ExtMapK (S (User\ m, n, run)) = Some\ b \longrightarrow$
 $IntAgrK (S (User\ m, n, run)) = Some\ c \longrightarrow$
 $c * (s + a * b) \neq 0$

proof (*erule protocol.induct, simp-all, rule conjI, (rule-tac [1-2] impI)+, (rule-tac [3] impI)+, simp-all*)
fix *evsC2 S A U n run m*
assume *A: (evsC2, S, A, U) ∈ protocol*
moreover assume $NonceS (S (User\ m, n, run)) = None$
ultimately have $IntMapK (S (User\ m, n, run)) = None$
by (*rule pr-state-1*)
with A have $ExtMapK (S (User\ m, n, run)) = None$
by (*rule pr-state-2*)
moreover assume $ExtMapK (S (User\ m, n, run)) = Some\ b$
ultimately show $c \neq 0 \wedge s + a * b \neq 0$
by *simp*

next
fix *evsC2 S A U n run m*
assume *A: (evsC2, S, A, U) ∈ protocol*
moreover assume $NonceS (S (User\ m, n, run)) = None$
ultimately have $IntMapK (S (User\ m, n, run)) = None$
by (*rule pr-state-1*)
with A have $ExtMapK (S (User\ m, n, run)) = None$
by (*rule pr-state-2*)
moreover assume $ExtMapK (S (User\ m, n, run)) = Some\ b$
ultimately show $c \neq 0 \wedge a \neq 0 \wedge b \neq 0$
by *simp*

qed

lemma *pr-int-agrk-card [rule-format]:*
 $(evs, S, A, U) \in protocol \implies$
 $NonceS (S (Card\ n, n, run)) = Some\ s \longrightarrow$
 $IntMapK (S (Card\ n, n, run)) = Some\ b \longrightarrow$
 $ExtMapK (S (Card\ n, n, run)) = Some\ a \longrightarrow$
 $IntAgrK (S (Card\ n, n, run)) = Some\ d \longrightarrow$
 $d * (s + a * b) \neq 0$

proof (*erule protocol.induct, simp-all, (rule-tac [!] impI)+, simp-all*)
fix *evsR1 S A U n run*
assume
 $(evsR1, S, A, U) \in protocol$ **and**
 $NonceS (S (Card\ n, n, run)) = None$
hence $IntMapK (S (Card\ n, n, run)) = None$
by (*rule pr-state-1*)
moreover assume $IntMapK (S (Card\ n, n, run)) = Some\ b$
ultimately show $d \neq 0 \wedge s + a * b \neq 0$
by *simp*

next
fix *evsR2 S A U n run*
assume *A: (evsR2, S, A, U) ∈ protocol and*
 $IntMapK (S (Card\ n, n, run)) = None$

hence $ExtMapK (S (Card\ n, n, run)) = None$
by $(rule\ pr-state-2)$
with A **have** $IntAgrK (S (Card\ n, n, run)) = None$
by $(rule\ pr-state-3)$
moreover assume $IntAgrK (S (Card\ n, n, run)) = Some\ d$
ultimately show $d \neq 0 \wedge s + a * b \neq 0$
by $simp$
qed

lemma $pr-ext-agrk-card$ $[rule-format]:$

$(evs, S, A, U) \in protocol \implies$
 $NonceS (S (Card\ n, n, run)) = Some\ s \longrightarrow$
 $IntMapK (S (Card\ n, n, run)) = Some\ b \longrightarrow$
 $ExtMapK (S (Card\ n, n, run)) = Some\ a \longrightarrow$
 $IntAgrK (S (Card\ n, n, run)) = Some\ d \longrightarrow$
 $ExtAgrK (S (Card\ n, n, run)) = Some\ (c * (s + a * b)) \longrightarrow$
 $Pri-AgrK\ c \notin A \longrightarrow$
 $Key\ (sesK\ (c * d * (s + a * b))) \notin A$
apply $(erule\ protocol.induct, simp-all\ add:\ pr-pri-agrk-analz)$
apply $(rule\ conjI)$
apply $(rule-tac\ [1-2]\ impI)+$
apply $(rule-tac\ [3]\ impI)+$
apply $(rule-tac\ [4]\ conjI, (rule-tac\ [4]\ impI)+)+$
apply $(erule-tac\ [4]\ conjE)+$
apply $(rule-tac\ [5]\ impI)$
apply $(erule-tac\ [5]\ conjE)+$
apply $(rule-tac\ [6]\ impI)+$
apply $(erule-tac\ [6]\ conjE)+$
apply $(rule-tac\ [6]\ notI)$
apply $((rule-tac\ [7]\ impI)+, (rule-tac\ [7]\ conjI)\ ?)+$
apply $(erule-tac\ [7]\ conjE)+$
apply $(rule-tac\ [8]\ impI)$
apply $(erule-tac\ [8]\ conjE)+$
apply $(rule-tac\ [9]\ impI)+$
apply $(rule-tac\ [9]\ notI)$
apply $(rule-tac\ [10]\ impI)+$
apply $(rule-tac\ [11]\ impI)+$
apply $(rule-tac\ [11]\ notI)$

proof $simp-all$

fix $evsR1\ S\ A\ U\ n\ run$

assume

$(evsR1, S, A, U) \in protocol$ **and**

$NonceS (S (Card\ n, n, run)) = None$

hence $IntMapK (S (Card\ n, n, run)) = None$

by $(rule\ pr-state-1)$

moreover assume $IntMapK (S (Card\ n, n, run)) = Some\ b$

ultimately show $Key\ (sesK\ (c * d * (s + a * b))) \notin A$

by $simp$

next


```

fix evsR1 S A U n run
assume
  (evsR1, S, A, U) ∈ protocol and
  NonceS (S (Card n, n, run)) = None
hence IntMapK (S (Card n, n, run)) = None
by (rule pr-state-1)
moreover assume IntMapK (S (Card n, n, run)) = Some b
ultimately show Key (sesK (c * d * (s + a * b))) ∉ A
by simp
next
fix evsR2 S A U n run
assume A: (evsR2, S, A, U) ∈ protocol and
  IntMapK (S (Card n, n, run)) = None
hence ExtMapK (S (Card n, n, run)) = None
by (rule pr-state-2)
with A have IntAgrK (S (Card n, n, run)) = None
by (rule pr-state-3)
moreover assume IntAgrK (S (Card n, n, run)) = Some d
ultimately show Key (sesK (c * d * (s + a * b))) ∉ A
by simp
next
fix evsR3 S A U s a' b' c' d'
assume
  (evsR3, S, A, U) ∈ protocol and
  IntAgrK (S (Card n, n, run)) = Some d and
  ExtAgrK (S (Card n, n, run)) = Some (c * (s + a * b))
hence Key (sesK (d * (c * (s + a * b)))) ∈ U
by (rule pr-sesk-card)
moreover have d * (c * (s + a * b)) = c * d * (s + a * b)
by simp
ultimately have Key (sesK (c * d * (s + a * b))) ∈ U
by simp
moreover assume sesK (c * d * (s + a * b)) = sesK (c' * d' * (s + a' * b'))
ultimately have Key (sesK (c' * d' * (s + a' * b'))) ∈ U
by simp
moreover assume Key (sesK (c' * d' * (s + a' * b'))) ∉ U
ultimately show False
by contradiction
next
fix evsR3 S A U s' a' b' c' d'
assume
  (evsR3, S, A, U) ∈ protocol and
  IntAgrK (S (Card n, n, run)) = Some d and
  ExtAgrK (S (Card n, n, run)) = Some (c * (s + a * b))
hence Key (sesK (d * (c * (s + a * b)))) ∈ U
by (rule pr-sesk-card)
moreover have d * (c * (s + a * b)) = c * d * (s + a * b)
by simp
ultimately have Key (sesK (c * d * (s + a * b))) ∈ U

```

by *simp*
 moreover assume $\text{sesK } (c * d * (s + a * b)) = \text{sesK } (c' * d' * (s' + a' * b'))$
 ultimately have $\text{Key } (\text{sesK } (c' * d' * (s' + a' * b'))) \in U$
 by *simp*
 moreover assume $\text{Key } (\text{sesK } (c' * d' * (s' + a' * b'))) \notin U$
 ultimately show *False*
 by *contradiction*
next
 fix *evsR3* $S A U s' c'$
 assume $(\text{evsR3}, S, A, U) \in \text{protocol}$
 hence $A \subseteq U$
 by *(rule pr-analz-used)*
 moreover assume $\text{Key } (\text{sesK } (c' * d * (s' + a * b))) \notin U$
 ultimately have $\text{Key } (\text{sesK } (c' * d * (s' + a * b))) \notin A$
 by *(rule contra-subsetD)*
 moreover assume $c' * (s' + a * b) = c * (s + a * b)$
 hence $c' * d * (s' + a * b) = c * d * (s + a * b)$
 by *simp*
 ultimately show $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin A$
 by *simp*
next
 fix *evsFR3* $S A U s' a' b' c' d'$
 assume
 $(\text{evsFR3}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } (c * (s + a * b))$
 hence $\text{Key } (\text{sesK } (d * (c * (s + a * b)))) \in U$
 by *(rule pr-sesk-card)*
 moreover have $d * (c * (s + a * b)) = c * d * (s + a * b)$
 by *simp*
 ultimately have $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
 by *simp*
 moreover assume $\text{sesK } (c * d * (s + a * b)) = \text{sesK } (c' * d' * (s' + a' * b'))$
 ultimately have $\text{Key } (\text{sesK } (c' * d' * (s' + a' * b'))) \in U$
 by *simp*
 moreover assume $\text{Key } (\text{sesK } (c' * d' * (s' + a' * b'))) \notin U$
 ultimately show *False*
 by *contradiction*
qed

declare *fun-upd-apply* [*simp del*]

lemma *pr-sesk-user-3* [*rule-format*]:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\{\text{Key } (\text{sesK } K), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \text{run}\} \in U \implies$
 $\text{Key } (\text{sesK } K) \in A \implies$
 $(\exists d e. K = d * e \wedge$
 $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d \wedge$
 $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e) \vee$

$(\exists b. \text{Pri-AgrK } b \in A \wedge$
 $\text{ExtMapK } (S (\text{User } m, n, \text{run})) = \text{Some } b)$
 $(\text{is } - \implies ?H1 \ U \longrightarrow ?H2 \ A \longrightarrow ?P \ S \ n \ \text{run} \vee ?Q \ S \ A \ n \ \text{run})$
apply (*erule protocol.induct, simp-all add: pr-pri-agrk-analz, blast*)
apply (*rule conjI*)
apply (*rule-tac [1-2] impI*)+
apply (*rule-tac [3] conjI, (rule-tac [3] impI)*)+
apply (*rule-tac [4] impI*)+
apply (*(rule-tac [5] impI)*+, (*rule-tac [5] conjI*)?) +
apply (*rule-tac [6] impI*)+
apply (*(rule-tac [7] impI)*+, (*rule-tac [7] conjI*)?) +
apply (*rule-tac [8] impI*)+
apply (*(rule-tac [9] impI)*+, (*rule-tac [9] conjI*)?) +
apply (*rule-tac [10] impI*)+
apply (*rule-tac [11] impI*)+
apply (*rule-tac [12] conjI, (rule-tac [12] impI)*)+
apply (*rule-tac [13] impI*)+
apply (*rule-tac [14] conjI, (rule-tac [14] impI)*)+
apply (*erule-tac [14] conjE*)+
apply (*(rule-tac [15] impI)*+, (*rule-tac [15] conjI*)?) +
apply (*rule-tac [16] impI*)+
apply (*(rule-tac [17] impI)*+, (*rule-tac [17] conjI*)?) +
apply (*rule-tac [18-20] impI*)+

proof –

fix *evsR1 S A U s n' run'*

assume

?H1 U \longrightarrow *?H2 A* \longrightarrow *?P S n run* \vee *?Q S A n run* **and**

?H1 U **and**

?H2 A

hence *A*: *?P S n run* \vee *?Q S A n run*

by *simp*

let *?S* = $S((\text{Card } n', n', \text{run}') := S (\text{Card } n', n', \text{run}'))$

(*NonceS* := *Some s*)

show *?P ?S n run* \vee

$(\exists b. (b = s \vee \text{Pri-AgrK } b \in A) \wedge \text{ExtMapK } (?S (\text{User } m, n, \text{run})) = \text{Some } b)$

proof (*rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp*)

qed (*rule disjI2, simp add: fun-upd-apply, blast*)

next

fix *evsR1 S A U s n' run'*

assume

?H1 U \longrightarrow *?H2 A* \longrightarrow *?P S n run* \vee *?Q S A n run* **and**

?H1 U **and**

?H2 A

hence *A*: *?P S n run* \vee *?Q S A n run*

by *simp*

let *?S* = $S((\text{Card } n', n', \text{run}') := S (\text{Card } n', n', \text{run}'))$

(*NonceS* := *Some s*)

show *?P ?S n run* \vee *?Q ?S A n run*

proof (*rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp*)

```

qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsC2 S A U s a n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
let ?S = S((User m, n', run') := S (User m, n', run'))
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
let ?S = S((User m, n', run') := S (User m, n', run'))
  (NonceS := Some s, IntMapK := Some a))

```

```

show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
  by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (NonceS := Some s, IntMapK := Some a)
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
  by simp
let ?S = S((User m, n', run') := S (User m, n', run'))
  (NonceS := Some s, IntMapK := Some a)
show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
  by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (NonceS := Some s, IntMapK := Some a)
show ?P ?S n run  $\vee$ 
  ( $\exists$  b. (b = a  $\vee$  Pri-AgrK b  $\in$  A)  $\wedge$  ExtMapK (?S (User m, n, run)) = Some b)
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsC2 S A U s a m n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
  by simp
let ?S = S((User m, n', run') := S (User m, n', run'))

```

```

  (NonceS := Some s, IntMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
  by (rule disjE [OF A], simp-all add: fun-upd-apply, blast)
next
fix evsR2 S A U a b n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
let ?S = S((Card n', n', run') := S (Card n', n', run'))
  (IntMapK := Some b, ExtMapK := Some a))
show ?P ?S n run  $\vee$  ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp)
qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsC3 S A U b c m' n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
assume
  ExtMapK (S (User m', n', run')) = None and
  m' = 0
hence B: ExtMapK (S (Spy, n', run')) = None
by simp
let ?S = S((Spy, n', run') := S (Spy, n', run'))
  (ExtMapK := Some b, IntAgrK := Some c))
show ?P ?S n run  $\vee$ 
  ( $\exists b. (b = c \vee \text{Pri-AgrK } b \in A) \wedge \text{ExtMapK } (?S (\text{User } m, n, \text{run})) = \text{Some } b$ )
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply)
qed (rule disjI2, simp add: fun-upd-apply, rule conjI, rule impI, simp add: B,
blast)
next
fix evsC3 S A U b c m' n' run'
assume
  ?H1 U  $\longrightarrow$  ?H2 A  $\longrightarrow$  ?P S n run  $\vee$  ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run  $\vee$  ?Q S A n run
by simp
assume B: ExtMapK (S (User m', n', run')) = None
let ?S = S((User m', n', run') := S (User m', n', run'))
  (ExtMapK := Some b, IntAgrK := Some c))
show ?P ?S n run  $\vee$  ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply)

```

```

qed (rule disjI2, simp add: fun-upd-apply, rule impI, simp add: B)
next
fix evsR3 A s a b c d n' run' X and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run')
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
assume sesK K = sesK (c * d * (s + a * b))
with sesK-inj have K = c * d * (s + a * b)
by (rule injD)
thus ?P ?S n' run' ∨
  (∃ b. Pri-AgrK b ∈ A ∧ ExtMapK (?S (X, n', run')) = Some b)
by (simp add: fun-upd-apply)
next
fix evsR3 A U s a b c d n' run' and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run')
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
assume sesK K = sesK (c * d * (s + a * b))
with sesK-inj have K = c * d * (s + a * b)
by (rule injD)
moreover assume Key (sesK (c * d * (s + a * b))) ∉ U
ultimately have Key (sesK K) ∉ U
by simp
moreover assume
  (evsR3, S, A, U) ∈ protocol and
  {Key (sesK K), Agent (User m), Number n, Number run} ∈ U
hence Key (sesK K) ∈ U
by (rule pr-sesk-user-2)
ultimately show ?P ?S n run ∨ ?Q ?S A n run
by contradiction
next
fix evsR3 S A U s a b c d n' run'
assume
  ?H1 U → ?H2 A → ?P S n run ∨ ?Q S A n run and
  ?H1 U and
  ?H2 A
hence A: ?P S n run ∨ ?Q S A n run
by simp
assume B: IntAgrK (S (Card n', n', run')) = None
let ?S = S((Card n', n', run') := S (Card n', n', run')
  (IntAgrK := Some d, ExtAgrK := Some (c * (s + a * b)))
show ?P ?S n run ∨ ?Q ?S A n run
proof (rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp
add: B)
qed (rule disjI2, simp add: fun-upd-apply)
next
fix evsR3 A U s s' a b c d n' run' X and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run')
  (IntAgrK := Some d, ExtAgrK := Some (c * (s' + a * b)))
assume (evsR3, S, A, U) ∈ protocol
hence A ⊆ U

```

by (*rule pr-analz-used*)
moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \in A$
ultimately have $\text{Key} (\text{sesK} (c * d * (s + a * b))) \in U$..
moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$
ultimately show $?P ?S n' run' \vee$
 $(\exists b. \text{Pri-AgrK } b \in A \wedge \text{ExtMapK} (?S (X, n', run')) = \text{Some } b)$
by contradiction
next
fix *evsR3 S A U s a b c d n' run'*
assume
 $?H1 U \longrightarrow ?H2 A \longrightarrow ?P S n run \vee ?Q S A n run$ **and**
 $?H1 U$ **and**
 $?H2 A$
hence $A: ?P S n run \vee ?Q S A n run$
by simp
assume $B: \text{IntAgrK} (S (\text{Card } n', n', run')) = \text{None}$
let $?S = S((\text{Card } n', n', run') := S (\text{Card } n', n', run'))$
 $(\text{IntAgrK} := \text{Some } d, \text{ExtAgrK} := \text{Some} (c * (s + a * b)))$
show $?P ?S n run \vee ?Q ?S A n run$
proof (*rule disjE [OF A], rule disjI1, simp add: fun-upd-apply, rule impI, simp*
add: B)
qed (*rule disjI2, simp add: fun-upd-apply*)
next
fix *evsFR3 A U s a b c d n' run' and S :: state*
assume $\text{sesK } K = \text{sesK} (c * d * (s + a * b))$
with *sesK-inj* **have** $K = c * d * (s + a * b)$
by (*rule injD*)
moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$
ultimately have $\text{Key} (\text{sesK } K) \notin U$
by simp
moreover assume
 $(\text{evsFR3}, S, A, U) \in \text{protocol}$ **and**
 $\{\{\text{Key} (\text{sesK } K), \text{Agent} (\text{User } m), \text{Number } n, \text{Number } run\}\} \in U$
hence $\text{Key} (\text{sesK } K) \in U$
by (*rule pr-sesk-user-2*)
ultimately show $?P S n run \vee ?Q S A n run$
by contradiction
next
fix *evsC4 S A U f m' n' run'*
assume
 $?H1 U \longrightarrow ?H2 A \longrightarrow ?P S n run \vee ?Q S A n run$ **and**
 $?H1 U$ **and**
 $?H2 A$
hence $A: ?P S n run \vee ?Q S A n run$
by simp
let $?S = S((\text{User } m', n', run') := S (\text{User } m', n', run'))$
 $(\text{ExtAgrK} := \text{Some } f)$
show $?P ?S n run \vee ?Q ?S A n run$
by (*rule disjE [OF A], simp-all add: fun-upd-apply, blast*)

qed

declare fun-upd-apply [simp]

lemma pr-sesk-auth [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ protocol ⇒
Crypt (sesK *K*) {pubAK *e*, Auth-Data *x y*, pubAK *g*, Crypt (priSK *CA*) (Hash
(pubAK *g*))} ∈ parts (A ∪ spies *evs*) →
Key (sesK *K*) ∈ U

proof (erule protocol.induct, subst parts-simp, (simp, blast)+,
simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair,
rule-tac [!] impI)

fix *evsR4 S A U n run d e*

assume

(*evsR4*, *S*, *A*, *U*) ∈ protocol and
IntAgrK (S (Card *n*, *n*, run)) = Some *d* and
ExtAgrK (S (Card *n*, *n*, run)) = Some *e*

thus Key (sesK (d * e)) ∈ U

by (rule pr-sesk-card)

next

fix *evsFR4 S A U m n run c f*

assume *A*: (*evsFR4*, *S*, *A*, *U*) ∈ protocol and

IntAgrK (S (User *m*, *n*, run)) = Some *c* and
ExtAgrK (S (User *m*, *n*, run)) = Some *f*

hence {Key (sesK (c * f)), Agent (User *m*), Number *n*, Number run} ∈ U

by (rule pr-sesk-user-1)

with *A* show Key (sesK (c * f)) ∈ U

by (rule pr-sesk-user-2)

qed

lemma pr-sesk-passwd [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ protocol ⇒
Says *n* run 5 *X* (Card *n*) (Crypt (sesK *K*) (Passwd *m*)) ∈ set *evs* →
Key (sesK *K*) ∈ U

proof (erule protocol.induct, simp-all, rule-tac [!] impI)

fix *evsC5 S A U m n run s a b c f g X*

assume (*evsC5*, *S*, *A*, *U*) ∈ protocol

moreover assume Says *n* run 4 *X* (User *m*) (Crypt (sesK (c * f))

{pubAK (c * (s + a * b)), Auth-Data *g b*, pubAK *g*,
Crypt (priSK *CA*) (Hash (pubAK *g*))}) ∈ set *evsC5*

(is Says - - - - ?*M* ∈ -)

hence ?*M* ∈ spies *evsC5*

by (rule set-spies)

hence ?*M* ∈ A ∪ spies *evsC5* ..

hence ?*M* ∈ parts (A ∪ spies *evsC5*)

by (rule parts.Inj)

ultimately show Key (sesK (c * f)) ∈ U

by (rule pr-sesk-auth)

```

next
  fix evsFC5 S A U n run d e
  assume
    (evsFC5, S, A, U) ∈ protocol and
    IntAgrK (S (Card n, n, run)) = Some d and
    ExtAgrK (S (Card n, n, run)) = Some e
  thus Key (sesK (d * e)) ∈ U
  by (rule pr-sesk-card)
qed

lemma pr-sesk-card-user [rule-format]:
  (evs, S, A, U) ∈ protocol ⇒
    User m ≠ Spy →
    NonceS (S (User m, n, run)) = Some s →
    IntMapK (S (User m, n, run)) = Some a →
    ExtMapK (S (User m, n, run)) = Some b →
    IntAgrK (S (User m, n, run)) = Some c →
    NonceS (S (Card n, n, run)) = Some s' →
    IntMapK (S (Card n, n, run)) = Some b' →
    ExtMapK (S (Card n, n, run)) = Some a' →
    IntAgrK (S (Card n, n, run)) = Some d →
    ExtAgrK (S (Card n, n, run)) = Some (c * (s + a * b)) →
    s' + a' * b' = s + a * b →
    Key (sesK (c * d * (s + a * b))) ∉ A
apply (erule protocol.induct, rule-tac [!] impI, simp-all add: pr-pri-agrk-analz)
  apply (rule impI)+
  apply (rule-tac [2] impI)
  apply (rule-tac [2] conjI)
  apply (rule-tac [2-3] impI)+
  apply (rule-tac [4] impI)+
  apply (rule-tac [5] impI)+
  apply (rule-tac [6] conjI, (rule-tac [6] impI))+
  apply (rule-tac [6] conjI)
  apply (erule-tac [6] conjE)+
  apply (rule-tac [8] impI)+
  apply (rule-tac [8] notI)
  apply (rule-tac [9] impI, rule-tac [9] conjI)+
  apply (rule-tac [9] impI)+
  apply (rule-tac [10] impI)+
  apply (rule-tac [10] notI)
  apply (rule-tac [11] impI)+
  apply (rule-tac [12] impI)+
  apply (rule-tac [12] notI)
proof simp-all
  fix evsR1 S A U n run
  assume (evsR1, S, A, U) ∈ protocol and
    NonceS (S (Card n, n, run)) = None
  hence IntMapK (S (Card n, n, run)) = None
  by (rule pr-state-1)

```

moreover assume $\text{IntMapK } (S \text{ (Card } n, n, \text{run})) = \text{Some } b'$
ultimately show $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin A$
by *simp*

next

fix $\text{evsC2 } S \ A \ U \ m \ n \ \text{run}$
assume $A: (\text{evsC2}, S, A, U) \in \text{protocol}$
moreover assume $\text{NonceS } (S \text{ (User } m, n, \text{run})) = \text{None}$
ultimately have $\text{IntMapK } (S \text{ (User } m, n, \text{run})) = \text{None}$
by (*rule pr-state-1*)
with A **have** $\text{ExtMapK } (S \text{ (User } m, n, \text{run})) = \text{None}$
by (*rule pr-state-2*)
moreover assume $\text{ExtMapK } (S \text{ (User } m, n, \text{run})) = \text{Some } b$
ultimately show $\text{Key } (\text{sesK } (c * d * (a * b))) \notin A$
by *simp*

next

fix $\text{evsC2 } S \ A \ U \ m \ n \ \text{run}$
assume $A: (\text{evsC2}, S, A, U) \in \text{protocol}$
moreover assume $\text{NonceS } (S \text{ (User } m, n, \text{run})) = \text{None}$
ultimately have $\text{IntMapK } (S \text{ (User } m, n, \text{run})) = \text{None}$
by (*rule pr-state-1*)
with A **have** $\text{ExtMapK } (S \text{ (User } m, n, \text{run})) = \text{None}$
by (*rule pr-state-2*)
moreover assume $\text{ExtMapK } (S \text{ (User } m, n, \text{run})) = \text{Some } b$
ultimately show $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin A$
by *simp*

next

fix $\text{evsR2 } S \ A \ U \ n \ \text{run}$
assume $A: (\text{evsR2}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntMapK } (S \text{ (Card } n, n, \text{run})) = \text{None}$
hence $\text{ExtMapK } (S \text{ (Card } n, n, \text{run})) = \text{None}$
by (*rule pr-state-2*)
with A **have** $\text{IntAgrK } (S \text{ (Card } n, n, \text{run})) = \text{None}$
by (*rule pr-state-3*)
moreover assume $\text{IntAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } d$
ultimately show $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin A$
by *simp*

next

fix $\text{evsC3 } S \ A \ U \ n \ \text{run}$
assume $A: (\text{evsC3}, S, A, U) \in \text{protocol}$ **and**
 $\text{NonceS } (S \text{ (Card } n, n, \text{run})) = \text{Some } s'$ **and**
 $\text{IntMapK } (S \text{ (Card } n, n, \text{run})) = \text{Some } b'$ **and**
 $\text{ExtMapK } (S \text{ (Card } n, n, \text{run})) = \text{Some } a'$ **and**
 $\text{IntAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } d$
moreover assume $B: s' + a' * b' = s + a * b$ **and**
 $\text{ExtAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } (c * (s + a * b))$
hence $\text{ExtAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } (c * (s' + a' * b'))$
by *simp*
moreover assume $C: \text{Pri-AgrK } c \notin U$
have $A \subseteq U$

```

    using A by (rule pr-analz-used)
  hence Pri-AgrK c  $\notin$  A
    using C by (rule contra-subsetD)
  ultimately have Key (sesK (c * d * (s' + a' * b')))  $\notin$  A
    by (rule pr-ext-agrk-card)
  thus Key (sesK (c * d * (s + a * b)))  $\notin$  A
    using B by simp
next
fix evsR3 S A U n run
assume (evsR3, S, A, U)  $\in$  protocol
moreover assume 0 < m
hence User m  $\neq$  Spy
  by simp
moreover assume IntAgrK (S (User m, n, run)) = Some c
ultimately have Pri-AgrK c  $\notin$  A
  by (rule pr-int-agrk-user-2)
moreover assume Pri-AgrK c  $\in$  A
ultimately show False
  by contradiction
next
fix evsR3 S A U
assume (evsR3, S, A, U)  $\in$  protocol
hence A  $\subseteq$  U
  by (rule pr-analz-used)
moreover assume Key (sesK (c * d * (s + a * b)))  $\notin$  U
ultimately show Key (sesK (c * d * (s + a * b)))  $\notin$  A
  by (rule contra-subsetD)
next
fix evsR3 S A U s' a' b' c' d'
assume
  (evsR3, S, A, U)  $\in$  protocol and
  IntAgrK (S (Card n, n, run)) = Some d and
  ExtAgrK (S (Card n, n, run)) = Some (c * (s + a * b))
hence Key (sesK (d * (c * (s + a * b))))  $\in$  U
  by (rule pr-sesk-card)
moreover have d * (c * (s + a * b)) = c * d * (s + a * b)
  by simp
ultimately have Key (sesK (c * d * (s + a * b)))  $\in$  U
  by simp
moreover assume sesK (c * d * (s + a * b)) = sesK (c' * d' * (s' + a' * b'))
ultimately have Key (sesK (c' * d' * (s' + a' * b')))  $\in$  U
  by simp
moreover assume Key (sesK (c' * d' * (s' + a' * b')))  $\notin$  U
ultimately show False
  by simp
next
fix evsR3 S A U s' a' b' c' d'
assume
  (evsR3, S, A, U)  $\in$  protocol and

```

$IntAgrK (S (Card\ n, n, run)) = Some\ d$ **and**
 $ExtAgrK (S (Card\ n, n, run)) = Some\ (c * (s + a * b))$
hence $Key (sesK (d * (c * (s + a * b)))) \in U$
by (rule pr-sesk-card)
moreover have $d * (c * (s + a * b)) = c * d * (s + a * b)$
by simp
ultimately have $Key (sesK (c * d * (s + a * b))) \in U$
by simp
moreover assume $sesK (c * d * (s + a * b)) = sesK (c' * d' * (s' + a' * b'))$
ultimately have $Key (sesK (c' * d' * (s' + a' * b'))) \in U$
by simp
moreover assume $Key (sesK (c' * d' * (s' + a' * b'))) \notin U$
ultimately show False
by simp
next
fix $evsR3\ S\ A\ U\ s'\ c'$
assume $(evsR3, S, A, U) \in protocol$
hence $A \subseteq U$
by (rule pr-analz-used)
moreover assume $Key (sesK (c' * d * (s' + a' * b'))) \notin U$
ultimately have $Key (sesK (c' * d * (s' + a' * b'))) \notin A$
by (rule contra-subsetD)
moreover assume $c' * (s' + a' * b') = c * (s + a * b)$
hence $c' * d * (s' + a' * b') = c * d * (s + a * b)$
by simp
ultimately show $Key (sesK (c * d * (s + a * b))) \notin A$
by simp
next
fix $evsFR3\ S\ A\ U\ s'\ a'\ b'\ c'\ d'$
assume
 $(evsFR3, S, A, U) \in protocol$ **and**
 $IntAgrK (S (Card\ n, n, run)) = Some\ d$ **and**
 $ExtAgrK (S (Card\ n, n, run)) = Some\ (c * (s + a * b))$
hence $Key (sesK (d * (c * (s + a * b)))) \in U$
by (rule pr-sesk-card)
moreover have $d * (c * (s + a * b)) = c * d * (s + a * b)$
by simp
ultimately have $Key (sesK (c * d * (s + a * b))) \in U$
by simp
moreover assume $sesK (c * d * (s + a * b)) = sesK (c' * d' * (s' + a' * b'))$
ultimately have $Key (sesK (c' * d' * (s' + a' * b'))) \in U$
by simp
moreover assume $Key (sesK (c' * d' * (s' + a' * b'))) \notin U$
ultimately show False
by simp
qed

lemma pr-sign-key-used:

$(evs, S, A, U) \in protocol \implies Key (priSK\ X) \in U$

by (erule protocol.induct, simp-all)

lemma pr-sign-key-analz:

(evs, S, A, U) ∈ protocol ⇒ Key (priSK X) ∉ analz (A ∪ spies evs)

proof (simp add: pr-key-analz, erule protocol.induct,

auto simp add: priSK-pubSK priSK-symK)

fix evsR3 S A U s a b c d

assume (evsR3, S, A, U) ∈ protocol

hence Key (priSK X) ∈ U

by (rule pr-sign-key-used)

moreover assume priSK X = sesK (c * d * (s + a * b))

ultimately have Key (sesK (c * d * (s + a * b))) ∈ U

by simp

moreover assume Key (sesK (c * d * (s + a * b))) ∉ U

ultimately show False

by contradiction

next

fix evsFR3 S A U s a b c d

assume (evsFR3, S, A, U) ∈ protocol

hence Key (priSK X) ∈ U

by (rule pr-sign-key-used)

moreover assume priSK X = sesK (c * d * (s + a * b))

ultimately have Key (sesK (c * d * (s + a * b))) ∈ U

by simp

moreover assume Key (sesK (c * d * (s + a * b))) ∉ U

ultimately show False

by contradiction

qed

lemma pr-auth-data-parts [rule-format]:

(evs, S, A, U) ∈ protocol ⇒

Auth-Data (priAK n) b ∈ parts (A ∪ spies evs) →

(∃ m run. IntMapK (S (Card m, m, run)) = Some b)

(is - ⇒ ?M ∈ - → -)

apply (erule protocol.induct, simp, subst parts-simp, simp, blast+, simp-all

add: parts-simp-insert parts-auth-data parts-crypt parts-mpair del: fun-upd-apply)

apply (rule impI)

apply ((rule-tac [2] conjI)?, rule-tac [2] impI)+

apply (rule-tac [3] impI)+

apply (rule-tac [4] impI, (rule-tac [4] conjI)?)+

apply (rule-tac [5] impI)+

apply (rule-tac [6] impI, (rule-tac [6] conjI)?)+

apply (rule-tac [7] impI)+

apply (rule-tac [8] impI, (rule-tac [8] conjI)?)+

apply (rule-tac [9] impI)+

apply (rule-tac [10] impI)

apply (rule-tac [11] conjI)

apply (rule-tac [11–12] impI)+

apply (rule-tac [13] conjI)

```

      apply (rule-tac [13-14] impI)+
      apply (rule-tac [15-17] impI)
      apply (erule-tac [17] conjE)
proof –
  fix evsR1 A n' run' s and S :: state
  let ?S = S((Card n', n', run') := S (Card n', n', run')
    (NonceS := Some s))
  assume
    ?M ∈ parts (A ∪ spies evsR1) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsR1)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
  by (rule-tac x = m in exI, rule-tac x = run in exI, simp, blast)
next
  fix evsC2 A n' run' s a and S :: state
  let ?S = S((Spy, n', run') := S (Spy, n', run')
    (NonceS := Some s, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
  by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' m' s a and S :: state
  let ?S = S((User m', n', run') := S (User m', n', run')
    (NonceS := Some s, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
  by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' s a and S :: state
  let ?S = S((Spy, n', run') := S (Spy, n', run')
    (NonceS := Some s, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and

```

```

    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
    by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
    by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' m' a and S :: state
  let ?S = S((User m', n', run') := S (User m', n', run'))
    (NonceS := Some 0, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
    by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
    by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' s a and S :: state
  let ?S = S((Spy, n', run') := S (Spy, n', run'))
    (NonceS := Some s, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
    by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
    by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' m' s a and S :: state
  let ?S = S((User m', n', run') := S (User m', n', run'))
    (NonceS := Some s, IntMapK := Some a))
  assume
    ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
    ?M ∈ parts (A ∪ spies evsC2)
  hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
  then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
    by blast
  thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
    by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
  fix evsC2 A n' run' a and S :: state
  let ?S = S((Spy, n', run') := S (Spy, n', run'))
    (NonceS := Some 0, IntMapK := Some a))

```



```

assume
  ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
  ?M ∈ parts (A ∪ spies evsC2)
hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
  by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
fix evsC2 A n' run' m' a and S :: state
let ?S = S((User m', n', run') := S (User m', n', run')
  (NonceS := Some 0, IntMapK := Some a))
assume
  ?M ∈ parts (A ∪ spies evsC2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
  ?M ∈ parts (A ∪ spies evsC2)
hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
  by (rule-tac x = m in exI, rule-tac x = run in exI, simp)
next
fix evsR2 A n' run' a b' and S :: state
let ?S = S((Card n', n', run') := S (Card n', n', run')
  (IntMapK := Some b', ExtMapK := Some a))
assume
  ?M ∈ parts (A ∪ spies evsR2) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
  ?M ∈ parts (A ∪ spies evsR2)
hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
moreover assume IntMapK (S (Card n', n', run')) = None
ultimately show ∃ m run. IntMapK (?S (Card m, m, run)) = Some b
proof (rule-tac x = m in exI, rule-tac x = run in exI, simp)
qed (rule impI, simp)
next
fix evsC3 A n' run' b' c and S :: state
let ?S = S((Spy, n', run') := S (Spy, n', run')
  (ExtMapK := Some b', IntAgrK := Some c))
assume
  ?M ∈ parts (A ∪ spies evsC3) ⟶
    (∃ m run. IntMapK (S (Card m, m, run)) = Some b) and
  ?M ∈ parts (A ∪ spies evsC3)
hence ∃ m run. IntMapK (S (Card m, m, run)) = Some b ..
then obtain m and run where IntMapK (S (Card m, m, run)) = Some b
  by blast
thus ∃ m run. IntMapK (?S (Card m, m, run)) = Some b

```

by (*rule-tac* $x = m$ **in** exI , *rule-tac* $x = run$ **in** exI , *simp*)
next
fix $evsC3$ A n' run' b' c m **and** $S :: state$
let $?S = S((User\ m,\ n',\ run') := S\ (User\ m,\ n',\ run')$
 $(ExtMapK := Some\ b',\ IntAgrK := Some\ c))$
assume
 $?M \in parts\ (A \cup spies\ evsC3) \longrightarrow$
 $(\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b)$ **and**
 $?M \in parts\ (A \cup spies\ evsC3)$
hence $\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b ..$
then obtain m **and** run **where** $IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b$
by *blast*
thus $\exists m\ run.\ IntMapK\ (?S\ (Card\ m,\ m,\ run)) = Some\ b$
by (*rule-tac* $x = m$ **in** exI , *rule-tac* $x = run$ **in** exI , *simp*)
next
fix $evsR3$ A n' run' s a b' c d **and** $S :: state$
let $?S = S((Card\ n',\ n',\ run') := S\ (Card\ n',\ n',\ run')$
 $(IntAgrK := Some\ d,\ ExtAgrK := Some\ (c * (s + a * b'))))$
assume
 $?M \in parts\ (A \cup spies\ evsR3) \longrightarrow$
 $(\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b)$ **and**
 $?M \in parts\ (A \cup spies\ evsR3)$
hence $\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b ..$
then obtain m **and** run **where** $IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b$
by *blast*
thus $\exists m\ run.\ IntMapK\ (?S\ (Card\ m,\ m,\ run)) = Some\ b$
by (*rule-tac* $x = m$ **in** exI , *rule-tac* $x = run$ **in** exI , *simp*, *blast*)
next
fix $evsR3$ A n' run' s a b' c d **and** $S :: state$
let $?S = S((Card\ n',\ n',\ run') := S\ (Card\ n',\ n',\ run')$
 $(IntAgrK := Some\ d,\ ExtAgrK := Some\ (c * (s + a * b'))))$
assume
 $?M \in parts\ (A \cup spies\ evsR3) \longrightarrow$
 $(\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b)$ **and**
 $?M \in parts\ (A \cup spies\ evsR3)$
hence $\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b ..$
then obtain m **and** run **where** $IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b$
by *blast*
thus $\exists m\ run.\ IntMapK\ (?S\ (Card\ m,\ m,\ run)) = Some\ b$
by (*rule-tac* $x = m$ **in** exI , *rule-tac* $x = run$ **in** exI , *simp*, *blast*)
next
fix $evsC4$ A n' run' c f m **and** $S :: state$
let $?S = S((User\ m,\ n',\ run') := S\ (User\ m,\ n',\ run')(ExtAgrK := Some\ f))$
assume
 $?M \in parts\ (A \cup spies\ evsC4) \longrightarrow$
 $(\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b)$ **and**
 $?M \in parts\ (A \cup spies\ evsC4)$
hence $\exists m\ run.\ IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b ..$
then obtain m **and** run **where** $IntMapK\ (S\ (Card\ m,\ m,\ run)) = Some\ b$

```

by blast
thus  $\exists m \text{ run. IntMapK } (?S \text{ (Card } m, m, \text{run})) = \text{Some } b$ 
by (rule-tac  $x = m$  in  $exI$ , rule-tac  $x = \text{run}$  in  $exI$ , simp)
next
fix  $evsR4 \ n' \ \text{run}' \ b'$  and  $S :: \text{state}$ 
assume  $\text{IntMapK } (S \text{ (Card } n', n', \text{run}')) = \text{Some } b'$ 
thus  $\exists m \text{ run. IntMapK } (S \text{ (Card } m, m, \text{run})) = \text{Some } b'$ 
by blast
next
fix  $evsFR4 \ A \ U \ s \ a \ b' \ c \ f \ g$  and  $S :: \text{state}$ 
assume
  A:  $?M \in \text{parts } (A \cup \text{spies } evsFR4) \longrightarrow$ 
     $(\exists m \text{ run. IntMapK } (S \text{ (Card } m, m, \text{run})) = \text{Some } b)$  and
  B:  $(evsFR4, S, A, U) \in \text{protocol}$  and
  C:  $\text{Crypt } (sesK \ (c * f))$ 
     $\{pubAK \ (c * (s + a * b')), \text{Auth-Data } g \ b', \text{pubAK } g,$ 
     $\text{Crypt } (priSK \ CA) \ (\text{Hash } (pubAK \ g))\} \in \text{synth } (\text{analz } (A \cup \text{spies } evsFR4))$ 
    (is  $\text{Crypt} - ?M' \in \text{synth } (\text{analz } ?A)$  and
  D:  $priAK \ n = g$  and
  E:  $b = b'$ 
show  $\exists m \text{ run. IntMapK } (S \text{ (Card } m, m, \text{run})) = \text{Some } b'$ 
proof -
have  $\text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{analz } ?A \vee$ 
   $?M' \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (sesK \ (c * f)) \in \text{analz } ?A$ 
using C by (rule synth-crypt)
moreover {
  assume  $\text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{analz } ?A$ 
  hence  $\text{Crypt } (sesK \ (c * f)) \ ?M' \in \text{parts } ?A$ 
by (rule subsetD [OF analz-parts-subset])
  hence  $?M' \in \text{parts } ?A$ 
by (rule parts.Body)
  hence  $\{Auth-Data \ g \ b', \text{pubAK } g, \text{Crypt } (priSK \ CA) \ (\text{Hash } (pubAK \ g))\}$ 
     $\in \text{parts } ?A$ 
by (rule parts.Snd)
  hence  $Auth-Data \ g \ b' \in \text{parts } ?A$ 
by (rule parts.Fst)
}
moreover {
  assume  $?M' \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (sesK \ (c * f)) \in \text{analz } ?A$ 
  hence  $?M' \in \text{synth } (\text{analz } ?A) \dots$ 
  hence  $\{Auth-Data \ g \ b', \text{pubAK } g, \text{Crypt } (priSK \ CA) \ (\text{Hash } (pubAK \ g))\}$ 
     $\in \text{synth } (\text{analz } ?A)$ 
by (rule synth-analz-snd)
  hence  $Auth-Data \ g \ b' \in \text{synth } (\text{analz } ?A)$ 
by (rule synth-analz-fst)
  hence  $Auth-Data \ g \ b' \in \text{analz } ?A \vee$ 
     $Pri-AgrK \ g \in \text{analz } ?A \wedge Pri-AgrK \ b' \in \text{analz } ?A$ 
by (rule synth-auth-data)
moreover {

```

```

    assume Auth-Data g b' ∈ analz ?A
    hence Auth-Data g b' ∈ parts ?A
    by (rule subsetD [OF analz-parts-subset])
  }
  moreover {
    assume Pri-AgrK g ∈ analz ?A ∧ Pri-AgrK b' ∈ analz ?A
    hence Pri-AgrK g ∈ analz ?A ..
    hence Pri-AgrK (priAK n) ∈ analz ?A
    using D by simp
    moreover have Pri-AgrK (priAK n) ∉ analz ?A
    using B by (rule pr-auth-key-analz)
    ultimately have Auth-Data g b' ∈ parts ?A
    by contradiction
  }
  ultimately have Auth-Data g b' ∈ parts ?A ..
}
ultimately have Auth-Data g b' ∈ parts ?A ..
thus ?thesis
using A and D and E by simp
qed
qed

```

lemma *pr-sign-parts* [rule-format]:

```

( evs, S, A, U ) ∈ protocol ⟹
  Crypt (priSK CA) (Hash (pubAK g)) ∈ parts (A ∪ spies evs) ⟹
  (∃ n. g = priAK n)
  (is - ⟹ ?M g ∈ - ⟹ -)

```

proof (*erule protocol.induct, subst parts-simp, (simp, blast)+, simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair, rule-tac [!] impI*)

```

fix evsR4 n
assume agrK g = agrK (priAK n)
with agrK-inj have g = priAK n
by (rule injD)
thus ∃ n. g = priAK n ..

```

next

```
fix evsFR4 S A U s a b c f g'
```

assume

```

A: ?M g ∈ parts (A ∪ spies evsFR4) ⟹ (∃ n. g = priAK n) and
B: (evsFR4, S, A, U) ∈ protocol and
C: Crypt (sesK (c * f)) {pubAK (c * (s + a * b)), Auth-Data g' b,
  pubAK g', ?M g'} ∈ synth (analz (A ∪ spies evsFR4))
  (is ?M' ∈ synth (analz ?A))

```

assume $agrK\ g = agrK\ g'$

with *agrK-inj* **have** $D: g = g'$

by (*rule injD*)

show $\exists n. g = priAK\ n$

proof –

have $?M' \in analz\ ?A \vee$

```
{pubAK (c * (s + a * b)), Auth-Data g' b, pubAK g', ?M g'}
```

```

    ∈ synth (analz ?A) ∧
    Key (sesK (c * f)) ∈ analz ?A
  using C by (rule synth-crypt)
  moreover {
    assume ?M' ∈ analz ?A
    hence ?M' ∈ parts ?A
    by (rule subsetD [OF analz-parts-subset])
    hence {pubAK (c * (s + a * b)), Auth-Data g' b, pubAK g', ?M g'}
      ∈ parts ?A
    by (rule parts.Body)
    hence ?M g' ∈ parts ?A
    by (rule-tac parts.Snd, assumption?)+
    hence ∃ n. g' = priAK n
    using A and D by simp
  }
  moreover {
    assume
      {pubAK (c * (s + a * b)), Auth-Data g' b, pubAK g', ?M g'}
        ∈ synth (analz ?A) ∧
        Key (sesK (c * f)) ∈ analz ?A
    hence
      {pubAK (c * (s + a * b)), Auth-Data g' b, pubAK g', ?M g'}
        ∈ synth (analz ?A) ..
    hence {Auth-Data g' b, pubAK g', ?M g'} ∈ synth (analz ?A)
    by (rule synth-analz-snd)
    hence {pubAK g', ?M g'} ∈ synth (analz ?A)
    by (rule synth-analz-snd)
    hence ?M g' ∈ synth (analz ?A)
    by (rule synth-analz-snd)
    hence ?M g' ∈ analz ?A ∨
      Hash (pubAK g') ∈ synth (analz ?A) ∧ Key (priSK CA) ∈ analz ?A
    by (rule synth-crypt)
    moreover {
      assume ?M g' ∈ analz ?A
      hence ?M g' ∈ parts ?A
      by (rule subsetD [OF analz-parts-subset])
      hence ∃ n. g' = priAK n
      using A and D by simp
    }
  }
  moreover {
    assume Hash (pubAK g') ∈ synth (analz ?A) ∧
      Key (priSK CA) ∈ analz ?A
    hence Key (priSK CA) ∈ analz ?A ..
    moreover have Key (priSK CA) ∉ analz ?A
    using B by (rule pr-sign-key-analz)
    ultimately have ∃ n. g' = priAK n
    by contradiction
  }
  ultimately have ∃ n. g' = priAK n ..

```

```

    }
    ultimately have  $\exists n. g' = \text{priAK } n ..$ 
    thus  $\exists n. g = \text{priAK } n$ 
    using  $D$  by simp
  qed
qed

lemma pr-key-secrecy-aux [rule-format]:
  ( $evs, S, A, U$ )  $\in$  protocol  $\implies$ 
    User  $m \neq \text{Spy} \longrightarrow$ 
    NonceS ( $S$  (User  $m, n, \text{run}$ )) = Some  $s \longrightarrow$ 
    IntMapK ( $S$  (User  $m, n, \text{run}$ )) = Some  $a \longrightarrow$ 
    ExtMapK ( $S$  (User  $m, n, \text{run}$ )) = Some  $b \longrightarrow$ 
    IntAgrK ( $S$  (User  $m, n, \text{run}$ )) = Some  $c \longrightarrow$ 
    ExtAgrK ( $S$  (User  $m, n, \text{run}$ )) = Some  $f \longrightarrow$ 
    Says  $n$  run  $\not\vdash X$  (User  $m$ ) (Crypt (sesK ( $c * f$ )))
    {pubAK ( $c * (s + a * b)$ ), Auth-Data  $g$   $b$ , pubAK  $g$ ,
     Crypt (priSK  $CA$ ) (Hash (pubAK  $g$ ))}  $\in$  set  $evs \longrightarrow$ 
    Key (sesK ( $c * f$ ))  $\notin A$ 
  supply [[simproc del: defined-all]]
  apply (erule protocol.induct, (rule-tac [!] impI)+, simp-all split: if-split-asm)
    apply (erule-tac [7] disjE)
      apply simp-all
      apply (erule-tac [7] conjE)
      apply (erule-tac [8] disjE)
      apply (erule-tac [8] conjE)
      apply simp-all
      apply (rule-tac [8] notI)
  proof -
    fix  $evsC2$   $S$   $A$   $U$   $m$   $n$   $\text{run}$ 
    assume  $A$ : ( $evsC2, S, A, U$ )  $\in$  protocol
    moreover assume NonceS ( $S$  (User  $m, n, \text{run}$ )) = None
    ultimately have IntMapK ( $S$  (User  $m, n, \text{run}$ )) = None
      by (rule pr-state-1)
    with  $A$  have ExtMapK ( $S$  (User  $m, n, \text{run}$ )) = None
      by (rule pr-state-2)
    moreover assume ExtMapK ( $S$  (User  $m, n, \text{run}$ )) = Some  $b$ 
    ultimately show Key (sesK ( $c * f$ ))  $\notin A$ 
      by simp
  next
    fix  $evsC2$   $S$   $A$   $U$   $m$   $n$   $\text{run}$ 
    assume  $A$ : ( $evsC2, S, A, U$ )  $\in$  protocol
    moreover assume NonceS ( $S$  (User  $m, n, \text{run}$ )) = None
    ultimately have IntMapK ( $S$  (User  $m, n, \text{run}$ )) = None
      by (rule pr-state-1)
    with  $A$  have ExtMapK ( $S$  (User  $m, n, \text{run}$ )) = None
      by (rule pr-state-2)
    moreover assume ExtMapK ( $S$  (User  $m, n, \text{run}$ )) = Some  $b$ 
    ultimately show Key (sesK ( $c * f$ ))  $\notin A$ 

```

by simp
next
fix *evsC3 S A U m n run*
assume $A: (evsC3, S, A, U) \in \text{protocol}$ **and**
 $ExtMapK (S (User\ m, n, run)) = None$
hence $IntAgrK (S (User\ m, n, run)) = None$
by (*rule pr-state-3*)
with A **have** $ExtAgrK (S (User\ m, n, run)) = None$
by (*rule pr-state-4*)
moreover assume $ExtAgrK (S (User\ m, n, run)) = Some\ f$
ultimately show $Key (sesK (c * f)) \notin A$
by simp
next
fix *evsR3 S A U d s' s'' a' b' c'*
assume
 $A: (evsR3, S, A, U) \in \text{protocol}$ **and**
 $B: Key (sesK (c' * d * (s'' + a' * b'))) \notin U$ **and**
 $C: Says\ n\ run\ \not\vdash\ X (User\ m) (Crypt (sesK (c * f))$
 $\{pubAK (c * (s + a * b)), Auth-Data\ g\ b, pubAK\ g,$
 $Crypt (priSK\ CA) (Hash (pubAK\ g))\}) \in set\ evsR3$
 $(is\ Says\ \dots\ ?M \in -)$
show $s'' = s' \wedge Pri-AgrK\ c' \in \text{analz} (A \cup \text{spies}\ evsR3) \longrightarrow$
 $sesK (c * f) \neq sesK (c' * d * (s' + a' * b'))$
proof (*rule impI, rule notI, erule conjE*)
have $?M \in \text{spies}\ evsR3$
using C **by** (*rule set-spies*)
hence $?M \in A \cup \text{spies}\ evsR3$
by simp
hence $?M \in \text{parts} (A \cup \text{spies}\ evsR3)$
by (*rule parts.Inj*)
with A **have** $Key (sesK (c * f)) \in U$
by (*rule pr-sesk-auth*)
moreover assume $sesK (c * f) = sesK (c' * d * (s' + a' * b'))$ **and** $s'' = s'$
hence $Key (sesK (c * f)) \notin U$
using B **by simp**
ultimately show *False*
by contradiction
qed
next
fix *evsFR3 S A U s' a' b' c' d*
assume
 $A: (evsFR3, S, A, U) \in \text{protocol}$ **and**
 $B: Key (sesK (c' * d * (s' + a' * b'))) \notin U$ **and**
 $C: Says\ n\ run\ \not\vdash\ X (User\ m) (Crypt (sesK (c * f))$
 $\{pubAK (c * (s + a * b)), Auth-Data\ g\ b, pubAK\ g,$
 $Crypt (priSK\ CA) (Hash (pubAK\ g))\}) \in set\ evsFR3$
 $(is\ Says\ \dots\ ?M \in -)$
show $sesK (c * f) \neq sesK (c' * d * (s' + a' * b'))$
proof

have $?M \in \text{spies evsFR3}$
using C **by** (rule set-spies)
hence $?M \in A \cup \text{spies evsFR3}$
by simp
hence $?M \in \text{parts } (A \cup \text{spies evsFR3})$
by (rule parts.Inj)
with A **have** $\text{Key } (\text{sesK } (c * f)) \in U$
by (rule pr-sesk-auth)
moreover assume $\text{sesK } (c * f) = \text{sesK } (c' * d * (s' + a' * b'))$
hence $\text{Key } (\text{sesK } (c * f)) \notin U$
using B **by** simp
ultimately show False
by contradiction
qed
next
fix $\text{evsC4 } S A U n \text{ run}$ **and** $m :: \text{nat}$
assume $(\text{evsC4}, S, A, U) \in \text{protocol}$
moreover assume $0 < m$
hence $\text{User } m \neq \text{Spy}$
by simp
moreover assume $\text{Says } n \text{ run } \not\vdash X (\text{User } m) (\text{Crypt } (\text{sesK } (c * f))$
 $\{\text{pubAK } (c * (s + a * b)), \text{Auth-Data } g b, \text{pubAK } g,$
 $\text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } g))\}) \in \text{set evsC4}$
ultimately have $\text{ExtAgrK } (S (\text{User } m, n, \text{run})) \neq \text{None}$
by (rule pr-ext-agrk-user-2)
moreover assume $\text{ExtAgrK } (S (\text{User } m, n, \text{run})) = \text{None}$
ultimately show $\text{Key } (\text{sesK } (c * f)) \notin A$
by contradiction
next
fix $\text{evsR4 } A U n \text{ run } X s' a' b' d e$ **and** $S :: \text{state}$
assume $A: \text{User } m = X$
assume $\text{agrK } (c * (s + a * b')) = \text{agrK } e$
with agrK-inj **have** $B: c * (s + a * b') = e$
by (rule injD)
assume $\text{sesK } (c * f) = \text{sesK } (d * e)$
with sesK-inj **have** $c * f = d * e$
by (rule injD)
hence $C: c * f = c * d * (s + a * b')$
using B **by** simp
assume $\text{ExtAgrK } (S (X, n, \text{run})) = \text{Some } f$
hence $D: \text{ExtAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } f$
using A **by** simp
assume $E: (\text{evsR4}, S, A, U) \in \text{protocol}$
moreover assume $0 < m$
hence $F: \text{User } m \neq \text{Spy}$
by simp
moreover assume $\text{NonceS } (S (X, n, \text{run})) = \text{Some } s$
hence $G: \text{NonceS } (S (\text{User } m, n, \text{run})) = \text{Some } s$
using A **by** simp

moreover assume $\text{IntMapK } (S (X, n, \text{run})) = \text{Some } a$
hence $H: \text{IntMapK } (S (\text{User } m, n, \text{run})) = \text{Some } a$
using A **by** *simp*
moreover assume $\text{ExtMapK } (S (X, n, \text{run})) = \text{Some } b'$
hence $I: \text{ExtMapK } (S (\text{User } m, n, \text{run})) = \text{Some } b'$
using A **by** *simp*
moreover assume $\text{IntAgrK } (S (X, n, \text{run})) = \text{Some } c$
hence $J: \text{IntAgrK } (S (\text{User } m, n, \text{run})) = \text{Some } c$
using A **by** *simp*
moreover assume $K: \text{NonceS } (S (\text{Card } n, n, \text{run})) = \text{Some } s'$
moreover assume $L: \text{IntMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } b'$
moreover assume $M: \text{ExtMapK } (S (\text{Card } n, n, \text{run})) = \text{Some } a'$
moreover assume $N: \text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$
moreover assume $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e$
hence $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } (c * (s + a * b'))$
using B **by** *simp*
moreover assume $\text{Says } n \text{ run } \not\vdash X (\text{Card } n)$
 $(\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } (d * (s' + a' * b')))) \in \text{set evsR4}$
hence $\text{Says } n \text{ run } \not\vdash (\text{User } m) (\text{Card } n)$
 $(\text{Crypt } (\text{sesK } (d * e)) (\text{pubAK } (d * (s' + a' * b')))) \in \text{set evsR4}$
using A **by** *simp*
with E **and** F **and** D **have** $d * (s' + a' * b') = f$
by (*rule pr-ext-agrk-user-3*)
hence $c * d * (s' + a' * b') = c * d * (s + a * b')$
using C **by** *auto*
hence $s' + a' * b' = s + a * b'$
proof *auto*
assume $c = 0$
moreover have $c * (s + a * b') \neq 0$
using E **and** G **and** H **and** I **and** J **by** (*rule pr-int-agrk-user-3*)
ultimately show *?thesis*
by *simp*
next
assume $d = 0$
moreover have $d * (s' + a' * b') \neq 0$
using E **and** K **and** L **and** M **and** N **by** (*rule pr-int-agrk-card*)
ultimately show *?thesis*
by *simp*
qed
ultimately have $\text{Key } (\text{sesK } (c * d * (s + a * b'))) \notin A$
by (*rule pr-sesk-card-user*)
moreover have $c * d * (s + a * b') = d * e$
using B **by** *simp*
ultimately show $\text{Key } (\text{sesK } (d * e)) \notin A$
by *simp*
next
fix $\text{evsFR4 } S A U m n \text{run } b g$
assume
 $A: (\text{evsFR4}, S, A, U) \in \text{protocol}$ **and**

B: *ExtMapK* (*S* (*User* *m*, *n*, *run*)) = *Some* *b* **and**
C: *IntAgrK* (*S* (*User* *m*, *n*, *run*)) = *Some* *c* **and**
D: *ExtAgrK* (*S* (*User* *m*, *n*, *run*)) = *Some* *f* **and**
E: $0 < m$ **and**
F: *Key* (*sesK* (*c* * *f*)) ∈ *A*
assume *G*: *Crypt* (*sesK* (*c* * *f*))
 {*pubAK* (*c* * (*s* + *a* * *b*)), *Auth-Data* *g* *b*, *pubAK* *g*,
 Crypt (*priSK* *CA*) (*Hash* (*pubAK* *g*))} ∈ *synth* (*analz* (*A* ∪ *spies evsFR4*))
 (**is** *Crypt* - ?*M* ∈ *synth* (*analz* ?*A*))
hence *Crypt* (*sesK* (*c* * *f*)) ?*M* ∈ *analz* ?*A* ∨
 ?*M* ∈ *synth* (*analz* ?*A*) ∧ *Key* (*sesK* (*c* * *f*)) ∈ *analz* ?*A*
by (*rule synth-crypt*)
moreover {
 assume *Crypt* (*sesK* (*c* * *f*)) ?*M* ∈ *analz* ?*A*
 hence *Crypt* (*sesK* (*c* * *f*)) ?*M* ∈ *parts* ?*A*
 by (*rule subsetD* [*OF* *analz-parts-subset*])
 hence ?*M* ∈ *parts* ?*A*
 by (*rule parts.Body*)
 hence *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*)) ∈ *parts* ?*A*
 by (*rule-tac parts.Snd*, *assumption?*)
 with *A* **have** ∃ *n*. *g* = *priAK* *n*
 by (*rule pr-sign-parts*)
}

moreover {
 assume ?*M* ∈ *synth* (*analz* ?*A*) ∧ *Key* (*sesK* (*c* * *f*)) ∈ *analz* ?*A*
 hence ?*M* ∈ *synth* (*analz* ?*A*) ..
 hence {*Auth-Data* *g* *b*, *pubAK* *g*, *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*))}
 ∈ *synth* (*analz* ?*A*)
 by (*rule synth-analz-snd*)
 hence {*pubAK* *g*, *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*))} ∈ *synth* (*analz* ?*A*)
 by (*rule synth-analz-snd*)
 hence *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*)) ∈ *synth* (*analz* ?*A*)
 by (*rule synth-analz-snd*)
 hence *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*)) ∈ *analz* ?*A* ∨
 Hash (*pubAK* *g*) ∈ *synth* (*analz* ?*A*) ∧ *Key* (*priSK* *CA*) ∈ *analz* ?*A*
 by (*rule synth-crypt*)
 moreover {
 assume *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*)) ∈ *analz* ?*A*
 hence *Crypt* (*priSK* *CA*) (*Hash* (*pubAK* *g*)) ∈ *parts* ?*A*
 by (*rule subsetD* [*OF* *analz-parts-subset*])
 with *A* **have** ∃ *n*. *g* = *priAK* *n*
 by (*rule pr-sign-parts*)
 }
}

moreover {
 assume *Hash* (*pubAK* *g*) ∈ *synth* (*analz* ?*A*) ∧ *Key* (*priSK* *CA*) ∈ *analz* ?*A*
 hence *Key* (*priSK* *CA*) ∈ *analz* ?*A* ..
 moreover **have** *Key* (*priSK* *CA*) ∉ *analz* ?*A*
 using *A* **by** (*rule pr-sign-key-analz*)
 ultimately **have** ∃ *n*. *g* = *priAK* *n*
}

by contradiction
 }
 ultimately have $\exists n. g = \text{priAK } n \dots$
 }
 ultimately have $\exists n. g = \text{priAK } n \dots$
 then obtain n' where $g = \text{priAK } n' \dots$
 hence $\text{Crypt } (\text{sesK } (c * f))$
 $\{\text{pubAK } (c * (s + a * b)), \text{Auth-Data } (\text{priAK } n') \ b, \text{pubAK } (\text{priAK } n'),$
 $\text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } (\text{priAK } n')))\} \in \text{synth } (\text{analz } ?A)$
 (is $\text{Crypt} - ?M \in -$)
 using G by *simp*
 hence $\text{Crypt } (\text{sesK } (c * f)) \ ?M \in \text{analz } ?A \vee$
 $?M \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (\text{sesK } (c * f)) \in \text{analz } ?A$
 by (rule *synth-crypt*)
 moreover {
 assume $\text{Crypt } (\text{sesK } (c * f)) \ ?M \in \text{analz } ?A$
 hence $\text{Crypt } (\text{sesK } (c * f)) \ ?M \in \text{parts } ?A$
 by (rule *subsetD [OF analz-parts-subset]*)
 hence $?M \in \text{parts } ?A$
 by (rule *parts.Body*)
 hence $\{\text{Auth-Data } (\text{priAK } n') \ b, \text{pubAK } (\text{priAK } n'),$
 $\text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } (\text{priAK } n')))\} \in \text{parts } ?A$
 by (rule *parts.Snd*)
 hence $\text{Auth-Data } (\text{priAK } n') \ b \in \text{parts } ?A$
 by (rule *parts.Fst*)
 }
 moreover {
 assume $?M \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (\text{sesK } (c * f)) \in \text{analz } ?A$
 hence $?M \in \text{synth } (\text{analz } ?A) \dots$
 hence $\{\text{Auth-Data } (\text{priAK } n') \ b, \text{pubAK } (\text{priAK } n'),$
 $\text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } (\text{priAK } n')))\} \in \text{synth } (\text{analz } ?A)$
 by (rule *synth-analz-snd*)
 hence $\text{Auth-Data } (\text{priAK } n') \ b \in \text{synth } (\text{analz } ?A)$
 by (rule *synth-analz-fst*)
 hence $\text{Auth-Data } (\text{priAK } n') \ b \in \text{analz } ?A \vee$
 $\text{Pri-AgrK } (\text{priAK } n') \in \text{analz } ?A \wedge \text{Pri-AgrK } b \in \text{analz } ?A$
 by (rule *synth-auth-data*)
 moreover {
 assume $\text{Auth-Data } (\text{priAK } n') \ b \in \text{analz } ?A$
 hence $\text{Auth-Data } (\text{priAK } n') \ b \in \text{parts } ?A$
 by (rule *subsetD [OF analz-parts-subset]*)
 }
 moreover {
 assume $\text{Pri-AgrK } (\text{priAK } n') \in \text{analz } ?A \wedge \text{Pri-AgrK } b \in \text{analz } ?A$
 hence $\text{Pri-AgrK } (\text{priAK } n') \in \text{analz } ?A \dots$
 moreover have $\text{Pri-AgrK } (\text{priAK } n') \notin \text{analz } ?A$
 using A by (rule *pr-auth-key-analz*)
 ultimately have $\text{Auth-Data } (\text{priAK } n') \ b \in \text{parts } ?A$
 by contradiction

```

}
ultimately have Auth-Data (priAK n') b ∈ parts ?A ..
}
ultimately have Auth-Data (priAK n') b ∈ parts ?A ..
with A have ∃ n run. IntMapK (S (Card n, n, run)) = Some b
by (rule pr-auth-data-parts)
then obtain n' and run' where IntMapK (S (Card n', n', run')) = Some b
by blast
with A have Pri-AgrK b ∉ analz ?A
by (rule pr-int-mapk-analz)
hence H: Pri-AgrK b ∉ A
using A by (simp add: pr-pri-agrk-analz)
have ∃ X. Says n run ∃ X (User m) (pubAK f) ∈ set evsFR4
using A and D by (rule pr-ext-agrk-user-4)
then obtain X where Says n run ∃ X (User m) (pubAK f) ∈ set evsFR4 ..
with A have
(∃ s a b d. f = d * (s + a * b) ∧
  NonceS (S (Card n, n, run)) = Some s ∧
  IntMapK (S (Card n, n, run)) = Some b ∧
  ExtMapK (S (Card n, n, run)) = Some a ∧
  IntAgrK (S (Card n, n, run)) = Some d ∧
  d ≠ 0 ∧ s + a * b ≠ 0) ∨
(∃ b. Pri-AgrK b ∈ A ∧
  ExtMapK (S (User m, n, run)) = Some b)
(is (∃ s a b d. ?P s a b d) ∨ ?Q)
by (rule pr-ext-agrk-user-5)
moreover have I: ¬ ?Q
proof (rule notI, erule exE, erule conjE)
fix b'
assume ExtMapK (S (User m, n, run)) = Some b'
hence b' = b
using B by simp
moreover assume Pri-AgrK b' ∈ A
ultimately have Pri-AgrK b ∈ A
by simp
thus False
using H by contradiction
qed
ultimately have ∃ s a b d. ?P s a b d
by simp
then obtain s' and a' and b' and d where J: ?P s' a' b' d
by blast
hence ExtAgrK (S (User m, n, run)) = Some (d * (s' + a' * b'))
using D by simp
with A and C have
{Key (sesK (c * (d * (s' + a' * b')))), Agent (User m), Number n, Number run}
∈ U
by (rule pr-sesk-user-1)
moreover have K: Key (sesK (c * (d * (s' + a' * b')))) ∈ A

```

using F **and** J **by** *simp*
ultimately have
 $(\exists d' e'. c * (d * (s' + a' * b')) = d' * e' \wedge$
 $\text{IntAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } d' \wedge$
 $\text{ExtAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } e') \vee$
 $(\exists b. \text{Pri-AgrK } b \in A \wedge$
 $\text{ExtMapK } (S \text{ (User } m, n, \text{run})) = \text{Some } b)$
(is $(\exists d e. ?P d e) \vee -)$
by (*rule pr-sesk-user-3* [*OF A*])
hence $\exists d e. ?P d e$
using I **by** *simp*
then obtain d' **and** e' **where** $L: ?P d' e'$
by *blast*
hence $d' = d$
using J **by** *simp*
hence $d * c * (s' + a' * b') = d * e'$
using L **by** *simp*
hence $e' = c * (s' + a' * b')$
using J **by** *simp*
hence $M: \text{ExtAgrK } (S \text{ (Card } n, n, \text{run})) = \text{Some } (c * (s' + a' * b'))$
using L **by** *simp*
have $c * (d * (s' + a' * b')) = c * d * (s' + a' * b')$
by *simp*
hence $\text{Key } (\text{sesK } (c * (d * (s' + a' * b')))) = \text{Key } (\text{sesK } (c * d * (s' + a' * b')))$
by (*rule arg-cong*)
hence $\text{Key } (\text{sesK } (c * d * (s' + a' * b'))) \in A$
using K **by** *simp*
moreover have $\text{Key } (\text{sesK } (c * d * (s' + a' * b'))) \notin A$
proof (*rule pr-ext-agrk-card* [*OF A, of n run*], *simp-all add: J M*)
qed (*rule pr-int-agrk-user-2* [*OF A, of m n run*], *simp-all add: C E*)
ultimately show *False*
by *contradiction*
qed

theorem *pr-key-secrecy* [*rule-format*]:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{User } m \neq \text{Spy} \implies$
 $\text{Says } n \text{ run } 5 \text{ (User } m) \text{ (Card } n) \text{ (Crypt } (\text{sesK } K) \text{ (Passwd } m)) \in \text{set evs} \implies$
 $\text{Key } (\text{sesK } K) \notin \text{analz } (A \cup \text{spies evs})$

proof (*simp add: pr-key-analz, erule protocol.induct, simp-all,*
 $(\text{rule-tac } [1] \text{ impI})+, (\text{rule-tac } [2-3] \text{ impI})+, \text{rule-tac } [1-2] \text{ notI, simp-all}$)
fix $\text{evsR3 } S A U s a b c d$

assume

$(\text{evsR3}, S, A, U) \in \text{protocol}$ **and**
 $\text{Says } n \text{ run } 5 \text{ (User } m) \text{ (Card } n)$
 $(\text{Crypt } (\text{sesK } (c * d * (s + a * b))) \text{ (Passwd } m)) \in \text{set evsR3}$

hence $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$

by (*rule pr-sesk-passwd*)

moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsFR3 S A U s a b c d*
assume
(evsFR3, S, A, U) ∈ protocol and
Says n run 5 (User m) (Card n)
*(Crypt (sesK (c * d * (s + a * b))) (Passwd m)) ∈ set evsFR3*
hence $\text{Key} (\text{sesK} (c * d * (s + a * b))) \in U$
by *(rule pr-sesk-passwd)*
moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsC5 S A U n run s a b c f g X and m :: nat*
assume *(evsC5, S, A, U) ∈ protocol*
moreover assume $0 < m$
hence $\text{User } m \neq \text{Spy}$
by *simp*
moreover assume
NonceS (S (User m, n, run)) = Some s and
IntMapK (S (User m, n, run)) = Some a and
ExtMapK (S (User m, n, run)) = Some b and
IntAgrK (S (User m, n, run)) = Some c and
ExtAgrK (S (User m, n, run)) = Some f and
*Says n run 4 X (User m) (Crypt (sesK (c * f))*
*{pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,*
Crypt (priSK CA) (Hash (pubAK g))}
∈ set evsC5
ultimately show $\text{Key} (\text{sesK} (c * f)) \notin A$
by *(rule pr-key-secrecy-aux)*
qed

theorem *pr-passwd-secrecy [rule-format]:*

(evs, S, A, U) ∈ protocol \implies

User m \neq Spy \longrightarrow

Passwd m \notin analz (A \cup spies evs)

proof *(erule protocol.induct, rule-tac [!] impI, simp-all add: analz-simp-insert-2,*

rule contra-subsetD [OF analz-parts-subset], subst parts-simp, simp, blast+,

rule-tac [3] impI)

fix *evsR1 S A U n s*

assume

A: Passwd m \notin analz (A \cup spies evsR1) and

B: (evsR1, S, A, U) ∈ protocol and

C: Pri-AgrK s \notin U

show

(n ∈ bad \longrightarrow Passwd m \notin analz (insert (Crypt (symK n) (Pri-AgrK s))

(insert (Pri-AgrK s) (A \cup spies evsR1)))) \wedge

```

    (n ∉ bad ⟶ Passwd m ∉ analz (insert (Crypt (symK n) (Pri-AgrK s))
      (A ∪ spies evsR1)))
    (is (- ⟶ ?T) ∧ (- ⟶ ?T'))
  proof (rule conjI, rule-tac [!] impI)
    assume n ∈ bad
    hence Key (invK (symK n)) ∈ analz (A ∪ spies evsR1)
    using B by (simp add: pr-symk-analz invK-symK)
    hence Key (invK (symK n)) ∈ analz (insert (Pri-AgrK s) (A ∪ spies evsR1))
    by (rule rev-subsetD, rule-tac analz-mono, blast)
    moreover have analz (insert (Pri-AgrK s) (A ∪ spies evsR1)) =
      insert (Pri-AgrK s) (analz (A ∪ spies evsR1))
    using B and C by (rule pr-pri-agrk-unused)
    ultimately show ?T
    using A by (simp add: analz-crypt-in)
  next
    assume n ∉ bad
    hence Key (invK (symK n)) ∉ analz (A ∪ spies evsR1)
    using B by (simp add: pr-symk-analz invK-symK)
    thus ?T'
    using A by (simp add: analz-crypt-out)
  qed
next
fix evsFR1 A m' s
assume
  A: Passwd m ∉ analz (A ∪ spies evsFR1) and
  B: Crypt (symK m') (Pri-AgrK s) ∈ synth (analz (A ∪ spies evsFR1))
thus Passwd m ∉ analz (insert (Crypt (symK m') (Pri-AgrK s)) (A ∪ spies
evsFR1))
proof (cases Key (invK (symK m')) ∈ analz (A ∪ spies evsFR1),
simp-all add: analz-crypt-in analz-crypt-out)
  case True
  have Crypt (symK m') (Pri-AgrK s) ∈ analz (A ∪ spies evsFR1) ∨
    Pri-AgrK s ∈ synth (analz (A ∪ spies evsFR1)) ∧
    Key (symK m') ∈ analz (A ∪ spies evsFR1)
  (is ?P ∨ ?Q)
  using B by (rule synth-crypt)
  moreover {
    assume ?P
    hence Pri-AgrK s ∈ analz (A ∪ spies evsFR1)
    using True by (rule analz.Decrypt)
  }
  moreover {
    assume ?Q
    hence Pri-AgrK s ∈ synth (analz (A ∪ spies evsFR1)) ..
    hence Pri-AgrK s ∈ analz (A ∪ spies evsFR1)
    by (rule synth-simp-intro, simp)
  }
  ultimately have Pri-AgrK s ∈ analz (A ∪ spies evsFR1) ..
  thus Passwd m ∉ analz (insert (Pri-AgrK s) (A ∪ spies evsFR1))

```

```

    using A by (simp add: analz-simp-insert-1)
  qed
next
fix evsC2 S A U a
assume
  Passwd m  $\notin$  analz (A  $\cup$  spies evsC2) and
  (evsC2, S, A, U)  $\in$  protocol and
  Pri-AgrK a  $\notin$  U
thus Passwd m  $\notin$  analz (insert (Pri-AgrK a) (A  $\cup$  spies evsC2))
  by (subst pr-pri-agrk-unused, simp-all)
next
fix evsC3 S A U c and m' :: nat
assume
  Passwd m  $\notin$  analz (A  $\cup$  spies evsC3) and
  (evsC3, S, A, U)  $\in$  protocol and
  Pri-AgrK c  $\notin$  U
thus m' = 0  $\longrightarrow$  Passwd m  $\notin$  analz (insert (Pri-AgrK c) (A  $\cup$  spies evsC3))
  by (rule-tac impI, subst pr-pri-agrk-unused, simp-all)
next
fix evsR3 S A U s s' a b c d
assume Passwd m  $\notin$  analz (A  $\cup$  spies evsR3)
moreover assume
  (evsR3, S, A, U)  $\in$  protocol and
  Key (sesK (c * d * (s + a * b)))  $\notin$  U
  (is Key ?K  $\notin$  -)
hence analz (insert (Key ?K) (A  $\cup$  spies evsR3)) =
  insert (Key ?K) (analz (A  $\cup$  spies evsR3))
  by (rule pr-key-unused)
ultimately show s' = s  $\wedge$  Pri-AgrK c  $\in$  analz (A  $\cup$  spies evsR3)  $\longrightarrow$ 
  Passwd m  $\notin$  analz (insert (Key ?K) (A  $\cup$  spies evsR3))
  by simp
next
fix evsFR3 S A U s a b c d
assume Passwd m  $\notin$  analz (A  $\cup$  spies evsFR3)
moreover assume
  (evsFR3, S, A, U)  $\in$  protocol and
  Key (sesK (c * d * (s + a * b)))  $\notin$  U
  (is Key ?K  $\notin$  -)
hence analz (insert (Key ?K) (A  $\cup$  spies evsFR3)) =
  insert (Key ?K) (analz (A  $\cup$  spies evsFR3))
  by (rule pr-key-unused)
ultimately show Passwd m  $\notin$  analz (insert (Key ?K) (A  $\cup$  spies evsFR3))
  by simp
next
fix evsC4 A c f
assume Passwd m  $\notin$  analz (A  $\cup$  spies evsC4)
thus Passwd m  $\notin$  analz (insert (Crypt (sesK (c * f)) (pubAK f)) (A  $\cup$  spies
evsC4))
  by (cases Key (invK (sesK (c * f)))  $\in$  analz (A  $\cup$  spies evsC4),

```



```

    simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2)
next
fix evsFC4 A s a b d e
assume Passwd m ∉ analz (A ∪ spies evsFC4)
thus Passwd m ∉ analz (insert (Crypt (sesK (d * e)) (pubAK (d * (s + a *
b))))
(A ∪ spies evsFC4))
by (cases Key (invK (sesK (d * e))) ∈ analz (A ∪ spies evsFC4),
simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2)
next
fix evsR4 S A U n run b d e
let
?A = A ∪ spies evsR4 and
?H = Hash (pubAK (priAK n)) and
?M = {pubAK (priAK n), Crypt (priSK CA) (Hash (pubAK (priAK n)))}
assume
A: Passwd m ∉ analz ?A and
B: (evsR4, S, A, U) ∈ protocol and
C: IntMapK (S (Card n, n, run)) = Some b
show Passwd m ∉ analz (insert (Crypt (sesK (d * e))
{pubAK e, Auth-Data (priAK n) b, ?M}) ?A)
proof (cases Key (invK (sesK (d * e))) ∈ analz ?A,
simp-all add: analz-crypt-in analz-crypt-out analz-mpair analz-simp-insert-2 A)
have Key (pubSK CA) ∈ analz ?A
using B by (rule pr-valid-key-analz)
hence D: analz (insert (Crypt (priSK CA) ?H) ?A) =
{Crypt (priSK CA) ?H, ?H} ∪ analz ?A
by (simp add: analz-crypt-in analz-simp-insert-2)
have Pri-AgrK (priAK n) ∉ analz ?A
using B by (rule pr-auth-key-analz)
hence E: Pri-AgrK (priAK n) ∉ analz (insert (Crypt (priSK CA) ?H) ?A)
using D by simp
have Pri-AgrK b ∉ analz ?A
using B and C by (rule pr-int-mapk-analz)
hence F: Pri-AgrK b ∉ analz (insert (Crypt (priSK CA) ?H) ?A)
using D by simp
show Passwd m ∉ analz (insert (Auth-Data (priAK n) b) (insert ?M ?A))
proof ((subst insert-commute, simp add: analz-mpair analz-simp-insert-2)+,
subst analz-auth-data-out [OF E F])
qed (simp add: A D)
qed
next
fix evsFR4 S A U s a b c f g
let
?A = A ∪ spies evsFR4 and
?H = Hash (pubAK g) and
?M = {pubAK g, Crypt (priSK CA) (Hash (pubAK g))} and
?M' = {pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,
Crypt (priSK CA) (Hash (pubAK g))}

```

```

assume
  A: Passwd  $m \notin \text{analz } ?A$  and
  B:  $(\text{evsFR4}, S, A, U) \in \text{protocol}$  and
  C: Crypt  $(\text{sesK } (c * f)) \ ?M' \in \text{synth } (\text{analz } ?A)$ 
have D:
  Key  $(\text{invK } (\text{sesK } (c * f))) \in \text{analz } ?A \longrightarrow$ 
    Pri-AgrK  $b \in \text{analz } ?A \vee \text{Pri-AgrK } g \in \text{analz } ?A \longrightarrow$ 
    Pri-AgrK  $b \in \text{analz } ?A \wedge \text{Pri-AgrK } g \in \text{analz } ?A$ 
  (is  $?P \longrightarrow ?Q \longrightarrow ?R$ )
proof (rule impI)+
  assume  $?P$  and  $?Q$ 
  have Crypt  $(\text{sesK } (c * f)) \ ?M' \in \text{analz } ?A \vee$ 
     $?M' \in \text{synth } (\text{analz } ?A) \wedge \text{Key } (\text{sesK } (c * f)) \in \text{analz } ?A$ 
  using C by (rule synth-crypt)
  moreover {
    assume Crypt  $(\text{sesK } (c * f)) \ ?M' \in \text{analz } ?A$ 
    hence  $?M' \in \text{analz } ?A$ 
    using  $\langle ?P \rangle$  by (rule analz.Decrypt)
    hence  $\{\text{Auth-Data } g \ b, \text{pubAK } g, \text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } g))\}$ 
       $\in \text{analz } ?A$ 
    by (rule analz.Snd)
    hence E: Auth-Data  $g \ b \in \text{analz } ?A$ 
    by (rule analz.Fst)
    have  $?R$ 
    proof (rule disjE [OF  $\langle ?Q \rangle$ ])
      assume Pri-AgrK  $b \in \text{analz } ?A$ 
      moreover from this have Pri-AgrK  $g \in \text{analz } ?A$ 
      by (rule analz.Auth-Fst [OF E])
      ultimately show  $?R$  ..
    next
      assume Pri-AgrK  $g \in \text{analz } ?A$ 
      moreover from this have Pri-AgrK  $b \in \text{analz } ?A$ 
      by (rule analz.Auth-Snd [OF E])
      ultimately show  $?R$ 
      by simp
    qed
  }
moreover {
  assume  $?M' \in \text{synth } (\text{analz } ?A) \wedge$ 
     $\text{Key } (\text{sesK } (c * f)) \in \text{analz } ?A$ 
  hence  $?M' \in \text{synth } (\text{analz } ?A)$  ..
  hence  $\{\text{Auth-Data } g \ b, \text{pubAK } g,$ 
     $\text{Crypt } (\text{priSK } CA) (\text{Hash } (\text{pubAK } g))\} \in \text{synth } (\text{analz } ?A)$ 
  by (rule synth-analz-snd)
  hence Auth-Data  $g \ b \in \text{synth } (\text{analz } ?A)$ 
  by (rule synth-analz-fst)
  hence Auth-Data  $g \ b \in \text{analz } ?A \vee$ 
    Pri-AgrK  $g \in \text{analz } ?A \wedge \text{Pri-AgrK } b \in \text{analz } ?A$ 
  by (rule synth-auth-data)
}

```

```

moreover {
  assume  $E: \text{Auth-Data } g \ b \in \text{analz } ?A$ 
  have  $?R$ 
  proof (rule disjE [OF ‹?Q›])
    assume  $\text{Pri-AgrK } b \in \text{analz } ?A$ 
    moreover from this have  $\text{Pri-AgrK } g \in \text{analz } ?A$ 
      by (rule analz.Auth-Fst [OF E])
    ultimately show  $?R ..$ 
  next
    assume  $\text{Pri-AgrK } g \in \text{analz } ?A$ 
    moreover from this have  $\text{Pri-AgrK } b \in \text{analz } ?A$ 
      by (rule analz.Auth-Snd [OF E])
    ultimately show  $?R$ 
      by simp
  qed
}
moreover {
  assume  $\text{Pri-AgrK } g \in \text{analz } ?A \wedge \text{Pri-AgrK } b \in \text{analz } ?A$ 
  hence  $?R$ 
  by simp
}
ultimately have  $?R ..$ 
}
ultimately show  $?R ..$ 
qed
show  $\text{Passwd } m \notin \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f)) ?M') ?A)$ 
proof (cases Key (invK (sesK (c * f))) ∈ analz ?A,
simp-all add: analz-crypt-in analz-crypt-out analz-mpair analz-simp-insert-2 A)
  assume  $E: \text{Key } (\text{invK } (\text{sesK } (c * f))) \in \text{analz } ?A$ 
  have  $\text{Key } (\text{pubSK } CA) \in \text{analz } ?A$ 
    using  $B$  by (rule pr-valid-key-analz)
  hence  $F: \text{analz } (\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A) =$ 
     $\{\text{Crypt } (\text{priSK } CA) ?H, ?H\} \cup \text{analz } ?A$ 
    by (simp add: analz-crypt-in analz-simp-insert-2)
  show  $\text{Passwd } m \notin \text{analz } (\text{insert } (\text{Auth-Data } g \ b) (\text{insert } ?M ?A))$ 
  proof (cases Pri-AgrK } g \in \text{analz } ?A \vee \text{Pri-AgrK } b \in \text{analz } ?A, \text{simp-all})
    assume  $G: \text{Pri-AgrK } g \in \text{analz } ?A \vee \text{Pri-AgrK } b \in \text{analz } ?A$ 
    hence  $H: \text{Pri-AgrK } g \in \text{analz } (\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A) \vee$ 
       $\text{Pri-AgrK } b \in \text{analz } (\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A)$ 
    using  $F$  by simp
    have  $I: \text{Pri-AgrK } b \in \text{analz } ?A \wedge \text{Pri-AgrK } g \in \text{analz } ?A$ 
      using  $D$  and  $E$  and  $G$  by blast
    hence  $\text{Pri-AgrK } g \in \text{analz } (\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A)$ 
      using  $F$  by simp
    hence  $J: \text{Pri-AgrK } g \in \text{analz } (\text{insert } (\text{Pri-AgrK } b)$ 
       $(\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A))$ 
      by (rule rev-subsetD, rule-tac analz-mono, blast)
    have  $K: \text{Pri-AgrK } b \in \text{analz } (\text{insert } (\text{Crypt } (\text{priSK } CA) ?H) ?A)$ 
      using  $F$  and  $I$  by simp

```

```

show ?thesis
proof ((subst insert-commute, simp add: analz-mpair analz-simp-insert-2)+,
  subst analz-auth-data-in [OF H], simp del: Un-insert-right,
  subst analz-simp-insert-1 [OF J], subst analz-simp-insert-1 [OF K])
qed (simp add: A F)
next
assume G: Pri-AgrK g  $\notin$  analz ?A  $\wedge$  Pri-AgrK b  $\notin$  analz ?A
hence H: Pri-AgrK g  $\notin$  analz (insert (Crypt (priSK CA) ?H) ?A)
  using F by simp
have I: Pri-AgrK b  $\notin$  analz (insert (Crypt (priSK CA) ?H) ?A)
  using F and G by simp
show ?thesis
proof ((subst insert-commute, simp add: analz-mpair analz-simp-insert-2)+,
  subst analz-auth-data-out [OF H I])
qed (simp add: A F)
qed
qed
next
fix evsC5 S A U m' n run s a b c f g X
let ?M = {pubAK (c * (s + a * b)), Auth-Data g b, pubAK g,
  Crypt (priSK CA) (Hash (pubAK g))}
assume
  A: Passwd m  $\notin$  analz (A  $\cup$  spies evsC5) and
  B: 0 < m and
  C: (evsC5, S, A, U)  $\in$  protocol and
  D: NonceS (S (User m', n, run)) = Some s and
  E: IntMapK (S (User m', n, run)) = Some a and
  F: ExtMapK (S (User m', n, run)) = Some b and
  G: IntAgrK (S (User m', n, run)) = Some c and
  H: ExtAgrK (S (User m', n, run)) = Some f and
  I: Says n run 4 X (User m') (Crypt (sesK (c * f)) ?M)  $\in$  set evsC5
from A show Passwd m  $\notin$  analz (insert (Crypt (sesK (c * f)) (Passwd m'))
  (A  $\cup$  spies evsC5))
proof (cases Key (invK (sesK (c * f)))  $\in$  analz (A  $\cup$  spies evsC5),
  simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2, rule-tac notI)
  case True
  moreover assume m = m'
  hence User m'  $\neq$  Spy
  using B by simp
  hence Key (sesK (c * f))  $\notin$  A
  by (rule pr-key-secrecy-aux [OF C - D E F G H I])
  hence Key (invK (sesK (c * f)))  $\notin$  analz (A  $\cup$  spies evsC5)
  using C by (simp add: pr-key-analz invK-sesK)
  ultimately show False
  by contradiction
qed
next
fix evsFC5 A n d e
assume

```

```

  A: Passwd  $m \notin \text{analz } (A \cup \text{spies evsFC5})$  and
  B: Crypt (sesK ( $d * e$ )) (Passwd  $n$ )  $\in \text{synth } (\text{analz } (A \cup \text{spies evsFC5}))$ 
from A show Passwd  $m \notin \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e))) (\text{Passwd } n))$ 
  ( $A \cup \text{spies evsFC5}$ )
proof (cases Key (invK (sesK ( $d * e$ ))))  $\in \text{analz } (A \cup \text{spies evsFC5})$ ,
simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2, rule-tac notI)
  case True
  have Crypt (sesK ( $d * e$ )) (Passwd  $n$ )  $\in \text{analz } (A \cup \text{spies evsFC5}) \vee$ 
    Passwd  $n \in \text{synth } (\text{analz } (A \cup \text{spies evsFC5})) \wedge$ 
    Key (sesK ( $d * e$ ))  $\in \text{analz } (A \cup \text{spies evsFC5})$ 
    (is  $?P \vee ?Q$ )
  using B by (rule synth-crypt)
  moreover {
    assume  $?P$ 
    hence Passwd  $n \in \text{analz } (A \cup \text{spies evsFC5})$ 
    using True by (rule analz.Decrypt)
  }
  moreover {
    assume  $?Q$ 
    hence Passwd  $n \in \text{synth } (\text{analz } (A \cup \text{spies evsFC5}))$  ..
    hence Passwd  $n \in \text{analz } (A \cup \text{spies evsFC5})$ 
    by (rule synth-simp-intro, simp)
  }
  ultimately have Passwd  $n \in \text{analz } (A \cup \text{spies evsFC5})$  ..
  moreover assume  $m = n$ 
  hence Passwd  $n \notin \text{analz } (A \cup \text{spies evsFC5})$ 
  using A by simp
  ultimately show False
  by contradiction
qed
next
  fix evsR5 A d e
  assume Passwd  $m \notin \text{analz } (A \cup \text{spies evsR5})$ 
  thus Passwd  $m \notin \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (d * e))) (\text{Number } 0))$  ( $A \cup \text{spies evsR5}$ )
  by (cases Key (invK (sesK ( $d * e$ ))))  $\in \text{analz } (A \cup \text{spies evsR5})$ ,
  simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2)
next
  fix evsFR5 A c f
  assume Passwd  $m \notin \text{analz } (A \cup \text{spies evsFR5})$ 
  thus Passwd  $m \notin \text{analz } (\text{insert } (\text{Crypt } (\text{sesK } (c * f))) (\text{Number } 0))$  ( $A \cup \text{spies evsFR5}$ )
  by (cases Key (invK (sesK ( $c * f$ ))))  $\in \text{analz } (A \cup \text{spies evsFR5})$ ,
  simp-all add: analz-crypt-in analz-crypt-out analz-simp-insert-2)
qed

```

2.3 Authenticity theorems

This section contains a series of lemmas culminating in the authenticity theorems *pr-user-authenticity* and *pr-card-authenticity*. Structured Isar proofs are used.

lemma *pr-passwd-parts* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
 Crypt (sesK *K*) (Passwd *m*) ∈ *parts* (*A* ∪ *spies evs*) →
 (∃ *n run*. Says *n* run 5 (User *m*) (Card *n*) (Crypt (sesK *K*) (Passwd *m*)) ∈ *set evs*) ∨
 (∃ *run*. Says *m* run 5 Spy (Card *m*) (Crypt (sesK *K*) (Passwd *m*)) ∈ *set evs*)
 (is - ⇒ ?*M* ∈ - → ?*P* *evs* ∨ ?*Q* *evs*)

proof (*erule protocol.induct*, *subst parts-simp*, (*simp*, *blast*)⁺)

qed (*simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair*, *blast*)⁺)

lemma *pr-unique-run-1* [rule-format]:

(*evs*, *S*, *A*, *U*) ∈ *protocol* ⇒
 {Key (sesK (*d* * *e*)), Agent (User *m*), Number *n'*, Number *run'*} ∈ *U* →
 IntAgrK (*S* (Card *n*, *n*, *run*)) = Some *d* →
 ExtAgrK (*S* (Card *n*, *n*, *run*)) = Some *e* →
n' = *n* ∧ *run'* = *run*

proof (*erule protocol.induct*, *simp-all*, *rule-tac* [3] *conjI*, (*rule-tac* [1-4] *impI*)⁺,
 (*rule-tac* [5] *impI*)⁺, *simp-all*, (*erule-tac* [2-3] *conjE*)⁺, (*rule-tac* [!] *ccontr*)

fix *evsR3 S A U s' a b c*

assume *c* * (*s'* + *a* * *b*) = *e*

hence *A*: *d* * *e* = *c* * *d* * (*s'* + *a* * *b*)

by *simp*

assume

(*evsR3*, *S*, *A*, *U*) ∈ *protocol* **and**

{Key (sesK (*d* * *e*)), Agent (User *m*), Number *n'*, Number *run'*} ∈ *U*

hence Key (sesK (*d* * *e*)) ∈ *U*

by (*rule pr-sesk-user-2*)

hence Key (sesK (*c* * *d* * (*s'* + *a* * *b*))) ∈ *U*

by (*simp only: A*)

moreover assume Key (sesK (*c* * *d* * (*s'* + *a* * *b*))) ∉ *U*

ultimately show *False*

by *contradiction*

next

fix *evsR3 S A U s a b c d'*

assume Key (sesK (*c* * *d'* * (*s* + *a* * *b*))) ∉ *U*

moreover assume sesK (*d* * *e*) = sesK (*c* * *d'* * (*s* + *a* * *b*))

with *sesK-inj* **have** *d* * *e* = *c* * *d'* * (*s* + *a* * *b*)

by (*rule injD*)

ultimately have Key (sesK (*d* * *e*)) ∉ *U*

by *simp*

moreover assume

(*evsR3*, *S*, *A*, *U*) ∈ *protocol* **and**

IntAgrK (*S* (Card *n*, *n*, *run*)) = Some *d* **and**

$ExtAgrK (S (Card\ n, n, run)) = Some\ e$
hence $Key (sesK (d * e)) \in U$
by (rule pr-sesk-card)
ultimately show *False*
by *contradiction*
next
fix *evsFR3 S A U s a b c d'*
assume $Key (sesK (c * d' * (s + a * b))) \notin U$
moreover assume $sesK (d * e) = sesK (c * d' * (s + a * b))$
with *sesK-inj* **have** $d * e = c * d' * (s + a * b)$
by (rule injD)
ultimately have $Key (sesK (d * e)) \notin U$
by *simp*
moreover assume
 $(evsFR3, S, A, U) \in protocol$ **and**
 $IntAgrK (S (Card\ n, n, run)) = Some\ d$ **and**
 $ExtAgrK (S (Card\ n, n, run)) = Some\ e$
hence $Key (sesK (d * e)) \in U$
by (rule pr-sesk-card)
ultimately show *False*
by *contradiction*
qed

lemma *pr-unique-run-2*:
 $(evs, S, A, U) \in protocol \implies$
 $IntAgrK (S (User\ m, n', run')) = Some\ c \implies$
 $ExtAgrK (S (User\ m, n', run')) = Some\ f \implies$
 $IntAgrK (S (Card\ n, n, run)) = Some\ d \implies$
 $ExtAgrK (S (Card\ n, n, run)) = Some\ e \implies$
 $d * e = c * f \implies$
 $n' = n \wedge run' = run$

proof (frule pr-sesk-user-1, assumption+, drule sym [of d * e], simp)
qed (rule pr-unique-run-1)

lemma *pr-unique-run-3* [rule-format]:
 $(evs, S, A, U) \in protocol \implies$
 $IntAgrK (S (Card\ n', n', run')) = Some\ d' \implies$
 $ExtAgrK (S (Card\ n', n', run')) = Some\ e' \implies$
 $IntAgrK (S (Card\ n, n, run)) = Some\ d \implies$
 $ExtAgrK (S (Card\ n, n, run)) = Some\ e \implies$
 $d * e = d' * e' \implies$
 $n' = n \wedge run' = run$

proof (erule protocol.induct, simp-all, rule-tac [!] conjI, (rule-tac [!] impI)+,
simp-all, rule-tac [!] ccontr)
fix *evsR3 S A U n' run' s' a b c*
assume $c * (s' + a * b) = e$
hence *A*: $d * e = c * d * (s' + a * b)$
by *simp*
assume

$(\text{evsR3}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntAgrK } (S (\text{Card } n', n', \text{run}')) = \text{Some } d'$ **and**
 $\text{ExtAgrK } (S (\text{Card } n', n', \text{run}')) = \text{Some } e'$
hence $\text{Key } (\text{sesK } (d' * e')) \in U$
by $(\text{rule } \text{pr-sesk-card})$
moreover assume $d * e = d' * e'$
ultimately have $\text{Key } (\text{sesK } (c * d * (s' + a * b))) \in U$
using A **by** simp
moreover assume $\text{Key } (\text{sesK } (c * d * (s' + a * b))) \notin U$
ultimately show False
by contradiction
next
fix $\text{evsR3 } S A U s' a b c$
assume $c * (s' + a * b) = e'$
hence $A: d' * e' = c * d' * (s' + a * b)$
by simp
assume
 $(\text{evsR3}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e$
hence $\text{Key } (\text{sesK } (d * e)) \in U$
by $(\text{rule } \text{pr-sesk-card})$
moreover assume $d * e = d' * e'$
ultimately have $\text{Key } (\text{sesK } (c * d' * (s' + a * b))) \in U$
using A **by** simp
moreover assume $\text{Key } (\text{sesK } (c * d' * (s' + a * b))) \notin U$
ultimately show False
by contradiction
qed

lemma pr-unique-run-4 $[\text{rule-format}]$:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{Says } n' \text{ run}' \ 5 \ X (\text{Card } n') (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } m)) \in \text{set evs} \implies$
 $\text{IntAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } d \implies$
 $\text{ExtAgrK } (S (\text{Card } n, n, \text{run})) = \text{Some } e \implies$
 $n' = n \wedge \text{run}' = \text{run}$

using $[[\text{simproc } \text{del: } \text{defined-all}]]$

proof $(\text{erule } \text{protocol.induct}, \text{simp-all}, (\text{rule-tac } [!] \text{impI})+, \text{rule-tac } [1-3] \text{impI},$
 $\text{simp-all}, (\text{erule-tac } [2-3] \text{conjE})+)$

fix $\text{evsR3 } S A U n \text{run } s' a b c$

assume $c * (s' + a * b) = e$

hence $A: d * e = c * d * (s' + a * b)$

by simp

assume

$(\text{evsR3}, S, A, U) \in \text{protocol}$ **and**

$\text{Says } n' \text{ run}' \ 5 \ X (\text{Card } n') (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } m)) \in \text{set evsR3}$

hence $\text{Key } (\text{sesK } (d * e)) \in U$

by $(\text{rule } \text{pr-sesk-passwd})$

hence $\text{Key } (\text{sesK } (c * d * (s' + a * b))) \in U$

by (*simp only: A*)
moreover assume $\text{Key} (\text{sesK} (c * d * (s' + a * b))) \notin U$
ultimately show $n' = n \wedge \text{run}' = \text{run}$
by *contradiction*
next
fix $\text{evsC5 } S \ A \ U \ m \ n' \ \text{run}' \ c \ f$
assume
 $(\text{evsC5}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntAgrK} (S (\text{User } m, n', \text{run}')) = \text{Some } c$ **and**
 $\text{ExtAgrK} (S (\text{User } m, n', \text{run}')) = \text{Some } f$ **and**
 $\text{IntAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $\text{ExtAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } e$
moreover assume $\text{sesK} (d * e) = \text{sesK} (c * f)$
with *sesK-inj* **have** $d * e = c * f$
by (*rule injD*)
ultimately show $n' = n \wedge \text{run}' = \text{run}$
by (*rule pr-unique-run-2*)
next
fix $\text{evsFC5 } S \ A \ U \ n' \ \text{run}' \ d' \ e'$
assume
 $(\text{evsFC5}, S, A, U) \in \text{protocol}$ **and**
 $\text{IntAgrK} (S (\text{Card } n', n', \text{run}')) = \text{Some } d'$ **and**
 $\text{ExtAgrK} (S (\text{Card } n', n', \text{run}')) = \text{Some } e'$ **and**
 $\text{IntAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**
 $\text{ExtAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } e$
moreover assume $\text{sesK} (d * e) = \text{sesK} (d' * e')$
with *sesK-inj* **have** $d * e = d' * e'$
by (*rule injD*)
ultimately show $n' = n \wedge \text{run}' = \text{run}$
by (*rule pr-unique-run-3*)
qed

theorem *pr-user-authenticity* [*rule-format*]:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{Says } n \ \text{run } 5 \ X \ (\text{Card } n) \ (\text{Crypt} (\text{sesK } K) (\text{Passwd } m)) \in \text{set } \text{evs} \implies$
 $\text{Says } n \ \text{run } 5 \ (\text{User } m) \ (\text{Card } n) \ (\text{Crypt} (\text{sesK } K) (\text{Passwd } m)) \in \text{set } \text{evs}$

proof (*erule protocol.induct, simp-all, rule impI, simp*)

fix $\text{evsFC5 } S \ A \ U \ n \ \text{run} \ d \ e$
assume
 $A: \text{Says } n \ \text{run } 5 \ \text{Spy} \ (\text{Card } n) \ (\text{Crypt} (\text{sesK} (d * e)) (\text{Passwd } n)) \in \text{set } \text{evsFC5}$
 \implies
 $\text{Says } n \ \text{run } 5 \ (\text{User } n) \ (\text{Card } n) \ (\text{Crypt} (\text{sesK} (d * e)) (\text{Passwd } n)) \in \text{set } \text{evsFC5}$

(**is** $\implies ?T$) **and**

$B: (\text{evsFC5}, S, A, U) \in \text{protocol}$ **and**

$C: \text{IntAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } d$ **and**

$D: \text{ExtAgrK} (S (\text{Card } n, n, \text{run})) = \text{Some } e$ **and**

$E: \text{Crypt} (\text{sesK} (d * e)) (\text{Passwd } n) \in \text{synth} (\text{analz} (A \cup \text{spies } \text{evsFC5}))$

show $n = 0 \vee ?T$

```

proof (cases  $n = 0$ , simp-all)
  assume  $0 < n$ 
  hence  $User\ n \neq Spy$ 
  by simp
  with  $B$  have  $F: Passwd\ n \notin analz\ (A \cup spies\ evsFC5)$ 
  by (rule pr-passwd-secrecy)
  have  $Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in analz\ (A \cup spies\ evsFC5) \vee$ 
     $Passwd\ n \in synth\ (analz\ (A \cup spies\ evsFC5)) \wedge$ 
     $Key\ (sesK\ (d * e)) \in analz\ (A \cup spies\ evsFC5)$ 
    (is  $?P \vee ?Q$ )
  using  $E$  by (rule synth-crypt)
  moreover have  $\neg ?Q$ 
proof
  assume  $?Q$ 
  hence  $Passwd\ n \in synth\ (analz\ (A \cup spies\ evsFC5)) \dots$ 
  hence  $Passwd\ n \in analz\ (A \cup spies\ evsFC5)$ 
  by (rule synth-simp-intro, simp)
  thus False
  using  $F$  by contradiction
qed
ultimately have  $?P$ 
by simp
hence  $Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in parts\ (A \cup spies\ evsFC5)$ 
by (rule subsetD [OF analz-parts-subset])
with  $B$  have
  ( $\exists n'\ run'. Says\ n'\ run'\ 5\ (User\ n)\ (Card\ n')\ (Crypt\ (sesK\ (d * e))\ (Passwd\ n))$ 
 $n))$ 
   $\in set\ evsFC5) \vee$ 
  ( $\exists run'. Says\ n\ run'\ 5\ Spy\ (Card\ n)\ (Crypt\ (sesK\ (d * e))\ (Passwd\ n))$ 
 $\in set\ evsFC5)$ 
  (is  $(\exists n'\ run'. ?P\ n'\ run') \vee (\exists run'. ?Q\ run')$ )
by (rule pr-passwd-parts)
moreover {
  assume  $\exists n'\ run'. ?P\ n'\ run'$ 
  then obtain  $n'$  and  $run'$  where  $?P\ n'\ run'$ 
  by blast
  moreover from this have  $n' = n \wedge run' = run$ 
  by (rule pr-unique-run-4 [OF  $B - C\ D$ ])
  ultimately have  $?T$ 
  by simp
}
moreover {
  assume  $\exists run'. ?Q\ run'$ 
  then obtain  $run'$  where  $?Q\ run' \dots$ 
  moreover from this have  $n = n \wedge run' = run$ 
  by (rule pr-unique-run-4 [OF  $B - C\ D$ ])
  ultimately have  $?Q\ run$ 
  by simp
with  $A$  have  $?T \dots$ 

```

```

    }
    ultimately show ?T ..
  qed
qed

```

lemma *pr-confirm-parts* [rule-format]:

```

(evs, S, A, U) ∈ protocol ⇒
  Crypt (sesK K) (Number 0) ∈ parts (A ∪ spies evs) →
  Key (sesK K) ∉ A →
  (∃ n run X.
    Says n run 5 X (Card n) (Crypt (sesK K) (Passwd n)) ∈ set evs ∧
    Says n run 5 (Card n) X (Crypt (sesK K) (Number 0)) ∈ set evs)
  (is - ⇒ - → - → ?P K evs)

```

using [[*simplproc del: defined-all*]]

proof (*erule protocol.induct, simp, subst parts-simp, simp, blast+*,
simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair,
rule-tac [3] conjI, (rule-tac [!] impI)+, simp-all, blast+)

fix *evsFR5 S A U c f*

assume

*A: Crypt (sesK (c * f)) (Number 0) ∈ parts (A ∪ spies evsFR5) →*
*?P (c * f) evsFR5 and*

B: (evsFR5, S, A, U) ∈ protocol and

*C: Key (sesK (c * f)) ∉ A and*

*D: Crypt (sesK (c * f)) (Number 0) ∈ synth (analz (A ∪ spies evsFR5))*

show *?P (c * f) evsFR5*

proof –

have *Crypt (sesK (c * f)) (Number 0) ∈ analz (A ∪ spies evsFR5) ∨*
Number 0 ∈ synth (analz (A ∪ spies evsFR5)) ∧

*Key (sesK (c * f)) ∈ analz (A ∪ spies evsFR5)*

using *D* **by** (*rule synth-crypt*)

moreover have *Key (sesK (c * f)) ∉ analz (A ∪ spies evsFR5)*

using *B* **and** *C* **by** (*simp add: pr-key-analz*)

ultimately have *Crypt (sesK (c * f)) (Number 0) ∈ analz (A ∪ spies evsFR5)*

by *simp*

hence *Crypt (sesK (c * f)) (Number 0) ∈ parts (A ∪ spies evsFR5)*

by (*rule subsetD [OF analz-parts-subset]*)

with *A* **show** *?thesis ..*

qed

qed

lemma *pr-confirm-says* [rule-format]:

```

(evs, S, A, U) ∈ protocol ⇒
  Says n run 5 X Spy (Crypt (sesK K) (Number 0)) ∈ set evs →
  Says n run 5 Spy (Card n) (Crypt (sesK K) (Passwd n)) ∈ set evs
by (erule protocol.induct, simp-all)

```

lemma *pr-passwd-says* [rule-format]:

```

(evs, S, A, U) ∈ protocol ⇒
  Says n run 5 X (Card n) (Crypt (sesK K) (Passwd m)) ∈ set evs →

```

$X = \text{User } m \vee X = \text{Spy}$
by (*erule protocol.induct, simp-all*)

lemma *pr-unique-run-5* [*rule-format*]:

(*evs, S, A, U*) \in *protocol* \implies
 $\{\text{Key } (\text{sesK } K), \text{Agent } (\text{User } m'), \text{Number } n', \text{Number } \text{run}'\} \in U \longrightarrow$
 $\{\text{Key } (\text{sesK } K), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \text{run}\} \in U \longrightarrow$
 $m = m' \wedge n = n' \wedge \text{run} = \text{run}'$
using [*simproc del: defined-all*]
proof (*erule protocol.induct, simp-all, blast, (rule conjI, rule impI)+,*
rule-tac [2] impI, (rule-tac [3] impI)+, rule-tac [4] conjI, (rule-tac [4-5] impI)+,
simp-all, blast, rule-tac [!] ccontr)
fix *evsR3 S A U s a b c d*
assume
(*evsR3, S, A, U*) \in *protocol* **and**
 $\{\text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \text{run}\} \in$
 U
hence $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
by (*rule pr-sesk-user-2*)
moreover assume $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsR3 S A U s a b c d*
assume
(*evsR3, S, A, U*) \in *protocol* **and**
 $\{\text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } (\text{User } m'), \text{Number } n', \text{Number } \text{run}'\}$
 $\in U$
hence $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
by (*rule pr-sesk-user-2*)
moreover assume $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsFR3 S A U s a b c d*
assume
(*evsFR3, S, A, U*) \in *protocol* **and**
 $\{\text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } (\text{User } m), \text{Number } n, \text{Number } \text{run}\} \in$
 U
hence $\text{Key } (\text{sesK } (c * d * (s + a * b))) \in U$
by (*rule pr-sesk-user-2*)
moreover assume $\text{Key } (\text{sesK } (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
next
fix *evsFR3 S A U s a b c d*
assume
(*evsFR3, S, A, U*) \in *protocol* **and**
 $\{\text{Key } (\text{sesK } (c * d * (s + a * b))), \text{Agent } (\text{User } m'), \text{Number } n', \text{Number } \text{run}'\}$

$\in U$
hence $\text{Key} (\text{sesK} (c * d * (s + a * b))) \in U$
by (*rule pr-sesk-user-2*)
moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$
ultimately show *False*
by *contradiction*
qed

lemma *pr-unique-run-6*:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\{\{\text{Key} (\text{sesK} (c * f)), \text{Agent} (\text{User } m'), \text{Number } n', \text{Number } \text{run}'\}\} \in U \implies$
 $\text{IntAgrK} (S (\text{User } m, n, \text{run})) = \text{Some } c \implies$
 $\text{ExtAgrK} (S (\text{User } m, n, \text{run})) = \text{Some } f \implies$
 $m = m' \wedge n = n' \wedge \text{run} = \text{run}'$

proof (*frule pr-sesk-user-1, assumption+*)

qed (*rule pr-unique-run-5*)

lemma *pr-unique-run-7* [*rule-format*]:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{Says } n' \text{ run}' 5 (\text{User } m') (\text{Card } n') (\text{Crypt} (\text{sesK } K) (\text{Passwd } m')) \in \text{set evs}$
 \longrightarrow
 $\{\{\text{Key} (\text{sesK } K), \text{Agent} (\text{User } m), \text{Number } n, \text{Number } \text{run}\}\} \in U \longrightarrow$
 $\text{Key} (\text{sesK } K) \notin A \longrightarrow$
 $m' = m \wedge n' = n \wedge \text{run}' = \text{run}$

proof (*erule protocol.induct, simp-all, (rule impI)+, (rule-tac [2-3] impI)+, (erule-tac [3] conjE)+, (drule-tac [3] sym [of m'])+, drule-tac [3] sym [of 0], simp-all*)

fix *evsR3 S A U n run s a b c d*

assume

$(\text{evsR3}, S, A, U) \in \text{protocol}$ **and**

$\text{Says } n' \text{ run}' 5 (\text{User } m') (\text{Card } n')$

$(\text{Crypt} (\text{sesK} (c * d * (s + a * b))) (\text{Passwd } m')) \in \text{set evsR3}$

hence $\text{Key} (\text{sesK} (c * d * (s + a * b))) \in U$

by (*rule pr-sesk-passwd*)

moreover assume $\text{Key} (\text{sesK} (c * d * (s + a * b))) \notin U$

ultimately show $m' = m \wedge n' = n \wedge \text{run}' = \text{run}$

by *contradiction*

next

fix *evsC5 S A U m' n' run' c f*

assume

$(\text{evsC5}, S, A, U) \in \text{protocol}$ **and**

$\{\{\text{Key} (\text{sesK} (c * f)), \text{Agent} (\text{User } m), \text{Number } n, \text{Number } \text{run}\}\} \in U$ **and**

$\text{IntAgrK} (S (\text{User } m', n', \text{run}')) = \text{Some } c$ **and**

$\text{ExtAgrK} (S (\text{User } m', n', \text{run}')) = \text{Some } f$

thus $m' = m \wedge n' = n \wedge \text{run}' = \text{run}$

by (*rule pr-unique-run-6*)

next

fix *evsFC5 S A U run' d e*

assume

$A: \text{Says } 0 \text{ run}' 5 \text{ Spy } (\text{Card } 0) (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0)) \in \text{set evsFC5}$
 \longrightarrow
 $m = 0 \wedge n = 0 \wedge \text{run}' = \text{run}$ **and**
 $B: (\text{evsFC5}, S, A, U) \in \text{protocol}$ **and**
 $C: \text{IntAgrK } (S (\text{Card } 0, 0, \text{run}')) = \text{Some } d$ **and**
 $D: \text{ExtAgrK } (S (\text{Card } 0, 0, \text{run}')) = \text{Some } e$ **and**
 $E: \text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0) \in \text{synth } (\text{analz } (A \cup \text{spies evsFC5}))$ **and**
 $F: \text{Key } (\text{sesK } (d * e)) \notin A$
have $\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0) \in \text{analz } (A \cup \text{spies evsFC5}) \vee$
 $\text{Passwd } 0 \in \text{synth } (\text{analz } (A \cup \text{spies evsFC5})) \wedge$
 $\text{Key } (\text{sesK } (d * e)) \in \text{analz } (A \cup \text{spies evsFC5})$
using E **by** (*rule synth-crypt*)
moreover have $\text{Key } (\text{sesK } (d * e)) \notin \text{analz } (A \cup \text{spies evsFC5})$
using B **and** F **by** (*simp add: pr-key-analz*)
ultimately have $\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0) \in \text{analz } (A \cup \text{spies evsFC5})$
by *simp*
hence $\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0) \in \text{parts } (A \cup \text{spies evsFC5})$
by (*rule subsetD [OF analz-parts-subset]*)
with B **have**
 $(\exists n \text{ run. Says } n \text{ run } 5 \text{ Spy } (\text{Card } n) (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0))$
 $\in \text{set evsFC5}) \vee$
 $(\exists \text{run. Says } 0 \text{ run } 5 \text{ Spy } (\text{Card } 0) (\text{Crypt } (\text{sesK } (d * e)) (\text{Passwd } 0))$
 $\in \text{set evsFC5})$
(is $(\exists n \text{ run. ?P } n \text{ run}) \vee (\exists \text{run. ?Q } \text{run})$
by (*rule pr-passwd-parts*)
moreover {
assume $\exists n \text{ run. ?P } n \text{ run}$
then obtain n'' **and** run'' **where** $?P \ n'' \ \text{run}''$
by *blast*
moreover from *this* **have** $n'' = 0 \wedge \text{run}'' = \text{run}'$
by (*rule pr-unique-run-4 [OF B - C D]*)
ultimately have $?P \ 0 \ \text{run}'$
by *simp*
}
moreover {
assume $\exists \text{run. ?Q } \text{run}$
then obtain run'' **where** $?Q \ \text{run}'' \ ..$
hence $\exists n. ?P \ n \ \text{run}'' \ ..$
then obtain n'' **where** $?P \ n'' \ \text{run}'' \ ..$
moreover from *this* **have** $n'' = 0 \wedge \text{run}'' = \text{run}'$
by (*rule pr-unique-run-4 [OF B - C D]*)
ultimately have $?P \ 0 \ \text{run}'$
by *simp*
}
ultimately have $?P \ 0 \ \text{run}' \ ..$
with A **show** $m = 0 \wedge n = 0 \wedge \text{run}' = \text{run} \ ..$
qed

lemma *pr-unique-run-8*:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{Says } n' \text{ run}' 5 \text{ (User } m') \text{ (Card } n') \text{ (Crypt (sesK (c * f)) (Passwd } m')) \in \text{set}$
 $\text{evs} \implies$
 $\text{IntAgrK (S (User } m, n, \text{run})) = \text{Some } c \implies$
 $\text{ExtAgrK (S (User } m, n, \text{run})) = \text{Some } f \implies$
 $\text{Key (sesK (c * f))} \notin A \implies$
 $m' = m \wedge n' = n \wedge \text{run}' = \text{run}$
proof (frule pr-sesk-user-1, assumption+)
qed (rule pr-unique-run-7)

lemma pr-unique-passwd-parts [rule-format]:

$(\text{evs}, S, A, U) \in \text{protocol} \implies$
 $\text{Crypt (sesK } K \text{) (Passwd } m') \in \text{parts (} A \cup \text{spies evs)} \longrightarrow$
 $\text{Crypt (sesK } K \text{) (Passwd } m) \in \text{parts (} A \cup \text{spies evs)} \longrightarrow$
 $m' = m$

using [[simproc del: defined-all]]

proof (erule protocol.induct, simp, subst parts-simp, simp, blast+,
 simp-all add: parts-simp-insert parts-auth-data parts-crypt parts-mpair,
 rule-tac [!] conjI, (rule-tac [!] impI)+, erule-tac [!] conjE, simp-all)
fix evsC5 S A U m'' n run s a b c f g X

assume

A: $(\text{evsC5}, S, A, U) \in \text{protocol}$ **and**
 B: $\text{NonceS (S (User } m'', n, \text{run})) = \text{Some } s$ **and**
 C: $\text{IntMapK (S (User } m'', n, \text{run})) = \text{Some } a$ **and**
 D: $\text{ExtMapK (S (User } m'', n, \text{run})) = \text{Some } b$ **and**
 E: $\text{IntAgrK (S (User } m'', n, \text{run})) = \text{Some } c$ **and**
 F: $\text{ExtAgrK (S (User } m'', n, \text{run})) = \text{Some } f$ **and**
 G: $\text{Crypt (sesK (c * f)) (Passwd } m) \in \text{parts (} A \cup \text{spies evsC5)}$ **and**
 H: $m' = m''$ **and**
 I: $\text{Says } n \text{ run } 4 \text{ X (User } m'') \text{ (Crypt (sesK (c * f))$
 $\{\text{pubAK (c * (s + a * b)), Auth-Data } g \text{ b, pubAK } g,$
 $\text{Crypt (priSK } CA \text{) (Hash (pubAK } g))\} \in \text{set evsC5}$

show $m'' = m$

proof (cases $m'' = 0$, rule classical)

case True

moreover assume $m'' \neq m$

ultimately have J: $\text{User } m \neq \text{Spy}$

using H **by** simp

have

$(\exists n \text{ run. Says } n \text{ run } 5 \text{ (User } m) \text{ (Card } n) \text{ (Crypt (sesK (c * f)) (Passwd } m))$
 $\in \text{set evsC5}) \vee$

$(\exists \text{run. Says } m \text{ run } 5 \text{ Spy (Card } m) \text{ (Crypt (sesK (c * f)) (Passwd } m))$
 $\in \text{set evsC5})$

(is $(\exists n \text{ run. ?P } n \text{ run}) \vee (\exists \text{run. ?Q } \text{run})$)

using A **and** G **by** (rule pr-passwd-parts)

moreover {

assume $\exists n \text{ run. ?P } n \text{ run}$

then obtain n' **and** run' **where** K: $?P \ n' \ \text{run}'$

by blast

```

with A and J have Key (sesK (c * f))  $\notin$  analz (A  $\cup$  spies evsC5)
  by (rule pr-key-secrecy)
hence Key (sesK (c * f))  $\notin$  A
  using A by (simp add: pr-key-analz)
hence m = m''  $\wedge$  n' = n  $\wedge$  run' = run
  by (rule pr-unique-run-8 [OF A K E F])
hence ?thesis
  by simp
}
moreover {
  assume  $\exists$  run. ?Q run
  then obtain run' where ?Q run' ..
  with A have K: ?P m run'
    by (rule pr-user-authenticity)
  with A and J have Key (sesK (c * f))  $\notin$  analz (A  $\cup$  spies evsC5)
    by (rule pr-key-secrecy)
  hence Key (sesK (c * f))  $\notin$  A
    using A by (simp add: pr-key-analz)
  hence m = m''  $\wedge$  m = n  $\wedge$  run' = run
    by (rule pr-unique-run-8 [OF A K E F])
  hence ?thesis
    by simp
}
ultimately show ?thesis ..
next
case False
hence User m''  $\neq$  Spy
  by simp
hence J: Key (sesK (c * f))  $\notin$  A
  by (rule pr-key-secrecy-aux [OF A - B C D E F I])
have
  ( $\exists$  n run. Says n run 5 (User m) (Card n) (Crypt (sesK (c * f)) (Passwd m))
     $\in$  set evsC5)  $\vee$ 
  ( $\exists$  run. Says m run 5 Spy (Card m) (Crypt (sesK (c * f)) (Passwd m))
     $\in$  set evsC5)
  (is ( $\exists$  n run. ?P n run)  $\vee$  ( $\exists$  run. ?Q run))
  using A and G by (rule pr-passwd-parts)
moreover {
  assume  $\exists$  n run. ?P n run
  then obtain n' and run' where ?P n' run'
    by blast
  hence m = m''  $\wedge$  n' = n  $\wedge$  run' = run
    by (rule pr-unique-run-8 [OF A - E F J])
  hence ?thesis
    by simp
}
moreover {
  assume  $\exists$  run. ?Q run
  then obtain run' where ?Q run' ..

```



```

with  $A$  have  $?P\ m\ run'$ 
  by (rule pr-user-authenticity)
hence  $m = m'' \wedge m = n \wedge run' = run$ 
  by (rule pr-unique-run-8 [OF  $A - E\ F\ J$ ])
hence  $?thesis$ 
  by simp
}
ultimately show  $?thesis ..$ 
qed
next
fix  $evsC5\ S\ A\ U\ m''\ n\ run\ s\ a\ b\ c\ f\ g\ X$ 
assume
   $A: (evsC5, S, A, U) \in protocol$  and
   $B: NonceS\ (S\ (User\ m'', n, run)) = Some\ s$  and
   $C: IntMapK\ (S\ (User\ m'', n, run)) = Some\ a$  and
   $D: ExtMapK\ (S\ (User\ m'', n, run)) = Some\ b$  and
   $E: IntAgrK\ (S\ (User\ m'', n, run)) = Some\ c$  and
   $F: ExtAgrK\ (S\ (User\ m'', n, run)) = Some\ f$  and
   $G: Crypt\ (sesK\ (c * f))\ (Passwd\ m') \in parts\ (A \cup spies\ evsC5)$  and
   $H: m = m''$  and
   $I: Says\ n\ run\ 4\ X\ (User\ m'')\ (Crypt\ (sesK\ (c * f))\ \{pubAK\ (c * (s + a * b)), Auth-Data\ g\ b,\ pubAK\ g,\ Crypt\ (priSK\ CA)\ (Hash\ (pubAK\ g))\}) \in set\ evsC5$ 
show  $m' = m''$ 
proof (cases  $m'' = 0$ , rule classical)
  case True
  moreover assume  $m' \neq m''$ 
  ultimately have  $J: User\ m' \neq Spy$ 
  using  $H$  by simp
  have
     $(\exists n\ run. Says\ n\ run\ 5\ (User\ m')\ (Card\ n)\ (Crypt\ (sesK\ (c * f))\ (Passwd\ m')) \in set\ evsC5) \vee$ 
     $(\exists run. Says\ m'\ run\ 5\ Spy\ (Card\ m')\ (Crypt\ (sesK\ (c * f))\ (Passwd\ m')) \in set\ evsC5)$ 
    (is  $(\exists n\ run. ?P\ n\ run) \vee (\exists run. ?Q\ run)$ )
  using  $A$  and  $G$  by (rule pr-passwd-parts)
  moreover {
    assume  $\exists n\ run. ?P\ n\ run$ 
    then obtain  $n'$  and  $run'$  where  $K: ?P\ n'\ run'$ 
    by blast
    with  $A$  and  $J$  have  $Key\ (sesK\ (c * f)) \notin analz\ (A \cup spies\ evsC5)$ 
    by (rule pr-key-secrecy)
    hence  $Key\ (sesK\ (c * f)) \notin A$ 
    using  $A$  by (simp add: pr-key-analz)
    hence  $m' = m'' \wedge n' = n \wedge run' = run$ 
    by (rule pr-unique-run-8 [OF  $A\ K\ E\ F$ ])
    hence  $?thesis$ 
    by simp
  }
}

```

```

moreover {
  assume  $\exists \text{run. } ?Q \text{ run}$ 
  then obtain  $\text{run}'$  where  $?Q \text{ run}' ..$ 
  with  $A$  have  $K: ?P \text{ m}' \text{ run}'$ 
  by (rule pr-user-authenticity)
  with  $A$  and  $J$  have  $\text{Key} (\text{sesK} (c * f)) \notin \text{analz} (A \cup \text{spies evsC5})$ 
  by (rule pr-key-secrecy)
  hence  $\text{Key} (\text{sesK} (c * f)) \notin A$ 
  using  $A$  by (simp add: pr-key-analz)
  hence  $m' = m'' \wedge m' = n \wedge \text{run}' = \text{run}$ 
  by (rule pr-unique-run-8 [OF A K E F])
  hence  $?thesis$ 
  by simp
}
ultimately show  $?thesis ..$ 
next
case False
hence  $\text{User } m'' \neq \text{Spy}$ 
by simp
hence  $J: \text{Key} (\text{sesK} (c * f)) \notin A$ 
by (rule pr-key-secrecy-aux [OF A - B C D E F I])
have
( $\exists n \text{ run. Says } n \text{ run } 5 (\text{User } m') (\text{Card } n) (\text{Crypt} (\text{sesK} (c * f)) (\text{Passwd } m'))$ 
 $\in \text{set evsC5}$ )  $\vee$ 
( $\exists \text{run. Says } m' \text{ run } 5 \text{ Spy} (\text{Card } m') (\text{Crypt} (\text{sesK} (c * f)) (\text{Passwd } m'))$ 
 $\in \text{set evsC5}$ )
(is ( $\exists n \text{ run. } ?P \text{ n run}$ )  $\vee$  ( $\exists \text{run. } ?Q \text{ run}$ ))
using  $A$  and  $G$  by (rule pr-passwd-parts)
moreover {
  assume  $\exists n \text{ run. } ?P \text{ n run}$ 
  then obtain  $n'$  and  $\text{run}'$  where  $?P \text{ n}' \text{ run}'$ 
  by blast
  hence  $m' = m'' \wedge n' = n \wedge \text{run}' = \text{run}$ 
  by (rule pr-unique-run-8 [OF A - E F J])
  hence  $?thesis$ 
  by simp
}
moreover {
  assume  $\exists \text{run. } ?Q \text{ run}$ 
  then obtain  $\text{run}'$  where  $?Q \text{ run}' ..$ 
  with  $A$  have  $?P \text{ m}' \text{ run}'$ 
  by (rule pr-user-authenticity)
  hence  $m' = m'' \wedge m' = n \wedge \text{run}' = \text{run}$ 
  by (rule pr-unique-run-8 [OF A - E F J])
  hence  $?thesis$ 
  by simp
}
ultimately show  $?thesis ..$ 
qed

```

```

next
fix evsFC5 S A U n d e
assume
  A: Crypt (sesK (d * e)) (Passwd n) ∈ parts (A ∪ spies evsFC5) →
    n = m and
  B: (evsFC5, S, A, U) ∈ protocol and
  C: Crypt (sesK (d * e)) (Passwd n) ∈ synth (analz (A ∪ spies evsFC5)) and
  D: Crypt (sesK (d * e)) (Passwd m) ∈ parts (A ∪ spies evsFC5)
show n = m
proof (rule classical)
  assume E: n ≠ m
  have F: Crypt (sesK (d * e)) (Passwd n) ∈ analz (A ∪ spies evsFC5) ∨
    Passwd n ∈ synth (analz (A ∪ spies evsFC5)) ∧
    Key (sesK (d * e)) ∈ analz (A ∪ spies evsFC5)
  using C by (rule synth-crypt)
  have Crypt (sesK (d * e)) (Passwd n) ∈ analz (A ∪ spies evsFC5)
  proof (rule disjE [OF F], assumption, erule conjE, cases n = 0)
    case True
    hence G: User m ≠ Spy
    using E by simp
    have
      (∃ n run. Says n run 5 (User m) (Card n) (Crypt (sesK (d * e)) (Passwd
m)))
      ∈ set evsFC5) ∨
      (∃ run. Says m run 5 Spy (Card m) (Crypt (sesK (d * e)) (Passwd m))
      ∈ set evsFC5)
      (is (∃ n run. ?P n run) ∨ (∃ run. ?Q run))
    using B and D by (rule pr-passwd-parts)
  moreover {
    assume ∃ n run. ?P n run
    then obtain n' and run where ?P n' run
    by blast
    with B and G have Key (sesK (d * e)) ∉ analz (A ∪ spies evsFC5)
    by (rule pr-key-secrecy)
  }
  moreover {
    assume ∃ run. ?Q run
    then obtain run where ?Q run ..
    with B have ?P m run
    by (rule pr-user-authenticity)
    with B and G have Key (sesK (d * e)) ∉ analz (A ∪ spies evsFC5)
    by (rule pr-key-secrecy)
  }
  ultimately have Key (sesK (d * e)) ∉ analz (A ∪ spies evsFC5) ..
  moreover assume Key (sesK (d * e)) ∈ analz (A ∪ spies evsFC5)
  ultimately show ?thesis
  by contradiction
next
case False

```

```

hence  $User\ n \neq Spy$ 
by simp
with  $B$  have  $Passwd\ n \notin analz\ (A \cup spies\ evsFC5)$ 
by (rule pr-passwd-secrecy)
moreover assume  $Passwd\ n \in synth\ (analz\ (A \cup spies\ evsFC5))$ 
hence  $Passwd\ n \in analz\ (A \cup spies\ evsFC5)$ 
by (rule synth-simp-intro, simp)
ultimately show ?thesis
by contradiction
qed
hence  $Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in parts\ (A \cup spies\ evsFC5)$ 
by (rule subsetD [OF analz-parts-subset])
with  $A$  show ?thesis ..
qed
next
fix  $evsFC5\ S\ A\ U\ n\ d\ e$ 
assume
   $A: Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in parts\ (A \cup spies\ evsFC5) \longrightarrow$ 
     $m' = n$  and
   $B: (evsFC5, S, A, U) \in protocol$  and
   $C: Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in synth\ (analz\ (A \cup spies\ evsFC5))$  and
   $D: Crypt\ (sesK\ (d * e))\ (Passwd\ m') \in parts\ (A \cup spies\ evsFC5)$ 
show  $m' = n$ 
proof (rule classical)
assume  $E: m' \neq n$ 
have  $F: Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in analz\ (A \cup spies\ evsFC5) \vee$ 
   $Passwd\ n \in synth\ (analz\ (A \cup spies\ evsFC5)) \wedge$ 
   $Key\ (sesK\ (d * e)) \in analz\ (A \cup spies\ evsFC5)$ 
using  $C$  by (rule synth-encrypt)
have  $Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in analz\ (A \cup spies\ evsFC5)$ 
proof (rule disjE [OF F], assumption, erule conjE, cases n = 0)
  case True
    hence  $G: User\ m' \neq Spy$ 
    using  $E$  by simp
    have
       $(\exists n\ run. Says\ n\ run\ 5\ (User\ m')\ (Card\ n)\ (Crypt\ (sesK\ (d * e))\ (Passwd$ 
         $m'))$ 
       $\in set\ evsFC5) \vee$ 
       $(\exists run. Says\ m'\ run\ 5\ Spy\ (Card\ m')\ (Crypt\ (sesK\ (d * e))\ (Passwd\ m'))$ 
       $\in set\ evsFC5)$ 
       $(\exists n\ run. ?P\ n\ run) \vee (\exists run. ?Q\ run)$ 
    using  $B$  and  $D$  by (rule pr-passwd-parts)
    moreover {
      assume  $\exists n\ run. ?P\ n\ run$ 
      then obtain  $n'$  and  $run$  where  $?P\ n'\ run$ 
      by blast
      with  $B$  and  $G$  have  $Key\ (sesK\ (d * e)) \notin analz\ (A \cup spies\ evsFC5)$ 
      by (rule pr-key-secrecy)
    }
  }

```

moreover {
 assume $\exists run. ?Q\ run$
 then obtain run **where** $?Q\ run ..$
 with B **have** $?P\ m'\ run$
 by (*rule pr-user-authenticity*)
 with B **and** G **have** $Key\ (sesK\ (d * e)) \notin analz\ (A \cup spies\ evsFC5)$
 by (*rule pr-key-secrecy*)
}

ultimately have $Key\ (sesK\ (d * e)) \notin analz\ (A \cup spies\ evsFC5) ..$
moreover assume $Key\ (sesK\ (d * e)) \in analz\ (A \cup spies\ evsFC5)$
ultimately show $?thesis$
by *contradiction*

next
case *False*
hence $User\ n \neq Spy$
by *simp*
with B **have** $Passwd\ n \notin analz\ (A \cup spies\ evsFC5)$
by (*rule pr-passwd-secrecy*)
moreover assume $Passwd\ n \in synth\ (analz\ (A \cup spies\ evsFC5))$
hence $Passwd\ n \in analz\ (A \cup spies\ evsFC5)$
by (*rule synth-simp-intro, simp*)
ultimately show $?thesis$
by *contradiction*

qed
hence $Crypt\ (sesK\ (d * e))\ (Passwd\ n) \in parts\ (A \cup spies\ evsFC5)$
by (*rule subsetD [OF analz-parts-subset]*)
with A **show** $?thesis ..$

qed
qed

theorem *pr-card-authenticity* [*rule-format*]:

$(evs, S, A, U) \in protocol \implies$
 $Says\ n\ run\ 5\ (User\ m)\ (Card\ n)\ (Crypt\ (sesK\ K)\ (Passwd\ m)) \in set\ evs \implies$
 $Says\ n\ run\ 5\ X\ (User\ m)\ (Crypt\ (sesK\ K)\ (Number\ 0)) \in set\ evs \implies$
 $n = m \wedge$
 $(Says\ m\ run\ 5\ (Card\ m)\ (User\ m)\ (Crypt\ (sesK\ K)\ (Number\ 0)) \in set\ evs \vee$
 $Says\ m\ run\ 5\ (Card\ m)\ Spy\ (Crypt\ (sesK\ K)\ (Number\ 0)) \in set\ evs$

proof (*erule protocol.induct, simp-all, (rule-tac [1-2] impI)+, (erule-tac [2] conjE)+,*
(rule-tac [3] impI, rule-tac [3] conjI)+, rule-tac [4] disjI1, rule-tac [5] impI,
(rule-tac [6] impI)+, simp-all)

fix $evsC5\ S\ A\ U\ m\ n\ run\ s\ a\ b\ c\ f\ g\ X'$

assume

$A: Says\ n\ run\ 5\ (User\ m)\ (Card\ n)\ (Crypt\ (sesK\ (c * f))\ (Passwd\ m))$
 $\in set\ evsC5 \implies$
 $n = m \wedge$
 $(Says\ m\ run\ 5\ (Card\ m)\ (User\ m)\ (Crypt\ (sesK\ (c * f))\ (Number\ 0))$
 $\in set\ evsC5 \vee$
 $Says\ m\ run\ 5\ (Card\ m)\ Spy\ (Crypt\ (sesK\ (c * f))\ (Number\ 0))$
 $\in set\ evsC5$ **and**

B: $(\text{evsC5}, S, A, U) \in \text{protocol}$ **and**
C: $\text{NonceS } (S \text{ (User } m, n, \text{run)}) = \text{Some } s$ **and**
D: $\text{IntMapK } (S \text{ (User } m, n, \text{run)}) = \text{Some } a$ **and**
E: $\text{ExtMapK } (S \text{ (User } m, n, \text{run)}) = \text{Some } b$ **and**
F: $\text{IntAgrK } (S \text{ (User } m, n, \text{run)}) = \text{Some } c$ **and**
G: $\text{ExtAgrK } (S \text{ (User } m, n, \text{run)}) = \text{Some } f$ **and**
H: $\text{Says } n \text{ run } 4 \text{ } X' \text{ (User } m) \text{ (Crypt (sesK (c * f))$
 $\{\text{pubAK } (c * (s + a * b)), \text{Auth-Data } g \text{ } b, \text{pubAK } g,$
 $\text{Crypt (priSK } CA) \text{ (Hash (pubAK } g))\}) \in \text{set evsC5}$ **and**
I: $\text{Says } n \text{ run } 5 \text{ } X \text{ (User } m) \text{ (Crypt (sesK (c * f)) (Number 0))} \in \text{set evsC5}$
show $n = m \wedge$
 $(\text{Says } m \text{ run } 5 \text{ (Card } m) \text{ (User } m) \text{ (Crypt (sesK (c * f)) (Number 0))} \in \text{set evsC5} \vee$
 $\text{Says } m \text{ run } 5 \text{ (Card } m) \text{ Spy (Crypt (sesK (c * f)) (Number 0))} \in \text{set evsC5})$
proof $(\text{cases } m = 0)$
case *True*
hence $\text{Says } n \text{ run } 5 \text{ } X \text{ Spy (Crypt (sesK (c * f)) (Number 0))} \in \text{set evsC5}$
using *I* **by** *simp*
with *B* **have** $\text{Says } n \text{ run } 5 \text{ } X \text{ Spy (Card } n) \text{ (Crypt (sesK (c * f)) (Passwd } n))$
 $\in \text{set evsC5}$
by *(rule pr-confirm-says)*
with *B* **have** *J:* $\text{Says } n \text{ run } 5 \text{ (User } n) \text{ (Card } n) \text{ (Crypt (sesK (c * f)) (Passwd } n))$
 $\in \text{set evsC5}$
by *(rule pr-user-authenticity)*
show *?thesis*
proof $(\text{cases } n)$
case *0*
hence $\text{Says } n \text{ run } 5 \text{ (User } m) \text{ (Card } n) \text{ (Crypt (sesK (c * f)) (Passwd } m))$
 $\in \text{set evsC5}$
using *J* **and** *True* **by** *simp*
with *A* **show** *?thesis ..*
next
case *Suc*
hence $\text{User } n \neq \text{Spy}$
by *simp*
with *B* **have** $\text{Key } (\text{sesK } (c * f)) \notin \text{analz } (A \cup \text{spies evsC5})$
using *J* **by** *(rule pr-key-secrecy)*
hence $\text{Key } (\text{sesK } (c * f)) \notin A$
using *B* **by** *(simp add: pr-key-analz)*
hence $n = m \wedge n = n \wedge \text{run} = \text{run}$
by *(rule pr-unique-run-8 [OF B J F G])*
hence $\text{Says } n \text{ run } 5 \text{ (User } m) \text{ (Card } n) \text{ (Crypt (sesK (c * f)) (Passwd } m))$
 $\in \text{set evsC5}$
using *J* **by** *simp*
with *A* **show** *?thesis ..*
qed
next
case *False*

have $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{spies evsC5}$
using I **by** (rule set-spies)
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in A \cup \text{spies evsC5} \dots$
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{parts}(A \cup \text{spies evsC5})$
by (rule parts.Inj)
moreover have $\text{User } m \neq \text{Spy}$
using False **by** simp
hence $J: \text{Key}(\text{sesK}(c * f)) \notin A$
by $(\text{rule pr-key-secrecy-aux } [OF\ B - C\ D\ E\ F\ G\ H])$
ultimately have $\exists n \text{ run } X.$
 $\text{Says } n \text{ run } 5\ X\ (\text{Card } n)\ (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n)) \in \text{set evsC5} \wedge$
 $\text{Says } n \text{ run } 5\ (\text{Card } n)\ X\ (\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0)) \in \text{set evsC5}$
by $(\text{rule pr-confirm-parts } [OF\ B])$
then obtain n' **and** run' **and** X **where**
 $\text{Says } n' \text{ run}'\ 5\ X\ (\text{Card } n')\ (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n')) \in \text{set evsC5}$
by blast
with B **have**
 $\text{Says } n' \text{ run}'\ 5\ (\text{User } n')\ (\text{Card } n')\ (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n')) \in \text{set evsC5}$
by $(\text{rule pr-user-authenticity})$
moreover from this **have** $n' = m \wedge n' = n \wedge \text{run}' = \text{run}$
by $(\text{rule pr-unique-run-8 } [OF\ B - F\ G\ J])$
ultimately have
 $\text{Says } n \text{ run } 5\ (\text{User } m)\ (\text{Card } n)\ (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m)) \in \text{set evsC5}$
by auto
with A **show** $?thesis \dots$
qed
next
fix $\text{evsFC5 } S\ A\ U \text{ run } d\ e$
assume
 $\text{Says } 0 \text{ run } 5\ \text{Spy}\ (\text{Card } 0)\ (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } 0)) \in \text{set evsFC5} \longrightarrow$
 $\text{Says } 0 \text{ run } 5\ (\text{Card } 0)\ \text{Spy}\ (\text{Crypt}(\text{sesK}(d * e))(\text{Number } 0)) \in \text{set evsFC5}$
moreover assume
 $(\text{evsFC5}, S, A, U) \in \text{protocol}$ **and**
 $\text{Says } 0 \text{ run } 5\ X\ \text{Spy}\ (\text{Crypt}(\text{sesK}(d * e))(\text{Number } 0)) \in \text{set evsFC5}$
hence $\text{Says } 0 \text{ run } 5\ \text{Spy}\ (\text{Card } 0)\ (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } 0)) \in \text{set evsFC5}$
by $(\text{rule pr-confirm-says})$
ultimately show
 $\text{Says } 0 \text{ run } 5\ (\text{Card } 0)\ \text{Spy}\ (\text{Crypt}(\text{sesK}(d * e))(\text{Number } 0)) \in \text{set evsFC5} \dots$
next
fix $\text{evsR5 } S\ A\ U\ n \text{ run } d\ e\ X$
assume $(\text{evsR5}, S, A, U) \in \text{protocol}$
moreover assume $\text{Says } n \text{ run } 5\ X\ (\text{Card } n)\ (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n)) \in \text{set evsR5}$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in \text{spies evsR5}$
by (rule set-spies)
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in A \cup \text{spies evsR5} \dots$

hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in \text{parts}(A \cup \text{spies evsR5})$
by (*rule parts.Inj*)
moreover assume $\text{Says } n \text{ run } 5 X (\text{Card } n) (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m))$
 $\in \text{set evsR5}$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in \text{spies evsR5}$
by (*rule set-spies*)
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in A \cup \text{spies evsR5} \dots$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in \text{parts}(A \cup \text{spies evsR5})$
by (*rule parts.Inj*)
ultimately show $n = m$
by (*rule pr-unique-passwd-parts*)
next
fix $\text{evsR5 } S A U n \text{ run } d e X$
assume $(\text{evsR5}, S, A, U) \in \text{protocol}$
moreover assume $\text{Says } n \text{ run } 5 X (\text{Card } n) (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m))$
 $\in \text{set evsR5}$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in \text{spies evsR5}$
by (*rule set-spies*)
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in A \cup \text{spies evsR5} \dots$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } m) \in \text{parts}(A \cup \text{spies evsR5})$
by (*rule parts.Inj*)
moreover assume $\text{Says } n \text{ run } 5 X (\text{Card } n) (\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n))$
 $\in \text{set evsR5}$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in \text{spies evsR5}$
by (*rule set-spies*)
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in A \cup \text{spies evsR5} \dots$
hence $\text{Crypt}(\text{sesK}(d * e))(\text{Passwd } n) \in \text{parts}(A \cup \text{spies evsR5})$
by (*rule parts.Inj*)
ultimately show $m = n$
by (*rule pr-unique-passwd-parts*)
next
fix $\text{evsR5 } n' \text{ run}' d e X$
assume $n = m \wedge$
 $(\text{Says } m \text{ run } 5 (\text{Card } m) (\text{User } m) (\text{Crypt}(\text{sesK } K) (\text{Number } 0))) \in \text{set evsR5}$
 \vee
 $\text{Says } m \text{ run } 5 (\text{Card } m) \text{ Spy } (\text{Crypt}(\text{sesK } K) (\text{Number } 0)) \in \text{set evsR5}$
thus
 $m = n' \wedge \text{run} = \text{run}' \wedge m = n' \wedge \text{User } m = X \wedge \text{sesK } K = \text{sesK}(d * e) \vee$
 $\text{Says } m \text{ run } 5 (\text{Card } m) (\text{User } m) (\text{Crypt}(\text{sesK } K) (\text{Number } 0)) \in \text{set evsR5} \vee$
 $m = n' \wedge \text{run} = \text{run}' \wedge m = n' \wedge \text{Spy} = X \wedge \text{sesK } K = \text{sesK}(d * e) \vee$
 $\text{Says } m \text{ run } 5 (\text{Card } m) \text{ Spy } (\text{Crypt}(\text{sesK } K) (\text{Number } 0)) \in \text{set evsR5}$
by *blast*
next
fix $\text{evsFR5 } S A U m n \text{ run } c f$
assume
 $A: (\text{evsFR5}, S, A, U) \in \text{protocol}$ **and**
 $B: 0 < m$ **and**
 $C: \text{IntAgrK}(S(\text{User } m, n, \text{run})) = \text{Some } c$ **and**
 $D: \text{ExtAgrK}(S(\text{User } m, n, \text{run})) = \text{Some } f$ **and**

$E: \text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{synth}(\text{analz}(A \cup \text{spies evsFR5}))$ **and**
 $F: \text{Says } n \text{ run } 5 (\text{User } m) (\text{Card } n) (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m)) \in \text{set evsFR5}$
have $\text{User } m \neq \text{Spy}$
using B **by** simp
with A **have** $G: \text{Key}(\text{sesK}(c * f)) \notin \text{analz}(A \cup \text{spies evsFR5})$
using F **by** $(\text{rule pr-key-secrecy})$
moreover have $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{analz}(A \cup \text{spies evsFR5})$
 \vee
 $\text{Number } 0 \in \text{synth}(\text{analz}(A \cup \text{spies evsFR5})) \wedge$
 $\text{Key}(\text{sesK}(c * f)) \in \text{analz}(A \cup \text{spies evsFR5})$
using E **by** $(\text{rule synth-crypt})$
ultimately have $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{analz}(A \cup \text{spies evsFR5})$
by simp
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0) \in \text{parts}(A \cup \text{spies evsFR5})$
by $(\text{rule subsetD [OF analz-parts-subset]})$
moreover have $H: \text{Key}(\text{sesK}(c * f)) \notin A$
using A **and** G **by** $(\text{simp add: pr-key-analz})$
ultimately have $\exists n \text{ run } X.$
 $\text{Says } n \text{ run } 5 X (\text{Card } n) (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n)) \in \text{set evsFR5} \wedge$
 $\text{Says } n \text{ run } 5 (\text{Card } n) X (\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0)) \in \text{set evsFR5}$
by $(\text{rule pr-confirm-parts [OF A]})$
then obtain n' **and** run' **and** X **where** $I:$
 $\text{Says } n' \text{ run}' 5 X (\text{Card } n') (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n')) \in \text{set evsFR5} \wedge$
 $\text{Says } n' \text{ run}' 5 (\text{Card } n') X (\text{Crypt}(\text{sesK}(c * f))(\text{Number } 0)) \in \text{set evsFR5}$
by blast
hence
 $\text{Says } n' \text{ run}' 5 X (\text{Card } n') (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n')) \in \text{set evsFR5} \dots$
with A **have** $J:$
 $\text{Says } n' \text{ run}' 5 (\text{User } n') (\text{Card } n') (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n'))$
 $\in \text{set evsFR5}$
by $(\text{rule pr-user-authenticity})$
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n') \in \text{spies evsFR5}$
by (rule set-spies)
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n') \in A \cup \text{spies evsFR5} \dots$
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } n') \in \text{parts}(A \cup \text{spies evsFR5})$
by (rule parts.Inj)
moreover have $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m) \in \text{spies evsFR5}$
using F **by** (rule set-spies)
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m) \in A \cup \text{spies evsFR5} \dots$
hence $\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m) \in \text{parts}(A \cup \text{spies evsFR5})$
by (rule parts.Inj)
ultimately have $n' = m$
by $(\text{rule pr-unique-passwd-parts [OF A]})$
moreover from this have
 $\text{Says } m \text{ run}' 5 (\text{User } m) (\text{Card } m) (\text{Crypt}(\text{sesK}(c * f))(\text{Passwd } m))$
 $\in \text{set evsFR5}$
using J **by** simp
hence $m = m \wedge m = n \wedge \text{run}' = \text{run}$

by (rule *pr-unique-run-8* [*OF A - C D H*])
hence $K: n = m \wedge \text{run}' = \text{run}$
by *simp*
ultimately have L :
 $\text{Says } m \text{ run } 5 \ X \ (\text{Card } m) \ (\text{Crypt } (\text{sesK } (c * f)) \ (\text{Passwd } m)) \in \text{set evsFR5} \wedge$
 $\text{Says } m \text{ run } 5 \ (\text{Card } m) \ X \ (\text{Crypt } (\text{sesK } (c * f)) \ (\text{Number } 0)) \in \text{set evsFR5}$
using I **by** *simp*
moreover from this have
 $\text{Says } m \text{ run } 5 \ X \ (\text{Card } m) \ (\text{Crypt } (\text{sesK } (c * f)) \ (\text{Passwd } m)) \in \text{set evsFR5} \ ..$
with A **have** $X = \text{User } m \vee X = \text{Spy}$
by (rule *pr-passwd-says*)
thus $n = m \wedge$
 $(\text{Says } m \text{ run } 5 \ (\text{Card } m) \ (\text{User } m) \ (\text{Crypt } (\text{sesK } (c * f)) \ (\text{Number } 0)) \in \text{set evsFR5} \vee$
 $\text{Says } m \text{ run } 5 \ (\text{Card } m) \ \text{Spy} \ (\text{Crypt } (\text{sesK } (c * f)) \ (\text{Number } 0)) \in \text{set evsFR5})$
by (rule *disjE*, *insert L*, *simp-all add: K*)
qed
end

References

- [1] Bundesamt für Sicherheit in der Informationstechnik. *Technical Guideline TR-03111 – Elliptic Curve Cryptography*, 2nd edition, 2012.
- [2] International Civil Aviation Organization. *Doc 9303 – Machine Readable Travel Documents – Part 10: Logical Data Structure (LDS) for Storage of Biometrics and Other Data in the Contactless Integrated Circuit (IC)*, 7th edition, 2015.
- [3] International Civil Aviation Organization. *Doc 9303 – Machine Readable Travel Documents – Part 11: Security Mechanisms for MRTDs*, 7th edition, 2015.
- [4] International Organization for Standardization. *ISO/IEC 7816-4 – Identification cards – Integrated circuit cards – Part 4: Organization, security and commands for interchange*, 3rd edition, 2013.
- [5] G. Kc and P. Karger. Preventing attacks on machine readable travel documents (mrtlds). *IACR Cryptology ePrint Archive*, 2005.
- [6] A. Krauss. *Defining Recursive Functions in Isabelle/HOL*. <http://isabelle.in.tum.de/website-Isabelle2016/dist/Isabelle2016/doc/functions.pdf>.
- [7] T. Nipkow. *A Tutorial Introduction to Structured Isar Proofs*. <http://isabelle.in.tum.de/website-Isabelle2011/dist/Isabelle2011/doc/isar-overview.pdf>.

- [8] T. Nipkow. *Programming and Proving in Isabelle/HOL*, Feb. 2016. <http://isabelle.in.tum.de/website-Isabelle2016/dist/Isabelle2016/doc/prog-prove.pdf>.
- [9] T. Nipkow, L. Paulson, and M. Wenzel. *Isabelle/HOL — A Proof Assistant for Higher-Order Logic*, Feb. 2016. <http://isabelle.in.tum.de/website-Isabelle2016/dist/Isabelle2016/doc/tutorial.pdf>.
- [10] L. Paulson. The inductive approach to verifying cryptographic protocols. *Journal of Computer Security*, Dec. 1998.