

# Young's Inequality for Increasing Functions

Lawrence C. Paulson

March 24, 2023

## Abstract

Young's inequality states that

$$ab \leq \int_0^a f(x)dx + \int_0^b f^{-1}(y)dy$$

where  $a \geq 0$ ,  $b \geq 0$  and  $f$  is strictly increasing and continuous. Its proof is formalised following the development by Cunningham and Grossman [1]. Their idea is to make the intuitive, geometric folklore proof rigorous by reasoning about step functions. The lack of the Riemann integral makes the development longer than one would like, but their argument is reproduced faithfully.

## Contents

<b>1</b>	<b>Young's Inequality for Increasing Functions</b>	<b>3</b>
1.1	Library Extras: already added to the repository . . . . .	3
1.2	Toward Young's inequality . . . . .	4
1.3	Regular divisions . . . . .	4
1.4	Special cases of Young's inequality . . . . .	5

**Acknowledgements** The author was supported by the ERC Advanced Grant ALEXANDRIA (Project 742178) funded by the European Research Council.

# 1 Young's Inequality for Increasing Functions

From the following paper: Cunningham, F., and Nathaniel Grossman. On Youngs Inequality. The American Mathematical Monthly 78, no. 7 (1971): 78183. <https://doi.org/10.2307/2318018>

**theory** *Youngs* **imports**  
*HOL-Analysis.Analysis*

**begin**

## 1.1 Library Extras: already added to the repository

In fact, strict inequality is required only at a single point within the box.

**lemma** *integral-less:*

**fixes**  $f :: 'n::euclidean-space \Rightarrow real$   
**assumes**  $cont: continuous-on (cbox\ a\ b)\ f$   $cont: continuous-on (cbox\ a\ b)\ g$  **and**  $ne: box\ a\ b \neq \{\}$   
**and**  $fg: \bigwedge x. x \in box\ a\ b \implies f\ x < g\ x$   
**shows**  $integral\ (cbox\ a\ b)\ f < integral\ (cbox\ a\ b)\ g$   
*<proof>*

**lemma** *integral-less-real:*

**fixes**  $f :: real \Rightarrow real$   
**assumes**  $cont: continuous-on\ \{a..b\}\ f$   $cont: continuous-on\ \{a..b\}\ g$  **and**  $\{a <..< b\} \neq \{\}$   
**and**  $\bigwedge x. x \in \{a <..< b\} \implies f\ x < g\ x$   
**shows**  $integral\ \{a..b\}\ f < integral\ \{a..b\}\ g$   
*<proof>*

**lemma** *has-integral-UN:*

**fixes**  $f :: 'n::euclidean-space \Rightarrow 'a::banach$   
**assumes**  $finite\ I$   
**and**  $int: \bigwedge i. i \in I \implies (f\ has-integral\ (g\ i))\ (\mathcal{T}\ i)$   
**and**  $neg: pairwise\ (\lambda i\ i'. negligible\ (\mathcal{T}\ i \cap \mathcal{T}\ i'))\ I$   
**shows**  $(f\ has-integral\ (sum\ g\ I))\ (\bigcup_{i \in I}. \mathcal{T}\ i)$   
*<proof>*

**lemma** *integrable-mono-on-nonneg:*

**fixes**  $f :: real \Rightarrow real$   
**assumes**  $mon: mono-on\ \{a..b\}\ f$  **and**  $0: \bigwedge x. 0 \leq f\ x$   
**shows**  $integrable\ (lebesgue-on\ \{a..b\})\ f$   
*<proof>*

**lemma** *integrable-mono-on:*

**fixes**  $f :: real \Rightarrow real$   
**assumes**  $mono-on\ \{a..b\}\ f$   
**shows**  $integrable\ (lebesgue-on\ \{a..b\})\ f$   
*<proof>*

**lemma** *integrable-on-mono-on*:

**fixes**  $f :: \text{real} \Rightarrow \text{real}$   
**assumes** *mono-on*  $\{a..b\}$   $f$   
**shows**  $f$  *integrable-on*  $\{a..b\}$   
*<proof>*

**lemma** *strict-mono-image-endpoints*:

**fixes**  $f :: 'a::\text{linear-continuum-topology} \Rightarrow 'b::\text{linorder-topology}$   
**assumes** *strict-mono-on*  $\{a..b\}$   $f$  **and**  $f$ : *continuous-on*  $\{a..b\}$   $f$  **and**  $a \leq b$   
**shows**  $f \text{ ` } \{a..b\} = \{f \text{ a..f b}\}$   
*<proof>*

## 1.2 Toward Young's inequality

Generalisations of the type of  $f$  are not obvious

**lemma** *strict-mono-continuous-invD*:

**fixes**  $f :: \text{real} \Rightarrow \text{real}$   
**assumes** *sm*: *strict-mono-on*  $\{a.. \}$   $f$  **and** *contf*: *continuous-on*  $\{a.. \}$   $f$   
**and** *fm*:  $f \text{ ` } \{a.. \} = \{f \text{ a..}\}$  **and** *g*:  $\bigwedge x. x \geq a \implies g (f x) = x$   
**shows** *continuous-on*  $\{f \text{ a..}\}$   $g$   
*<proof>*

## 1.3 Regular divisions

Our lack of the Riemann integral forces us to construct explicitly the step functions mentioned in the text.

**definition** *segment*  $\equiv \lambda n \ k. \{\text{real } k / \text{real } n..(1 + k) / \text{real } n\}$

**lemma** *segment-nonempty*: *segment*  $n \ k \neq \{\}$   
*<proof>*

**lemma** *segment-Suc*: *segment*  $n \ \{\text{..<Suc } k\} = \text{insert } \{k/n..(1 + \text{real } k) / n\}$   
*(segment*  $n \ \{\text{..<}k\}$   
*<proof>*

**lemma** *Union-segment-image*:  $\bigcup (\text{segment } n \ \{\text{..<}k\}) = (\text{if } k=0 \text{ then } \{\} \text{ else } \{0.. \text{real } k / \text{real } n\})$   
*<proof>*

**definition** *segments*  $\equiv \lambda n. \text{segment } n \ \{\text{..<}n\}$

**lemma** *card-segments* [*simp*]: *card* (*segments*  $n$ ) =  $n$   
*<proof>*

**lemma** *segments-0* [*simp*]: *segments*  $0 = \{\}$   
*<proof>*

**lemma** *Union-segments*:  $\bigcup (\text{segments } n) = (\text{if } n=0 \text{ then } \{\} \text{ else } \{0..1\})$

*<proof>*

**definition** *regular-division*  $\equiv \lambda a b n. (\text{image } ((+) a \circ (*) (b-a))) \text{ ' } (\text{segments } n)$

**lemma** *translate-scale-01*:

**assumes**  $a \leq b$

**shows**  $(\lambda x. a + (b - a) * x) \text{ ' } \{0..1\} = \{a..b::\text{real}\}$

*<proof>*

**lemma** *finite-regular-division [simp]*: *finite (regular-division a b n)*

*<proof>*

**lemma** *card-regular-division [simp]*:

**assumes**  $a < b$

**shows**  $\text{card } (\text{regular-division } a \ b \ n) = n$

*<proof>*

**lemma** *Union-regular-division*:

**assumes**  $a \leq b$

**shows**  $\bigcup (\text{regular-division } a \ b \ n) = (\text{if } n=0 \text{ then } \{\} \text{ else } \{a..b\})$

*<proof>*

**lemma** *regular-division-eqI*:

**assumes**  $K: K = \{a + (b-a)*(real \ k / n) .. a + (b-a)*((1 + real \ k) / n)\}$

**and**  $a < b \ k < n$

**shows**  $K \in \text{regular-division } a \ b \ n$

*<proof>*

**lemma** *regular-divisionE*:

**assumes**  $K \in \text{regular-division } a \ b \ n \ a < b$

**obtains**  $k$  **where**  $k < n \ K = \{a + (b-a)*(real \ k / n) .. a + (b-a)*((1 + real \ k) / n)\}$

*<proof>*

**lemma** *regular-division-division-of*:

**assumes**  $a < b \ n > 0$

**shows**  $(\text{regular-division } a \ b \ n) \text{ division-of } \{a..b\}$

*<proof>*

## 1.4 Special cases of Young's inequality

**lemma** *weighted-nesting-sum*:

**fixes**  $g :: \text{nat} \Rightarrow 'a::\text{comm-ring-1}$

**shows**  $(\sum k < n. (1 + \text{of-nat } k) * (g (\text{Suc } k) - g k)) = \text{of-nat } n * g n - (\sum i < n. g i)$

*<proof>*

**theorem** *Youngs-exact*:

**fixes**  $f :: \text{real} \Rightarrow \text{real}$

**assumes** *sm*: *strict-mono-on*  $\{0.. \}$  *f* **and** *cont*: *continuous-on*  $\{0.. \}$  *f* **and** *a*:  
 $a \geq 0$   
**and** *f*:  $f\ 0 = 0$  *f* *a* = *b*  
**and** *g*:  $\bigwedge x. \llbracket 0 \leq x; x \leq a \rrbracket \implies g\ (f\ x) = x$   
**shows**  $a * b = \text{integral}\ \{0..a\}\ f + \text{integral}\ \{0..b\}\ g$   
 $\langle \text{proof} \rangle$

**corollary** *Youngs-strict*:

**fixes** *f* :: *real*  $\Rightarrow$  *real*  
**assumes** *sm*: *strict-mono-on*  $\{0.. \}$  *f* **and** *cont*: *continuous-on*  $\{0.. \}$  *f* **and** *a* > 0  
 $b \geq 0$   
**and** *f*:  $f\ 0 = 0$  *f* *a*  $\neq$  *b* **and** *fm*:  $f\ ' \{0.. \} = \{0.. \}$   
**and** *g*:  $\bigwedge x. 0 \leq x \implies g\ (f\ x) = x$   
**shows**  $a * b < \text{integral}\ \{0..a\}\ f + \text{integral}\ \{0..b\}\ g$   
 $\langle \text{proof} \rangle$

**corollary** *Youngs-inequality*:

**fixes** *f* :: *real*  $\Rightarrow$  *real*  
**assumes** *sm*: *strict-mono-on*  $\{0.. \}$  *f* **and** *cont*: *continuous-on*  $\{0.. \}$  *f* **and**  $a \geq 0$   
 $b \geq 0$   
**and** *f*:  $f\ 0 = 0$  **and** *fm*:  $f\ ' \{0.. \} = \{0.. \}$   
**and** *g*:  $\bigwedge x. 0 \leq x \implies g\ (f\ x) = x$   
**shows**  $a * b \leq \text{integral}\ \{0..a\}\ f + \text{integral}\ \{0..b\}\ g$   
 $\langle \text{proof} \rangle$

**end**

## References

- [1] F. Cunningham and N. Grossman. On Young's inequality. *The American Mathematical Monthly*, 78(7):781–783, 1971.